ELSEVIER

Analytica Chimica Acta 430 (2001) 1–41

ANALYTICA
CHIMICA
ACTA

www.elsevier.com/locate/aca

Cumulative Author Index
Analytica Chimica Acta
Volumes 401–424, 1999–2000

PII: S0003-2670(01)00815-7

A

Abad-Villar, E.M., Fernández-Abedul, M. Teresa and Costa-García, A., Flow injection electrochemical enzyme immunoassay based on the use of gold bands, 409 (2000) 149

Abbas, M.N. and Mostafa, G.A., Determination of traces of nitrite and nitrate in water by solid phase spectrophotometry, 410 (2000) 185

Abbas, S.S., *see* El-Ragehy, N.A., 418 (2000) 93

Abd El-Hady, D., *see* Abo El-Maali, N., 417 (2000) 67

Abd El-Hamid, M., *see* Abo El-Maali, N., 417 (2000) 67

Abdollahi, H., *see* Safavi, A., 409 (2000) 275

Abeln, S.P., *see* Su, Y., 422 (2000) 209

Abo El-Maali, N., Abd El-Hady, D., Abd El-Hamid, M. and Seliem, M.M., Use of adsorptive stripping voltammetry at the glassy carbon electrode for the simultaneous determination of magnesium(II) and aluminium(III). Application to some industrial samples, 417 (2000) 67

Abollino, O., Aceto, M., Sarzanini, C. and Mentasti, E., The retention of metal species by different solid sorbents. Mechanisms for heavy metal speciation by sequential three column uptake, 411 (2000) 223

Aboul-Enein, H.Y., *see* Stefan, R.I., 411 (2000) 51

Abramova, N., *see* Bratov, A., 408 (2000) 57

Aceto, M., *see* Abollino, O., 411 (2000) 223

Acocella, F., *see* Secchi, C., 402 (1999) 37

Adams, F.C., *see* Slaets, S., 414 (2000) 141

Afkhami, A. and Afshar-E-Asl, A., Kinetic–spectophotometric determination of hydrazine by the inhibition of the bromate–hydrochloric acid reaction, 419 (2000) 101

Afshar-E-Asl, A., *see* Afkhami, A., 419 (2000) 101

Agarwal, S.K., *see* Rao, N.S., 405 (2000) 247

Agatonovic-Kustrin, S., Beresford, R. and Razzak, M., Determination of enantiomeric composition of ibuprofen in solid state mixtures of the two by DRIFT spectroscopy, 417 (2000) 31

Agatonovic-Kustrin, S., Tucker, I.G., Zecevic, M. and Zivanovic, L.J., Prediction of drug transfer into human milk from theoretically derived descriptors, 418 (2000) 181

Agnelli, H., *see* Giacomelli, L., 402 (1999) 285

Agüí, L., González-Cortés, A., Yáñez-Sedeño, P. and Pingarrón, J.M., Continuous monitoring of amino acids and related compounds with poly(3-methylthiophene)-coated cylindrical carbon fiber microelectrodes, 401 (1999) 145

Aguas Nuevo, E., *see* Berzas Nevado, J.J., 417 (2000) 169

Ahlgrén, M., *see* Latva, S., 418 (2000) 11

Aizawa, M., *see* Másson, M., 402 (1999) 29

Aizawa, M., *see* Zhang, C., 408 (2000) 225

Akarca, U.S., *see* Erdem, A., 422 (2000) 139

Akhtar, M.H., *see* Arrebola, F.J., 401 (1999) 45

Akimoto, T., Sasaki, S., Ikebukuro, K. and Karube, I., Estimation of sensitivity for refractive index and immunoreaction in a surface plasmon resonance sensor probe, 417 (2000) 125

Akizawa, T., *see* Darwish, I., 404 (2000) 179

Akizawa, T., *see* Darwish, I., 413 (2000) 79

Ala-Kleme, T., Latva, M. and Haapakka, K., Study on the radiative $^5\{D\}_4 \rightarrow {}^7\{F\}_j$ relaxation dynamics of Tb(III) in electrochemically excited self-assembled dimeric heterodinuclear Tb(III)–Ln(III)′ chelates, 403 (2000) 161

Alañón Pardo, M.T., *see* Murillo Pulgarín, J.A., 423 (2000) 85

Alarfaj, N.A., *see* Aly, F.A., 414 (2000) 15

Albero, M.I., *see* Sanchez-Pedreño, C., 414 (2000) 195

Alberti, G., *see* Pesavento, M., 405 (2000) 309

Albertús, F., Cortés, I., Alvarez, M. and Cerda, V., Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221

Aldini, G., *see* Furlanetto, S., 413 (2000) 229

Alegret, S., *see* Saurina, J., 405 (2000) 153

Alegret, S., *see* Vasjari, M., 405 (2000) 173

Alexander, C.J. and Richter, M.M., Measurement of fatty amine ethoxylate surfactants using electrochemiluminescence, 402 (1999) 105

Alfaro-De la Torre, M.C., Beaulieu, P.-Y. and Tessier, A., In situ measurement of trace metals in lakewater using the dialysis and DGT techniques, 418 (2000) 53

Ali, A.M., Farghaly, O.A. and Ghandour, M.A., Determination of thiopentone sodium in aqueous and biological media by cathodic stripping voltammetry, 412 (2000) 99

Alizadeh, N., *see* Mousavi, M.F., 414 (2000) 189

Aller, A.J., *see* Robles, L.C., 423 (2000) 255

Al-Majed, A.A., Specific spectrofluorometric quantification of D-penicillamine in bulk and dosage forms after derivatization with 4-fluoro-7-nitrobenzo-2-oxa-1,3-diazole, 408 (2000) 169

Almeida, C.M., Lapa, R.A., Lima, J.L., Zagatto, E.A. and Araújo, M.C.U., An automatic titrator based on a multicommutated unsegmented flow system. Its application to acid–base titrations, 407 (2000) 213

Almendral, M.J., *see* Alonso, A., 408 (2000) 129

Alonso, A., Almendral, M.J., Báez, M.D., Porras, M.J., Lavín, F. López and de María, C. García, Determination of bismuth in pharmaceutical products using liquid–liquid extraction in a flow injection system, 408 (2000) 129

Alonso, J. Ignacio García, *see* Leal-Granadillo, I.A., 423 (2000) 21

Alonso, M. Asunción, Sanllorente, S., Sarabia, L.A. and Arcos, M. Julia, Optimization of the experimental parameters in the determination of rifamycin SV by adsorptive stripping voltammetry, 405 (2000) 123

Al-Tamimi, S.A., *see* Aly, F.A., 416 (2000) 87

Altzitzoglou, T., *see* Torres, J.M., 414 (2000) 101

Alvarez, M., *see* Albertús, F., 414 (2000) 221

Álvarez-García, N., *see* González-Martín, I., 424 (2000) 279

Alwarthan, A.A., *see* Aly, F.A., 414 (2000) 15

Alwarthan, A.A., *see* Aly, F.A., 416 (2000) 87

Aly, F.A., Alarfaj, N.A. and Alwarthan, A.A., Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method, 414 (2000) 15

Aly, F.A., Al-Tamimi, S.A. and Alwarthan, A.A., Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87

Amao, Y., Asai, K. and Okura, I., Fluorescence quenching oxygen sensor using an aluminum phthalocyanine–polystyrene film, 407 (2000) 41

Amao, Y., Miyashita, T. and Okura, I., Optical oxygen detection based on luminescence change of metalloporphyrins immobilized in poly(isobutylmethacrylate-co-trifluoroethylmethacrylate) film, 421 (2000) 167
Amer, M.E., *see* Mahmoud, M.E., 415 (2000) 33
Amin, M., *see* Kalähne, R., 420 (2000) 205
Amine, A., Moscone, D., Bernardo, R.A., Marconi, E. and Palleschi, G., A new enzymatic spectrophotometric assay for the determination of lactulose in milk, 406 (2000) 217
Amini, M.K., Shahrokhian, S. and Tangestaninejad, S., Thiocyanate-selective electrodes based on nickel and iron phthalocyanines, 402 (1999) 137
An, D., *see* Li, W., 408 (2000) 39
Anderegg, G., *see* Chen, B., 406 (2000) 317
Anderegg, G., *see* Stypinski-Mis, B., 406 (2000) 325
Andrade, J.F., *see* Chacarolli, C.J., 411 (2000) 217
Andrade, J.F., *see* Ruys, D.P., 404 (2000) 95
André, P., *see* Viron, C., 409 (2000) 257
Anezaki, K., *see* Nukatsuka, I., 415 (2000) 221
Anfossi, L., *see* Giraudi, G., 417 (2000) 95
Angnes, L., *see* Matos, R.C., 404 (2000) 151
Anh, N.B.H. and Sharp, M., Determination of cyanide by cathodic stripping voltammetry at a rotating silver disk electrode, 405 (2000) 145
Antelo, J.M., *see* Carballeira, J.L., 401 (1999) 243
Anthemidis, A.N., *see* Themelis, D.G., 402 (1999) 259
Anthemidis, A.N., Themelis, D.G. and Stratis, J.A., Selective stopped-flow injection spectrophotometric determination of palladium(II) in hydrogenation and automobile exhaust gas converter catalysts, 412 (2000) 161
Aoki, H., *see* Gadzekpo, V.P., 411 (2000) 163
Apostoluk, W.V., Gajda, B., Szymanowski, J. and Mazurkiewicz, M.V., Estimation of properties of dialkylorganophosphorus acidic extractants in two-phase liquid systems, 405 (2000) 321
Appleton, J., *see* Lochner, F., 401 (1999) 299
Apte, S.C., *see* Bowles, K.C., 419 (2000) 145
Arakawa, H., *see* Ito, K., 421 (2000) 113
Arakawa, H., *see* Kanemitsu, M., 403 (2000) 125
Arakawa, H., *see* Kokado, A., 407 (2000) 119
Araki, T., Tsunoi, S. and Tanaka, M., Preparation and enantiomer separation behavior of selectively methylated β-cyclodextrin-bonded stationary phases for high performance chromatography, 410 (2000) 37
Arancibia, J.A., Nepote, A.J., Escandar, G.M. and Olivieri, A.C., Spectrofluorimetric determination of phenylephrine in the presence of a large excess of paracetamol, 419 (2000) 159
Araujo, A., *see* de Gracia, J., 402 (1999) 275
Araújo, M.C.U., *see* Almeida, C.M., 407 (2000) 213
Araújo, M.C.U., *see* Honorato, R.S., 416 (2000) 231
Araújo, M.C.U., *see* Véras, G., 401 (1999) 215
Arce, F., *see* Carballeira, J.L., 401 (1999) 243
Arcos, M. Julia, *see* Alonso, M. Asunción, 405 (2000) 123
Ariese, F., *see* de Beer, T., 416 (2000) 151
Ariño, C., *see* Cruz, B.H., 424 (2000) 203
Armalis, S. and Kubilienė, E., Stripping potentiometry signal enhancement using mercury film-coated reticulated vitreous carbon working electrode, 423 (2000) 287
Arnold, G., *see* Lampen, P., 420 (2000) 229
Aronkytö, P., *see* Härmä, H., 410 (2000) 85
Arrebola, F.J., Martínez-Vidal, J.L., Fernández-Gutiérrez, A. and Akhtar, M.H., Monitoring of pyrethroid metabolites in human urine using solid-phase extraction followed by gas chromatography-tandem mass spectrometry, 401 (1999) 45
Arrigan, D.W. and Gray, D.S., Electrochemical study of electroactive reagent retention in overoxidised polypyrrole films, 402 (1999) 157
Arunachalam, J., *see* Balarama Krishna, M.V., 408 (2000) 199
Arya, S.P., Mahajan, M. and Jain, P., Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1
Asai, K., *see* Amao, Y., 407 (2000) 41
Asbury, G. Reid, Wu, C., Siems, W.F. and Hill Jr., H.H., Separation and identification of some chemical warfare degradation products using electrospray high resolution ion mobility spectrometry with mass selected detection, 404 (2000) 273
Ascenzo, G.D', *see* Wenli, L., 417 (2000) 111
Ashworth, D., *see* Maines, A., 408 (2000) 217
Askal, H., *see* Darwish, I., 404 (2000) 179
Askal, H., *see* Darwish, I., 413 (2000) 79
Atsuya, I., *see* Zhang, Q., 401 (1999) 277
Atsuya, I., *see* Zhang, Q., 407 (2000) 147
Aucélio, R.Q., Johnson, C.L.V., Smith, B.W. and Winefordner, J.D., Ultratrace determination of thulium by laser-excited atomic fluorescence spectrometry with atomization in a rhenium lined tube furnace, 411 (2000) 57
Augelli, M.A., *see* Matos, R.C., 404 (2000) 151
Auger, J., *see* McSheehy, S., 421 (2000) 147
Augustin-Nowacka, D., Makowski, M. and Chmurzynski, L., Acid–base equilibria in systems involving substituted pyridines in polar aprotic protophobic media and in the amphiprotic methanol, 418 (2000) 233
Aupiais, J., *see* Véronneau, C., 415 (2000) 229
Ayora-Cañada, M.J. and Lendl, B., Sheath-flow Fourier transform infrared spectrometry for the simultaneous determination of citric, malic and tartaric acids in soft drinks, 417 (2000) 41
Ayora-Cañada, M.J., *see* Ruiz-Medina, A., 404 (2000) 131

B

Baader, W.J., *see* Ximenes, V.F., 402 (1999) 99
Baalbaki, B., *see* Blanchin, M.D., 415 (2000) 67
Bach, E., *see* Cleve, E., 420 (2000) 163
Bachmann, T.T. and Schmid, R.D., A disposable multielectrode biosensor for rapid simultaneous detection of the insecticides paraoxon and carbofuran at high resolution, 401 (1999) 95
Back, M.H., *see* Sekaly, A.L., 402 (1999) 211, 223
Baeyens, W.R., *see* Rao, Y., 416 (2000) 227
Báez, M.D., *see* Alonso, A., 408 (2000) 129
Baeza-Baeza, J.J., *see* López-Grío, S., 418 (2000) 153
Baffi, C., *see* Bettinelli, M., 424 (2000) 289
Baffi, F., *see* Pesavento, M., 401 (1999) 265
Baggiani, C., *see* Giraudi, G., 417 (2000) 95

Bagheri, H., Gholami, A. and Najafi, A., Simultaneous preconcentration and speciation of iron(II) and iron(III) in water samples by 2-mercaptobenzimidazole-silica gel sorbent and flow injection analysis system, 424 (2000) 233
Bakker, E. and Meyerhoff, M.E., Ionophore-based membrane electrodes: new analytical concepts and non-classical response mechanisms, 416 (2000) 121
Bakker, E., *see* Qin, Y., 421 (2000) 207
Balarama Krishna, M.V., Shekhar, R., Karunasagar, D. and Arunachalam, J., Multi-element characterization of high purity cadmium using inductively coupled plasma quadrupole mass spectrometry and glow-discharge quadrupole mass spectrometry, 408 (2000) 199
Baláspiri, L., *see* Mák, M., 402 (1999) 303
Balbo, V.R., *see* Chacarolli, C.J., 411 (2000) 217
Baldi, A., *see* Bratov, A., 408 (2000) 57
Baldini, F., *see* Preininger, C., 403 (2000) 67
Bandow, H., *see* Nguyen, H.T.H., 402 (1999) 233
Bang, L. and Tan, W., Two-dimensional biochemical imaging sensor for spatially resolved glutamate monitoring, 401 (1999) 91
Bao, C., *see* Li, J., 402 (1999) 311
Barbosa, J., *see* Barrón, D., 403 (2000) 339, 349
Barbosa, J., *see* Barrón, D., 415 (2000) 83
Barbosa Jr., F., *see* Lima, E.C., 409 (2000) 267
Barciela Alonso, M.C. and Prego, R., Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21
Barna, B., *see* Székács, A., 421 (2000) 135
Barnett, N.W., Bos, R., Evans, R.N. and Russell, R.A., Synthesis, characterisation and preliminary analytical evaluation of three oxamide reagents for peroxyoxalate chemiluminescence, 403 (2000) 145
Barnett, N.W., Hindson, B.J., Lewis, S.W., Purcell, S.D. and Jones, P., Preparation and preliminary evaluation of anhydrous tris(2,2′-bipyridyl)ruthenium(III) perchlorate as a temporally stable reagent for analytical chemiluminescence, 421 (2000) 1
Barra, C.M., Cervera, M. Luisa, de la Guardia, M. and Santelli, R.E., Atomic fluorescence determination of inorganic arsenic in soils after microwave-assisted distillation, 407 (2000) 155
Barrero-Moreno, J.M., *see* Pulido-Tofiño, P., 417 (2000) 85
Barrón, D. and Barbosa, J., Acid–base behaviour of substituted phenolic substances and resolution of acid strength in tetrahydrofuran, 403 (2000) 339
Barrón, D., Buti, S. and Barbosa, J., Standardization of potentiometric sensors and acid–base behaviour of a series of bases in nitrobenzene, 403 (2000) 349
Barrón, D., Jiménez-Lozano, E. and Barbosa, J., Electrophoretic behaviour of zwitterionic compounds in capillary electrophoresis. Prediction of mobility of several quinolones, 415 (2000) 83
Barták, P., Bednář, P., Kubáček, L. and Stránský, Z., Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327
Barták, P., Pěchová, D., Tarkowski, P., Bednář, P., Kotouček, M., Stránský, Z. and Vespalec, R., Determination of the first dissociation constant of 6-benzylaminopurine. A comparison of methods, 421 (2000) 221
Bartle, K.D., *see* Özel, M.Z., 417 (2000) 177
Bartsch, R.A., *see* Tong, A.J., 420 (2000) 57
Basile, F., *see* Xu, M., 418 (2000) 119
Bastos, M.B., Moreira, J.C. and Farias, P.A., Adsorptive stripping voltammetric behaviour of UO_2(II) complexed with the Schiff base *N,N′*- ethylenebis(salicylidenimine) in aqueous 4-(2-hydroxyethyl)-1-piperazine ethanesulfonic acid medium, 408 (2000) 83
Bauman, R., *see* Edwards, J.L., 401 (1999) 209
Bautista, J.A. García, Mateo, J.V. García and Calatayud, J. Martínez, Flow injection biamperometric determination of chloramphenicol and related nitro compounds by on-line chemical photodegradation, 404 (2000) 141
Bautista, J.A. García, *see* Palomeque, M., (401) (1999) 229
Bauzá de Mirabó, F.M., *see* Semenova, N.V., (412) (2000) 169
Beattie, J., *see* Secchi, C., 402 (1999) 37
Beaulieu, P.-Y., *see* Alfaro-De la Torre, M.C., 418 (2000) 53
Becker, T.M. and Schmidt, H.L., New ways of enzymatic two-substrate determinations in flow injection systems, 421 (2000) 7
Bedioui, F., *see* Pontié, M., 411 (2000) 175
Bednář, P., *see* Barták, P., 407 (2000) 327
Bednář, P., *see* Barták, P., 421 (2000) 221
Behrsing, O., *see* Stöcklein, W.F., 405 (2000) 255
Bélai, I., *see* Hegedűs, G., 421 (2000) 121
Benavente, J., *see* Oleinikova, M., 403 (2000) 91
Bendahl, L., Sidenius, U. and Gammelgaard, B., Determination of selenoprotein P in human plasma by solid phase extraction and inductively coupled plasma mass spectrometry, 411 (2000) 103
Benikovský, T., *see* Tkáč, J., 420 (2000) 1
Beone, G.M., *see* Bettinelli, M., 424 (2000) 289
Beresford, R., *see* Agatonovic-Kustrin, S., 417 (2000) 31
Bernardo, R.A., *see* Amine, A., 406 (2000) 217
Berntsson, O., Danielsson, L.-G., Johansson, M.O. and Folestad, S., Quantitative determination of content in binary powder mixtures using diffuse reflectance near infrared spectrometry and multivariate analysis, (419) (2000) 45
Berovič, M., *see* Vodopivec, M., 407 (2000) 105
Berrini, A., *see* Secchi, C., 402 (1999) 37
Berzas Nevado, J.J., Contento Salcedo, A.M., Villaseñor Llerena, M.J. and Aguas Nuevo, E., Method development and validation for the simultaneous determination of fluoxetine and fluvoxamine in pharmaceutical preparations by capillary electrophoresis, 417 (2000) 169
Berzas, J.J., Rodriguez, J., Castañeda, G. and Villaseñor, M.J., Voltammetric behavior of sildenafil citrate (Viagra) using square wave and adsorptive stripping square wave techniques. Determination in pharmaceutical products, 417 (2000) 143
Bettinelli, M., Beone, G.M., Spezia, S. and Baffi, C., Determination of heavy metals in soils and sediments by microwave-assisted digestion and inductively coupled plasma optical emission spectrometry analysis, 424 (2000) 289
Betts, T.A., Tipple, C.A., Sepaniak, M.J. and Datskos, P.G., Selectivity of chemical sensors based on micro-cantilevers coated with thin polymer films, 422 (2000) 89
Beyer, L., *see* El Aamrani, F.Z., 402 (1999) 129
Bhatia, D., *see* Rao, N.S., 405 (2000) 247
Bian, L., *see* Lu, Y., 417 (2000) 101

Bianco Prevot, A., Pramauro, E., Gallarate, M., Carlotti, M.E. and Orio, G., Determination of micelle/water partition coefficients of cosmetic preservatives. Optimisation of the capillary electrophoretic method, 412 (2000) 141
Bickel, M., *see* Torres, J.M., 414 (2000) 101
Bied-Charreton, C., *see* Delmarre, D., 401 (1999) 125
Biernath, H., *see* Mansfeldt, T., 406 (2000) 283
Biesuz, R., *see* Pesavento, M., 401 (1999) 265
Bijlsma, S., Boelens, H.F., Hoefsloot, H.C. and Smilde, A.K., Estimating reaction rate constants: comparison between traditional curve fitting and curve resolution, 419 (2000) 197
Bin, H., *see* Tianyou, P., 421 (2000) 75
Binding, N., *see* Kempter, C., 410 (2000) 47
Bjerregaard, J., *see* Spence, D.M., 409 (2000) 3
Blanc, R., González-Casado, A., Navalón, A. and Vílchez, J.L., On the estimate of blanks in differential pulse voltammetric techniques: application to detection limits evaluation as recommended by IUPAC, 403 (2000) 117
Blanchin, M.D., Baalbaki, B., Bosc, N. and Fabre, H., Short-end injection technique in capillary electrophoresis for dissolution testing of tablets, 415 (2000) 67
Blanco, M., Canals, T., Coello, J., Gené, J., Iturriaga, H. and Maspoch, S., Direct determination of leather dyes by visible reflectance spectroscopy using partial least-squares regression, 419 (2000) 209
Blanco, M., Coello, J., Iturriaga, H., Maspoch, S. and Pérez-Maseda, C., Circular dichroism spectra of cyclodextrins–ketoprofen inclusion complexes. Determination of enantiomeric purity, 407 (2000) 233
Blanco, M., Coello, J., Iturriaga, H., Maspoch, S. and Pérez-Maseda, C., Determination of polymorphic purity by near infrared spectrometry, (407) (2000) 247
Blanco, R.M., Villanueva, M.T., Uría, J.E.S. and Sanz-Medel, A., Field sampling, preconcentration and determination of mercury species in river waters, 419 (2000) 137
Blomqvist, S., *see* Moberg, L., 411 (2000) 137
Bode, P., *see* Polkowska-Motrenko, H., 408 (2000) 89
Boelens, H.F., *see* Bijlsma, S., 419 (2000) 197
Bogdanova, T.F., *see* Piottukh-Peletsky, V.N., 409 (2000) 181
Bogdańska, A., Chmurzyński, L., Ossowski, T., Liwo, A. and Jeziorek, D., Protolytic equilibria of dihydroxyanthraquinones in non-aqueous solutions, 402 (1999) 339
Boggetti, H., *see* Giacomelli, L., 402 (1999) 285
Bonelli, B., *see* Bruzzoniti, M.C., 422 (2000) 231
Bonfil, Y., Brand, M. and Kirowa-Eisner, E., Trace determination of mercury by anodic stripping voltammetry at the rotating gold electrode, 424 (2000) 65
Bonn, G., *see* Merdivan, M., 402 (1999) 91
Bonneil, E., Mercier, M. and Waldron, K.C., Reproducibility of a solid-phase trypsin microreactor for peptide mapping by capillary electrophoresis, 404 (2000) 29
Bonnet, P.A., *see* Poucheret, P., 405 (2000) 221
Boqué, R., Faber, N.M. and Rius, F. Xavier, Detection limits in classical multivariate calibration models, 423 (2000) 41
Bordin, G., *see* Virtanen, V., 402 (1999) 59
Borham, N., *see* Khalil, S., 414 (2000) 215
Borromeo, V., *see* Secchi, C., 402 (1999) 37
Borsdorf, H., Schelhorn, H., Flachowsky, J., Döring, H.R. and Stach, J., Corona discharge ion mobility spectrometry of aliphatic and aromatic hydrocarbons, 403 (2000) 235
Bos, M., Vrielink, J.A.M. and van der Linden, W.E., Non-destructive analysis of small irregularly shaped homogenous samples by X-ray fluorescence spectrometry, 412 (2000) 203
Bos, R., *see* Barnett, N.W., 403 (2000) 145
Bosc, N., *see* Blanchin, M.D., 415 (2000) 67
Bosch-Reig, F., *see* Doménech-Carbó, A., 407 (2000) 275
Botana, A.M., *see* Rebolo, S., 417 (2000) 211
Botha, A., *see* van Staden, J.F., 403 (2000) 279
Boujtita, M., *see* Ramirez Molina, C., 401 (1999) 155
Boult, P.R., *see* Featherstone, A.M., 409 (2000) 215
Bowles, K.C. and Apte, S.C., Determination of methylmercury in sediments by steam distillation/aqueous-phase ethylation and atomic fluorescence spectrometry, 419 (2000) 145
Brabcová, M., *see* Němcová, I., 401 (1999) 223
Brajenović, N., Hadžija, O., Iskrić, S., Kveder, S. and Regula, I., Chromatographic mobility of metals on paper impregnated with model compounds related to lignin structure and on wood slices, 406 (2000) 279
Brand, M., *see* Bonfil, Y., 424 (2000) 65
Branica, M., *see* Pižeta, I., 401 (1999) 163
Bratov, A., Abramova, N., Domínguez, C. and Baldi, A., Ion-selective field effect transistor (ISFET)-based calcium ion sensor with photocured polyurethane membrane suitable for ionised calcium determination in milk, 408 (2000) 57
Bravo, B., *see* Márquez, N., 405 (2000) 267
Brereton, R.G., *see* Meloun, M., 423 (2000) 51
Bressolle, F.V., *see* Poucheret, P., 405 (2000) 221
Brinkman, U.A., *see* de Beer, T., 416 (2000) 151
Brinkman, U.A.Th., *see* Kok, S.J., 405 (2000) 1
Brinkman, U.A.Th., *see* Kuijt, J., 417 (2000) 15
Bro, R., *see* Eriksson, L., 420 (2000) 181
Brouwer, E.B., *see* Monteil-Rivera, F., 424 (2000) 243
Brown, G.K., Cabaniss, S.E., MacCarthy, P. and Leenheer, J.A., Cu(II) binding by a pH-fractionated fulvic acid, 402 (1999) 183
Brown, G.K., MacCarthy, P. and Leenheer, J.A., Simultaneous determination of Ca, Cu, Ni, Zn and Cd binding strengths with fulvic acid fractions by Schubert's method, 402 (1999) 169
Bruland, K.W., Rue, E.L., Donat, J.R., Skrabal, S.A. and Moffett, J.W., Intercomparison of voltammetric techniques to determine the chemical speciation of dissolved copper in a coastal seawater sample, 405 (2000) 99
Brunetto, R., *see* Peña, Y.P.-d., 403 (2000) 249
Bruno, P., Caselli, M., Curri, M.L., Genga, A., Striccoli, R. and Traini, A., Chemical characterisation of ancient pottery from south of Italy by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES). Statistical multivariate analysis of data, 410 (2000) 193
Brusseau, M.L., *see* Yolcubal, I., 422 (2000) 121
Bruzzoniti, M.C., Mentasti, E., Sarzanini, C., Onida, B., Bonelli, B. and Garrone, E., Retention properties of mesoporous silica-based materials, 422 (2000) 231
Brzózka, Z., *see* Malinowska, E., 421 (2000) 93
Brzózka, Z., *see* Wróblewski, W., 401 (1999) 105
Buchmeiser, M.R., *see* Merdivan, M., 402 (1999) 91

Budnikov, H.C., *see* Ivanov, A.N., 404 (2000) 55
Budnikov, H.C., *see* Medyantseva, E.P., 411 (2000) 13
Bühlmann, P., *see* Gadzekpo, V.P., 411 (2000) 163
Bujdoš, M., Kubová, J. and Streško, V., Problems of selenium fractionation in soils rich in organic matter, 408 (2000) 103
Burden, D.L., *see* Leach, A.M., 402 (1999) 267
Burford, M.D., *see* Özel, M.Z., 417 (2000) 177
Burguera, J.L., *see* Peña, Y.P.-d., 403 (2000) 249
Burguera, M., *see* Peña, Y.P.-d., 403 (2000) 249
Burns, D. Thorburn and Doolan, K.P., A comparison of pyrolysis-gas chromatography-mass spectrometry and Fourier transform infrared spectroscopy for the analysis of a series of modified alkyd paint resins, 422 (2000) 217
Burns, D. Thorburn, Tungkananuruk, N. and Janewongpaisan, S., Spectrophotometric determination of tantalum by extraction as tetrabutylammonium hexathiocyanatotantalate(V), 422 (2000) 199
Burns, D. Thorburn, Tungkananuruk, N. and Thuwasin, S., Spectrophotometric determination of bismuth after extraction of tetrabutylammonium tetraiodobismuthate(III) with microcrystalline benzophenone, 419 (2000) 41
Busto, O., *see* Martínez, A., 406 (2000) 257
Buti, S., *see* Barrón, D., 403 (2000) 349
Butler, E.C., *see* Featherstone, A.M., 409 (2000) 215
Buydens, L.M.C., *see* Swierenga, H., 411 (2000) 121

C

Cabaniss, S.E., *see* Brown, G.K., 402 (1999) 183
Cabon, J.Y. and Cabon, N., Determination of arsenic species in seawater by flow injection hydride generation in situ collection followed by graphite furnace atomic absorption spectrometry. Stability of As(III), 418 (2000) 19
Cabon, J.Y. and Le Bihan, A., Interference of various salts on the determination of selenium by graphite furnace atomic absorption spectrometry: effect of sea water, 402 (1999) 327
Cabon, N., *see* Cabon, J.Y., 418 (2000) 19
Cáceres, A., Cárdenas, S., Gallego, M. and Valcárcel, M., A continuous spectrophotometric system for the discrimination/determination of monosaccharides and oligosaccharides in foods, 404 (2000) 121
Caer, J.P.L., *see* Delaunay, N., 407 (2000) 173
Cagnini, A., *see* Malavolti, E., 401 (1999) 129
Cai, R., *see* Liu, Z., 413 (2000) 167
Cai, R., *see* Zhang, K., 413 (2000) 109
Calatayud, J. Martínez, *see* Bautista, J.A. García, 404 (2000) 141
Calatayud, J. Martínez, *see* Palomeque, M., (401) (1999) 229
Calokerinos, A.C., *see* Deftereos, N.T., 403 (2000) 137
Calokerinos, A.C., *see* Mitsana-Papazoglou, A., 410 (2000) 153
Calokerinos, A.C., *see* Palilis, L.P., 413 (2000) 175
Calokerinos, A.C., *see* Pena, A., 405 (2000) 51
Calzado, J.A., Palet, C. and Valiente, M., Metal affinity liquid membrane. Facilitated transport of nitrite, 403 (2000) 101
Calzado, J.A., Palet, C., Jonsson, J.A. and Valiente, M., Metal affinity liquid membrane. II. Facilitated transport of tryptophan, 417 (2000) 159
Campa, A., *see* Ximenes, V.F., 402 (1999) 99
Campfield, T., *see* Nelson, B.C., 410 (2000) 1
Cañabate-Díaz, B., *see* Segura-Carretero, A., 417 (2000) 19
Canals, T., *see* Blanco, M., 419 (2000) 209
Cao, X., *see* Lin, C., 403 (2000) 219
Cao, Z., *see* Chen, G., 408 (2000) 249
Čapek, J., *see* Meloun, M., 423 (2000) 51
Caputo, G., *see* Malavolti, E., 401 (1999) 129
Carballeira, J.L., Antelo, J.M., Rey, F. and Arce, F., Modeling the effects of ionic strength on ionization parameters for a soil fulvic acid at low concentrations, 401 (1999) 243
Cárdenas, S., Gallego, M. and Valcárcel, M., Evaporative light scattering detector: a new tool for screening purposes, 402 (1999) 1
Cárdenas, S., *see* Cáceres, A., 404 (2000) 121
Cardinet, C., *see* Mathieu, C., 402 (1999) 87
Cardoso, J., *see* Ventura, R., 418 (2000) 79
Cardwell, T.J. and Christophersen, M.J., Determination of sulfur dioxide and ascorbic acid in beverages using a dual channel flow injection electrochemical detection system, 416 (2000) 105
Cardwell, T.J., *see* Newcombe, D.T., 401 (1999) 137
Cardwell, T.J., *see* Sheikheldin, S.Y., 419 (2000) 9
Cardwell, T.J., *see* Wang, L., 416 (2000) 177
Carlotti, M.E., *see* Bianco Prevot, A., 412 (2000) 141
Carlsson, K. and Karlberg, B., Monosegmented micro-volume liquid–liquid flow-extraction system based on intermittent pumping and spectroscopic detection, 415 (2000) 1
Carlsson, K. and Karlberg, B., Determination of octanol–water partition coefficients using a micro-volume liquid-liquid flow extraction system, 423 (2000) 137
Carneiro, J.M., Sartini, R.P. and Zagatto, E.A., Spectrophotometric determination of total nitrogen in plant materials using a flow-injection system with an $AgCl_{(s)}$ reactor, 416 (2000) 185
Carneiro, M.C., Puignou, L. and Galceran, M.T., Comparison of silica and porous graphitic carbon as solid-phase extraction materials for the analysis of cationic herbicides in water by liquid chromatography and capillary electrophoresis, 408 (2000) 263
Caro de la Torre, M.A. and Gómez-Hens, A., Evaluation of the terbium(III)-sensitized luminescence with benzenepolycarboxylic acids. Determination of terephthalic acid in drink samples, 407 (2000) 53
Caron, F.V., *see* Fortin, C., 410 (2000) 107
Carrero, P., *see* Peña, Y.P.-d., 403 (2000) 249
Carroll, J., *see* Costley, C.T., 405 (2000) 179
Caruso, J.A., *see* Gbatu, T.P., 402 (1999) 67
Carvalho, R.S., Tersariol, I.L., Nader, H.B. and Nakaie, C.R., First purification of heparan sulfate disaccharides with an amine resin used as solid support for peptide synthesis, 403 (2000) 205
Casella, I.G., Guascito, M.R. and Desimoni, E., Sulfide measurements by flow injection analysis and ion chromatography with electrochemical detection, 409 (2000) 27
Caselli, M., *see* Bruno, P., 410 (2000) 193
Casero, E., Darder, M., Pariente, F. and Lorenzo, E., Peroxidase enzyme electrodes as nitric oxide biosensors, 403 (2000) 1
Cass, A.E., *see* Zhang, J., 408 (2000) 241
Cass, Q.B., *see* Montanari, C.A., 419 (2000) 93

Castañeda, G., *see* Berzas, J.J., 417 (2000) 143
Castañón-Fernández, J., Fernández-Abedul, M.T. and Costa-García, A., Determination of acid phosphatase activity in a double injection flow system with electrochemical detection, 406 (2000) 225
Castañón-Fernández, J., Fernández-Abedul, M.T. and Costa-García, A., Kinetic determination of acid phosphatase activity by double injection flow analysis with electrochemical detection, 413 (2000) 103
Castells, R.C. and Castillo, M.A., Systematic errors: detection and correction by means of standard calibration, Youden calibration and standard additions method in conjunction with a method response model, 423 (2000) 179
Castillo, J.R., *see* Laborda, F., 407 (2000) 301
Castillo, J.R., *see* Sierra, J.F., 414 (2000) 33
Castillo, M.A., *see* Castells, R.C., 423 (2000) 179
Castro Cano, M.L., Martínez Vidal, J.L., Egea González, F.J., Martínez Galera, M. and Cruz Márquez, M., Gas chromatographic method and whole body dosimetry for assessing dermal exposure of greenhouse applicators to chlorpyrifos-methyl and fenitrothion, 423 (2000) 127
Catalá Icardo, M., Giménez Romero, D., García Mateo, J.V. and Martínez Calatayud, J., Flow injection biamperometric determination of chloramine-T in environmental, pharmaceutical and veterinary samples, 407 (2000) 187
Catalani, L.H., *see* Ximenes, V.F., 402 (1999) 99
Cataldi, T.R., *see* De Benedetto, G.E., 410 (2000) 143
Cattana, R., *see* Giacomelli, L., 402 (1999) 285
Cattrall, R.W., *see* Kolev, S.D., 413 (2000) 241
Cattrall, R.W., *see* Newcombe, D.T., 401 (1999) 137
Cattrall, R.W., *see* Sheikheldin, S.Y., 419 (2000) 9
Cattrall, R.W., *see* Wang, L., 416 (2000) 177
Ceccon, L., *see* Lo Coco, F., 409 (2000) 93
Cerda, V., *see* Albertús, F., 414 (2000) 221
Cerdà, V., *see* Cladera, A., 421 (2000) 155
Cerdá, V., *see* Semenova, N.V., 412 (2000) 169
Cervera, M. Luisa, *see* Barra, C.M., 407 (2000) 155
Cespón, R.M., *see* Yebra, M.C., 405 (2000) 191
Chacarolli, C.J., Andrade, J.F., Guimarães, O.M., Balbo, V.R., Venezuela, C.S. and Teruel, F.S., Spectrophotometric study of iron oxidation in the iron(II)/azide/tetrahydrofuran system and some analytical applications, 411 (2000) 217
Chai, Z., *see* Dai, X., 403 (2000) 243
Chai, Z., *see* Dong, S., 415 (2000) 185
Chakrabarti, C.L., *see* Lam, M.T., 402 (1999) 195
Chakrabarti, C.L., *see* Murimboh, J., 423 (2000) 115
Chakrabarti, C.L., *see* Sekaly, A.L., 402 (1999) 211, 223
Chamosfakidi, P., *see* Mitsana-Papazoglou, A., 410 (2000) 153
Chan, M.A., Lawless, J.L., Lam, S.K. and Lo, D., Fiber optic oxygen sensor based on phosphorescence quenching of erythrosin B trapped in silica-gel glasses, 408 (2000) 33
Chang, P. and Shih, J.S., Multi-channel piezoelectric quartz crystal sensor for organic vapours, 403 (2000) 39
Chang, W.B., *see* Su, P., 418 (2000) 137
Chaniotakis, N.A., *see* Gavalas, V.G., 404 (2000) 67
Chaniotakis, N.A., *see* Gavalas, V.G., 409 (2000) 131
Chapman, J. and Zhou, M., Microplate-based fluorometric methods for the enzymatic determination of L-glutamate: application in measuring L-glutamate in food samples, 402 (1999) 47
Chassaigne, H., *see* McSheehy, S., 410 (2000) 71
Chatrathi, M.P., *see* Wang, J., 411 (2000) 187
Chatrathi, M.P., *see* Wang, J., 416 (2000) 9
Chaubey, A., Pande, K.K., Singh, V.S. and Malhotra, B.D., Co-immobilization of lactate oxidase and lactate dehydrogenase on conducting polyaniline films, 407 (2000) 97
Chauhan, V.K., *see* Rao, N.S., 405 (2000) 247
Chaumery, C.J., *see* Riso, R.D., 410 (2000) 97
Chávez, G., *see* Márquez, N., 405 (2000) 267
Chen, B., Lubal, P., Musso, S. and Anderegg, G., Equilibria with the thallium(III)triethylenetetraminehexaacetate anion $[Tl(ttha)]^{3-}$ in aqueous solution, 406 (2000) 317
Chen, C.F., *see* Tsai, T.H., 412 (2000) 13
Chen, D., *see* Zhang, K., 413 (2000) 109
Chen, G., Ding, X., Cao, Z. and Ye, J., Determination of melatonin and pyridoxine in pharmaceutical preparations for health-caring purposes by capillary electrophoresis with electrochemical detection, 408 (2000) 249
Chen, G., *see* Zhang, L., 424 (2000) 257
Chen, G., Zhang, H. and Ye, J., Determination of rutin and quercetin in plants by capillary electrophoresis with electrochemical detection, (423) (2000) 69
Chen, H.Y., *see* Xu, J.J., 423 (2000) 101
Chen, H.Y., *see* Yang, W.C., 415 (2000) 75
Chen, H.Y., *see* Zhang, G.F., 409 (2000) 75
Chen, H.Y., *see* Zhang, G.F., 419 (2000) 25
Chen, J., *see* Li, W., 408 (2000) 39
Chen, J., *see* Xue, J., 405 (2000) 77
Chen, L., He, X., Zhao, B. and Liu, Y., Calixarene derivative as the neutral carrier in silver ion-selective electrode and liquid membrane transport, 417 (2000) 51
Chen, L., *see* Wang, J., 411 (2000) 187
Chen, Q.y., Li, D.h., Zhu, Q.z., Yang, H.h., Zheng, H. and Xu, J.g., Investigation on the potential use of the mimetic peroxidase-catalyzed reaction of hydrogen peroxide and *o*-hydroxyphenylfluorone in fluorescence analysis, 406 (2000) 209
Chen, S.H., *see* Wu, S.M., 413 (2000) 125
Chen, W. and Pardue, H.L., Pseudo-equilibrium approach to the design and use of enzyme-based amperometric biosensors evaluated using a sensor for hydrogen peroxide, 409 (2000) 123
Chen, W., *see* Ma, W.X., 416 (2000) 191
Chen, W.H., Lin, S.Y. and Liu, C.Y., Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25
Chen, W.J., *see* Wang, S.P., 416 (2000) 157
Chen, X., Ruan, C., Kong, J. and Deng, J., Characterization of the direct electron transfer and bioelectrocatalysis of horseradish peroxidase in DNA film at pyrolytic graphite electrode, 412 (2000) 89
Chen, X.K., *see* Li, L.D., 424 (2000) 177
Chen, Y.F., *see* Tsai, T.H., 412 (2000) 13
Chen, Z., Lin, J.M., Uchiyama, K. and Hobo, T., Determination of critical micelle concentrations of anionic surfactants based on ligand exchange micellar electrokinetic chromatography, 403 (2000) 173

Chen, Z., *see* Lu, X., 418 (2000) 205
Chen, Z.P., Wu, H.L., Li, Y. and Yu, R.Q., Novel constrained PARAFAC algorithm for second-order linear calibration, 423 (2000) 187
Cheng, F.C., *see* Liu, H.M., 405 (2000) 197
Cheng, G., *see* Wang, B., 407 (2000) 111
Cheng, H., *see* Huang, Y., 419 (2000) 175
Cheng, J., *see* Guan, N., 418 (2000) 145
Cheng, L., Liu, J. and Dong, S., Layer-by-layer assembly of multilayer films consisting of silicotungstate and a cationic redox polymer on 4-aminobenzoic acid modified glassy carbon electrode and their electrocatalytic effects, 417 (2000) 133
Chiba, K., *see* Umemura, T., 419 (2000) 87
Chien, Y.C., Uang, S.N., Kuo, C.T., Shih, T.S. and Jen, J.F., Analytical method for monitoring airborne trimethylamine using solid phase micro-extraction and gas chromatography-flame ionization detection, 419 (2000) 73
Chimpalee, D., *see* Chimpalee, N., 408 (2000) 123
Chimpalee, N., Chimpalee, D., Keawpasert, P. and Thorburn Burns, D., Flow injection extraction spectrophotometric determination of nickel using bis(acetylacetone)ethylenediimine, 408 (2000) 123
Chimuka, L., Mathiasson, L. and Jönsson, J.A., Role of octanol–water partition coefficients in extraction of ionisable organic compounds in a supported liquid membrane with a stagnant acceptor, 416 (2000) 77
Chiou, C.S. and Shih, J.S., Fullerene C_{60}-cryptand chromatographic stationary phase for separations of anions/cations and organic molecules, 416 (2000) 169
Chmurzynski, L., *see* Augustin-Nowacka, D., 418 (2000) 233
Chmurzyński, L., *see* Bogdańska, A., 402 (1999) 339
Chmurzyński, L., *see* Wróbel, R., 405 (2000) 303
Chmurzyński, L., *see* Zielińska, J., 401 (1999) 317
Cho, Y.J., *see* Park, I.S., 404 (2000) 75
Choi, M.M. and Tse, O.L., Flow injection analysis of water vapour based on a fluorosensor, 423 (2000) 229
Choi, M.M. and Xiao, D., Single standard calibration for an optical oxygen sensor based on luminescence quenching of a ruthenium complex, 403 (2000) 57
Chou, S.T., Ko, L.E. and Yang, C.S., Determination of tissue α-tocopherol in senescence-accelerated mice by high-performance liquid chromatography with fluorimetric detection, 419 (2000) 81
Christensen, J.M., *see* Kristiansen, J., 403 (2000) 265
Christophersen, M.J., *see* Cardwell, T.J., 416 (2000) 105
Chu, T.C., *see* Lu, J.K., 407 (2000) 291
Chudy, M., *see* Wróblewski, W., 401 (1999) 105
Chudy, M., *see* Wróblewski, W., 416 (2000) 97
Chung, H.H., *see* Zen, J.M., 421 (2000) 189
Chung, S.Y., *see* Liu, H.M., 405 (2000) 197
Chunhua, Y., *see* Wenli, L., 417 (2000) 111
Ci, Y.X., *see* Li, H.N., 416 (2000) 221
Ciriello, R., *see* De Benedetto, G.E., 410 (2000) 143
Civiš, S., *see* Zelinger, Z., 422 (2000) 179
Cladera, A., Miró, M., Estela, J.M. and Cerdà, V., Multicomponent sequential injection analysis determination of nitro-phenols in waters by on-line liquid-liquid extraction and preconcentration, 421 (2000) 155
Claes, M., *see* Spolnik, Z.M., 401 (1999) 293
Clark, A.C. and Scollary, G.R., Determination of total copper in white wine by stripping potentiometry utilising medium exchange, 413 (2000) 25
Cleve, E., Bach, E. and Schollmeyer, E., Using chemometric methods and NIR spectrophotometry in the textile industry, 420 (2000) 163
Clifford, A.A., *see* Özel, M.Z., 417 (2000) 177
Coello, J., *see* Blanco, M., 407 (2000) 233, 247
Coello, J., *see* Blanco, M., 419 (2000) 209
Coello, J., *see* Crouch, S.R., 424 (2000) 115
Coichev, N., *see* Pedrotti, J.J., 422 (2000) 131
Cole, R.B., *see* Wang, G., 406 (2000) 53
Colombo, C., Kappes, T. and Hauser, P.C., Coulometric microtitrator with a ruthenium dioxide pH-electrode, 412 (2000) 69
Compañó, R., *see* Miralles, E., 403 (2000) 197
Compañó, R., *see* Saurina, J., 409 (2000) 237
Compton, R.G., *see* Davis, J., 404 (2000) 241
Conde, P.C., *see* Soares, H.M., 421 (2000) 103
Cong, X., *see* Guo, Z.X., 403 (2000) 225
Conneely, P., *see* Dobney, A.M., 423 (2000) 9
Constantopoulos, T.L., Jackson, G.S. and Enke, C.G., Challenges in achieving a fundamental model for ESI, 406 (2000) 37
Contento Salcedo, A.M., *see* Berzas Nevado, J.J., 417 (2000) 169
Cooke, M., *see* Lochner, F., 401 (1999) 299
Corns, W., *see* Shafawi, A., 415 (2000) 21
Correia, P.R.M., Oliveira, E. and Oliveira, P.V., Simultaneous determination of Cd and Pb in foodstuffs by electrothermal atomic absorption spectrometry, 405 (2000) 205
Cortés, I., *see* Albertús, F., 414 (2000) 221
Coscione, A.R., de Andrade, J.C., Poppi, R.J., Mello, C., van Raij, B. and de Abreu, M.F., Multivariate calibration applied to a highly interfering chemical system. The simultaneous spectrophotometric determination of aluminium and iron in plants using xylenol orange and partial least-squares regression, 423 (2000) 31
Cosnier, S., *see* Senillou, A., 401 (1999) 117
Costa, A.C. Spinola, *see* Ferreira, S.L., 403 (2000) 259
Costa, P., *see* Stripeikis, J., 408 (2000) 191
Costa-Fernández, J.M. and Sanz-Medel, A., Air moisture sensing materials based on the room temperature phosphorescence quenching of immobilized mercurochrome, 407 (2000) 61
Costa-Fernández, J.M., *see* Vicente de la Riva, B.S., (419) (2000) 33
Costa-García, A., *see* Abad-Villar, E.M., (409) (2000) 149
Costa-García, A., *see* Castañón-Fernández, J., 406 (2000) 225
Costa-García, A., *see* Castañón-Fernández, J., 413 (2000) 103
Costa-García, A., *see* Fernández-Sánchez, C., 402 (1999) 119
Costa-García, A., *see* Martínez-Montequín, S., 417 (2000) 57
Costley, C.T., Mossop, K.F., Dean, J.R., Garden, L.M., Marshall, J. and Carroll, J., Determination of mercury in environmental and biological samples using pyrolysis atomic absorption spectrometry with gold amalgamation, 405 (2000) 179
Cromer, M., *see* Mouginot, Y., 407 (2000) 337
Croot, P.L. and Hunter, K.A., Determination of Fe(II) and total iron in natural waters with 3-(2-pyridyl)-5,6-diphenyl-1,2,4-triazine (PDT), 406 (2000) 289
Cros, G., *see* Poucheret, P., 405 (2000) 221

Crouch, S.R., Coello, J., Maspoch, S. and Porcel, M., Evaluation of classical and three-way multivariate calibration procedures in kinetic-spectrophotometric analysis, 424 (2000) 115
Crouch, S.R., *see* Cullen, T.F., 407 (2000) 135
Cruces-Blanco, C., *see* Segura-Carretero, A., 417 (2000) 19
Cruz Márquez, M., *see* Castro Cano, M.L., 423 (2000) 127
Cruz, B.H., Díaz-Cruz, J.M., Ariño, C., Tauler, R. and Esteban, M., Multivariate curve resolution of polarographic data applied to the study of the copper-binding ability of tannic acid, 424 (2000) 203
Cserháti, T., *see* Darwish, Y., 411 (2000) 239
Cui, D., *see* Hu, S., 412 (2000) 55
Cui, H., *see* Sun, Y.G., 423 (2000) 247
Cui, H., *see* Tan, Y., 412 (2000) 195
Cullen, T.F. and Crouch, S.R., Factors affecting the accuracy of multicomponent kinetic-spectrophotometric determinations based on multivariate calibration methods, 407 (2000) 135
Curini, R., *see* Wenli, L., 417 (2000) 111
Curri, M.L., *see* Bruno, P., 410 (2000) 193
Curtius, A.J., *see* da Silva, J.B.B., 401 (1999) 307

D

da Silva, J.B.B., Giacomelli, M.B.O., de Souza, I.G.V. and Curtius, A.J., Expanding the working concentration range for the direct analysis of metallic alloys by on-line anodic electrodissolution and electrothermal atomic absorption spectrometry, 401 (1999) 307
Da, S.L., *see* Feng, Y.Q., 403 (2000) 187
Dabrio, M. and Rodríguez, A.R., Study of complexing properties of the α-metallothionein domain with cadmium and/or zinc, using differential pulse polarography, 424 (2000) 77
Dabrio, M. and Rodriguez, A.R., Electrochemical study of human foetal liver metallothionein: influence of the additions of cadmium and zinc, (406) (2000) 171
Dacheux, N., *see* Véronneau, C., 415 (2000) 229
Dai, X., Chai, Z., Mao, X., Wang, J., Dong, S. and Li, K., An α-amino pyridine resin preconcentration method for iridium in environmental and geological samples, 403 (2000) 243
Dai, X., *see* Dong, S., 415 (2000) 185
Dai, Y.Q., *see* Yang, W.C., 415 (2000) 75
Dalman, O., *see* Karaböcek, S., 408 (2000) 163
Dam, T.H., *see* Liu, Y.H., 419 (2000) 215
Damasceno, L., *see* Ventura, R., 418 (2000) 79
Dams, R., *see* Vanhaecke, F., 419 (2000) 55
Dan, D., Dou, F., Xiu, D. and Qin, Y., Chemical oxygen demand determination in environmental waters by mixed-acid digestion and single sweep polarography, 420 (2000) 39
Danielsson, B., *see* Hu, J., 423 (2000) 215
Danielsson, L.-G., *see* Berntsson, O., 419 (2000) 45
Danko, B., *see* Polkowska-Motrenko, H., 408 (2000) 89
Dantan, N., Kröning, S., Frenzel, W. and Küppers, S., Comparison of spectrophotometric and potentiometric detection for the determination of water using Karl Fischer method under flow injection analysis conditions, 420 (2000) 133
Darder, M., *see* Casero, E., 403 (2000) 1
Darvich, M.R., *see* Javanbakht, M., 408 (2000) 75
Darwish, I., Emara, S., Askal, H., El-Rabbat, N., Akizawa, T. and Yoshiokab, M., Enzyme-linked immunosorbent assay for 2-deoxycytidine, 404 (2000) 179
Darwish, I., Emara, S., Askal, H., El-Rabbat, N., Omura, K., Hirose, K., Akizawa, T. and Yoshioka, M., Competitive immunoassay method for 5-methyl-2′-deoxycytidine, 413 (2000) 79
Darwish, Y., Cserháti, T. and Forgács, E., Gas chromatographic determination of the energy of interaction between some commercial pesticides and a non-ionic surfactant, 411 (2000) 239
Dasgupta, P.K., *see* Kephart, T. Scott, 414 (2000) 71
Dastangoo, H., *see* Pournaghi-Azar, M.H., 405 (2000) 135
Datskos, P.G., *see* Betts, T.A., 422 (2000) 89
Daujotis, V., Klingenberg, C. and Teišerskienė, A., Electrochemical quartz microbalance with working mercury electrode for quantitative studies of monolayer adsorption, 419 (2000) 243
Davis, J. and Compton, R.G., Sonoelectrochemically enhanced nitrite detection, 404 (2000) 241
Díaz, A. Navas, *see* Sánchez, F. García, 414 (2000) 25
Díaz-Cruz, J.M., *see* Cruz, B.H., 424 (2000) 203
Díaz-García, M.E., *see* Suárez-Rodríguez, J.L., 405 (2000) 67
de Abreu, M.F., *see* Coscione, A.R., 423 (2000) 31
de Andrade, J.C., *see* Coscione, A.R., 423 (2000) 31
de B. Harrington, P., *see* Wan, C., 408 (2000) 1
de Beer, T., Hoornweg, G.P., Ariese, F., Velthorst, N.H., Brinkman, U.A. and Gooijer, C., On the potential of forward-scattering degenerate four-wave mixing detection in capillary electrophoresis, 416 (2000) 151
De Benedetto, G.E., Guascito, M.R., Ciriello, R. and Cataldi, T.R., Analysis by X-ray photoelectron spectroscopy of ruthenium stabilised polynuclear hexacyanometallate film electrodes, 410 (2000) 143
De Braekeleer, K., *see* Garrido Frenich, A., 411 (2000) 145
de Carvalho, R.M., Mello, C. and Kubota, L.T., Simultaneous determination of phenol isomers in binary mixtures by differential pulse voltammetry using carbon fibre electrode and neural network with pruning as a multivariate calibration tool, 420 (2000) 109
de Castro, B., *see* Gameiro, P., 405 (2000) 167
de Gracia, J., Araujo, A., Lima, J.L.F.C., Villaescusa, I. and Poch, M., Application of natural computation techniques to optimal design of flow injection systems, 402 (1999) 275
de la Guardia, M., *see* Barra, C.M., 407 (2000) 155
de la Guardia, M., *see* He, Y., 421 (2000) 57
de Koster, C.G., *see* Dobney, A.M., 423 (2000) 9
de María, C. García, *see* Alonso, A., 408 (2000) 129
De Marcos, S., *see* Sierra, J.F., 414 (2000) 33
de Noord, O.E., *see* Swierenga, H., 411 (2000) 121
de Richter, R.K., *see* Poucheret, P., 405 (2000) 221
de Rijke, E., *see* Kuijt, J., 417 (2000) 15
de Saja, J.A., *see* Guadarrama, A., 411 (2000) 193
de Souza, I.G.V., *see* da Silva, J.B.B., 401 (1999) 307
De Stefano, C., Foti, C., Gianguzza, A. and Sammartano, S., Speciation of low molecular weight ligands in natural fluids: protonation constants and association of open chain polyamines with the major components of seawater, 418 (2000) 43
de Weijer, A.P., *see* Swierenga, H., 411 (2000) 121
Dean, J.R., *see* Costley, C.T., 405 (2000) 179

Decambox, P., *see* Motellier, S., 410 (2000) 11
Defrancq, E., *see* Houdier, S., 412 (2000) 221
Deftereos, N.T., Grekas, N. and Calokerinos, A.C., Flow injection chemiluminometric determination of albumin, 403 (2000) 137
Delaunay, N., Pichon, V., Caer, J.P.L. and Hennion, M.C., Immunoaffinity extraction as a new approach for an improved liquid chromatography-mass spectrometric or fluorimetric determination of okadaic acid in shellfish and algae, 407 (2000) 173
Delgado Reyes, F., Fernández Romero, J.M. and Luque de Castro, M.D., Selective inhibition-based biosensing system for the determination of pesticides in environmental samples using analytical pervaporation coupled with enzymatic derivatisation, 408 (2000) 209
Della Ciana, L., *see* Malavolti, E., 401 (1999) 129
Delmarre, D., Méallet-Renault, R., Bied-Charreton, C. and Pasternack, R.F., Incorporation of water-soluble porphyrins in sol–gel matrices and application to pH sensing, 401 (1999) 125
Deng, A., *see* Fránek, M., 412 (2000) 19
Deng, J., *see* Chen, X., 412 (2000) 89
Deng, J., *see* Liu, Z., 407 (2000) 87
Depczynski, U., Frost, V.J. and Molt, K., Genetic algorithms applied to the selection of factors in principal component regression, 420 (2000) 217
Depczynski, U., *see* Jetter, K., 420 (2000) 169
Derendyaev, B.G., *see* Piottukh-Peletsky, V.N., 409 (2000) 181
Desimoni, E., *see* Casella, I.G., 409 (2000) 27
Deslandes, Y., *see* Monteil-Rivera, F., 424 (2000) 243
Despagne, F., Massart, D. Luc, Jansen, M. and van Daalen, H., Intersite transfer of industrial calibration models, 406 (2000) 233
Devynck, J., *see* Pontié, M., 411 (2000) 175
Dilgin, Y., *see* Yaman, M., 410 (2000) 119
Dimotikali, D., *see* Papadopoulos, K., 423 (2000) 239
Ding, W.H. and Fann, J.C., Determination of linear alkylbenzenesulfonates in sediments using pressurized liquid extraction and ion-pair derivatization gas chromatography-mass spectrometry, 408 (2000) 291
Ding, X., *see* Chen, G., 408 (2000) 249
Ding, X.j., Mou, S.f., Liu, K.n., Siriraks, A. and Riviello, J., Ion chromatography of heavy and transition metals by on- and post-column derivatizations, 407 (2000) 319
Dirie, M.F., *see* Mullett, W.M., 414 (2000) 123
Dirinck, I., *see* Praisler, M., 404 (2000) 303
Djogić, R., Pižeta, I. and Zelić, M., Voltammetric study of uranyl–selenium interactions, 404 (2000) 159
Dmitrienko, S.G., Sviridova, O.A., Pyatkova, L.N., Zhukova, V.A. and Zolotov, Y., Rapid determination of free active chlorine in water by diffuse reflectance spectroscopy after reaction with polyurethane foams, 405 (2000) 231
Doble, P., *see* Vachirapatama, N., 409 (2000) 35
Dobney, A., Klinkenberg, H., Souren, F. and Van Borm, W., Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89
Dobney, A.M., Mank, A.J., Grobecker, K.H., Conneely, P. and de Koster, C.G., Laser ablation inductively coupled plasma mass spectrometry as a tool for studying heterogeneity within polymers, 423 (2000) 9
Doménech-Carbó, A., Doménech-Carbó, M.T., Moya-Moreno, M., Gimeno-Adelantado, J.V. and Bosch-Reig, F., Identification of inorganic pigments from paintings and polychromed sculptures immobilized into polymer film electrodes by stripping differential pulse voltammetry, 407 (2000) 275
Doménech-Carbó, M.T., *see* Doménech-Carbó, A., 407 (2000) 275
Domínguez, C., *see* Bratov, A., 408 (2000) 57
Donat, J.R., *see* Bruland, K.W., 405 (2000) 99
Dong, Q., *see* Jin, W., 408 (2000) 257
Dong, S., *see* Cheng, L., 417 (2000) 133
Dong, S., *see* Dai, X., 403 (2000) 243
Dong, S., *see* Wang, B., 407 (2000) 111
Dong, S., *see* Xu, G., 412 (2000) 235
Dong, S., Wu, C., Li, K., Chai, Z., Mao, X. and Dai, X., Coulometric titration study of the redox behavior and precise determination of hexachloroiridate(IV) ion and its monoaquo-chloro complex with electrogenerated bi-intermediates, 415 (2000) 185
Doolan, K.P., *see* Burns, D. Thorburn, 422 (2000) 217
Döring, H.R., *see* Borsdorf, H., 403 (2000) 235
Dou, F., *see* Dan, D., 420 (2000) 39
Douroumis, D., *see* Kontoyannis, C.G., 409 (2000) 99
Dreassi, E., *see* Furlanetto, S., 413 (2000) 229
Dreux, M., *see* Mathieu, C., 402 (1999) 87
Drevenkar, V., *see* Mendaš, G., 424 (2000) 7
Duan, Y., *see* Su, Y., 422 (2000) 209
Dummel, A., *see* Lampen, P., 420 (2000) 229
Dumonceau, J., *see* Monteil-Rivera, F., 424 (2000) 243
Durst, R.A., *see* Ho, J.a.A., 414 (2000) 51, 61
Dybczyński, R., *see* Polkowska-Motrenko, H., 408 (2000) 89
Dybko, A., *see* Wróblewski, W., 401 (1999) 105
Dybko, A., *see* Wróblewski, W., 416 (2000) 97
Dzantiev, B.B., *see* Starodub, N.F., 424 (2000) 37

E

Ebdon, L., *see* Shafawi, A., 415 (2000) 21
Ebel, S., *see* Krämer, K., 420 (2000) 155
Edwards, J., Patel, A. and Spence, D.M., Performance enhancement in flow reversal flow injection using on-capillary detection, 417 (2000) 185
Edwards, J.L., Bauman, R. and Spence, D.M., Air segmented continuous flow analysis in microbore tubing, 401 (1999) 209
Egea González, F.J., *see* Castro Cano, M.L., 423 (2000) 127
El Aamrani, F.Z., García-Raurich, J., Sastre, A., Beyer, L. and Florido, A., PVC membranes based on silver(I)–thiourea complexes, 402 (1999) 129
El Murr, N., *see* Ramirez Molina, C., 401 (1999) 155
Elçi, L., *see* Tokalioğlu, S., 413 (2000) 33
El-Hallag, I.S., Ghoneim, M.M. and Hammam, E., New method for the investigation of CE system via convolutive voltammetry combined with digital simulation, 414 (2000) 173
Eljarrat, E., *see* Ramos, L., 402 (1999) 241
El-Khateeb, S.Z., *see* El-Ragehy, N.A., 418 (2000) 93
El-Kosasy, A.M., *see* El-Ragehy, N.A., 418 (2000) 93
El-Rabbat, N., *see* Darwish, I., 404 (2000) 179

El-Rabbat, N., *see* Darwish, I., 413 (2000) 79
El-Ragehy, N.A., El-Kosasy, A.M., Abbas, S.S. and El-Khateeb, S.Z., Polymeric membrane electrodes for selective determination of the central nervous system acting drugs fluphenazine hydrochloride and nortriptyline hydrochloride, 418 (2000) 93
EL-Ries, M.A., *see* Khalil, S., 414 (2000) 215
El'skaya, A., *see* Rachkov, A., 405 (2000) 23
El'skaya, A.V., *see* Soldatkin, A.P., 403 (2000) 25
Emara, S., *see* Darwish, I., 404 (2000) 179
Emara, S., *see* Darwish, I., 413 (2000) 79
Emmer, A., *see* Litborn, E., 401 (1999) 11
Enke, C.G., *see* Constantopoulos, T.L., 406 (2000) 37
Erdem, A., Kerman, K., Meric, B., Akarca, U.S. and Ozsoz, M., Novel hybridization indicator methylene blue for the electrochemical detection of short DNA sequences related to the hepatitis B virus, 422 (2000) 139
Erdemoğlu, S.B., Pyrzyniska, K. and Güçer, S., Speciation of aluminum in tea infusion by ion-exchange resins and flame AAS detection, 411 (2000) 81
Eriksson, L., Trygg, J., Johansson, E., Bro, R. and Wold, S., Orthogonal signal correction, wavelet analysis, and multivariate calibration of complicated process fluorescence data, 420 (2000) 181
Ershova, N.I. and Ivanov, V.M., Application of chromaticity characteristics for direct determination of trace aluminum with Eriochrome cyanine R by diffuse reflection spectroscopy, 408 (2000) 145
Escandar, G.M., *see* Arancibia, J.A., 419 (2000) 159
Esson, J.M., Ramamurthy, N. and Meyerhoff, M.E., Polyelectrolyte–surfactant complexes: an aqueous titration method to model ion-pairing within polymeric membranes of polyion-sensitive electrodes, 404 (2000) 83
Esteban, M., *see* Cruz, B.H., 424 (2000) 203
Estela, J.M., *see* Cladera, A., 421 (2000) 155
Esteve-Romero, J., *see* Gil-Agustí, M., 421 (2000) 45
Estienne, F., Massart, D.L., Zanier-Szydlowski, N. and Marteau, P., Multivariate calibration with Raman spectroscopic data: a case study, (424) (2000) 185
Etxebarria, N., *see* Zuloaga, O., 416 (2000) 43
Eun, H. and Umezawa, Y., Quartz crystal microbalance for L-leucine sensing based on growth of L-leucine crystals immobilized on a monolayer of 11-mercaptoundecanoic acid, 413 (2000) 223
Evans, R.N., *see* Barnett, N.W., 403 (2000) 145
Evertsen, R., *see* Kok, S.J., 405 (2000) 1
Evmiridis, N.P. and Yao, D., On-line detection of nitric oxide generated by the enzymatic action of nitric oxide synthase on L-arginine using a flow injection manifold and chemiluminescence detection, 410 (2000) 167
Evmiridis, N.P., *see* Thanasoulias, N.K., 401 (1999) 197
Evtugyn, G.A., *see* Ivanov, A.N., 404 (2000) 55

F

Fabbri, D., Tartari, D. and Trombini, C., Analysis of poly(vinyl chloride) and other polymers in sediments and suspended matter of a coastal lagoon by pyrolysis-gas chromatography-mass spectrometry, 413 (2000) 3
Faber, N.(.M., Caveat in abstract factor analysis-based pseudorank estimation, 411 (2000) 157
Faber, N.M., *see* Boqué, R., 423 (2000) 41
Fabre, H., *see* Blanchin, M.D., 415 (2000) 67
Fàbregas, E., *see* Saurina, J., 405 (2000) 153
Facal, P., *see* Iglesias-Fernández, O., 401 (1999) 251
Fago, G., *see* Laganà, A., 414 (2000) 79
Fago, G., *see* Laganà, A., 415 (2000) 41
Fan, B., *see* Ma, Q., 406 (2000) 247
Fan, C., Li, G., Zhu, J. and Zhu, D., A reagentless nitric oxide biosensor based on hemoglobin–DNA films, 423 (2000) 95
Fang, H.Q., *see* Yu, J.S., 420 (2000) 45
Fang, Y., *see* Hu, Q., 416 (2000) 15
Fang, Y., *see* Li, D.H., 401 (1999) 185
Fang, Y., *see* Wang, A., 419 (2000) 235
Fang, Y., *see* Xu, C., 411 (2000) 31
Fang, Y., *see* Zhang, L., 424 (2000) 257
Fang, Z.L., *see* Fu, C.G., 422 (2000) 71
Fang, Z.L., *see* Huang, X.J., 414 (2000) 1
Fann, J.C., *see* Ding, W.H., 408 (2000) 291
Farghaly, O.A., *see* Ali, A.M., 412 (2000) 99
Farias, P.A., *see* Bastos, M.B., 408 (2000) 83
Farré, M., *see* Ventura, R., 418 (2000) 79
Fasciani, L., *see* Laganà, A., 414 (2000) 79
Fatemi, M.H., *see* Jalali-Heravi, M., 415 (2000) 95
Featherstone, A.M., Boult, P.R., O'Grady, B.V. and Butler, E.C., A shipboard method for arsenic speciation using semi-automated hydride generation atomic fluorescence spectroscopy, 409 (2000) 215
Feng, Y.Q., Xie, M.J. and Da, S.L., Preparation and characterization of an L-tyrosine-derivatized β-cyclodextrin-bonded silica stationary phase for liquid chromatography, 403 (2000) 187
Fenn, J.B. and Rutan, S.C., Preface, 406 (2000) 1
Fenn, J.B., *see* Labowsky, M., 406 (2000) 105
Feo, J.C., *see* Robles, L.C., 423 (2000) 255
Fernandes, J.C.B., *see* Sena, M.M., 409 (2000) 159
Fernández de la Mora, J., Electrospray ionization of large multiply charged species proceeds via Dole's charged residue mechanism, 406 (2000) 93
Fernández de la Mora, J., *see* Gamero-Castaño, M., 406 (2000) 67
Fernández de la Mora, J., *see* Labowsky, M., 406 (2000) 105
Fernández Fernández, S., *see* González LaFuente, J.M., 410 (2000) 135
Fernández Martínez, E., *see* Flórez Menéndez, J.C., 415 (2000) 9
Fernández Martínez, E., *see* González LaFuente, J.M., 410 (2000) 135
Fernández Pierna, J.A. and Massart, D.L., Improved algorithm for clustering tendency, 408 (2000) 13
Fernández Romero, J.M., *see* Delgado Reyes, F., 408 (2000) 209
Fernández Sánchez, M.L., *see* Flórez Menéndez, J.C., 415 (2000) 9
Fernández Sánchez, M.L., *see* González LaFuente, J.M., 410 (2000) 135
Fernández, J. Martínez, Vázquez, P. Parrilla and Vidal, J.L. Martínez, Analysis of *N*-methylcarbamates insecticides and some of their main metabolites in urine with liquid chromatography using

diode array detection and electrospray mass spectrometry, 412 (2000) 131
Fernández, J.A., *see* Guadarrama, A., 411 (2000) 193
Fernández, L.A., *see* Zuloaga, O., 416 (2000) 43
Fernández-Abedul, M.T., *see* Abad-Villar, E.M., 409 (2000) 149
Fernández-Abedul, M.T., *see* Castañón-Fernández, J., 406 (2000) 225
Fernández-Abedul, M.T., *see* Castañón-Fernández, J., 413 (2000) 103
Fernández-de Córdova, M.L., *see* Ruiz-Medina, A., 404 (2000) 131
Fernández-Gutiérrez, A., *see* Arrebola, F.J., 401 (1999) 45
Fernández-Gutiérrez, A., *see* Segura-Carretero, A., 417 (2000) 19
Fernández-Sánchez, C. and Costa-García, A., Competitive enzyme immunosensor developed on a renewable carbon paste electrode support, 402 (1999) 119
Fernández-Sánchez, C., *see* Martínez-Montequín, S., 417 (2000) 57
Fernández-Sánchez, J.F., *see* Segura-Carretero, A., 417 (2000) 19
Ferreira, M.M., *see* Reis, M.M., 422 (2000) 21
Ferreira, S.L., Lemos, V.A., Moreira, B.C., Costa, A.C. Spinola and Santelli, R.E., An on-line continuous flow system for copper enrichment and determination by flame atomic absorption spectroscopy, 403 (2000) 259
Fiamegos, Y.C., Stalikas, C.D., Pilidis, G.A. and Karayannis, M.I., Synthesis and analytical applications of 4-aminopyrazolone derivatives as chromogenic agents for the spectrophotometric determination of phenols, 403 (2000) 315
Fiecchi, V., *see* Lo Coco, F., 409 (2000) 93
Filho, H.B., *see* Gervasio, A.P.G., 405 (2000) 213
Flachowsky, J., *see* Borsdorf, H., 403 (2000) 235
Flórez Menéndez, J.C., Fernández Sánchez, M.L., Sánchez Uría, J.E., Fernández Martínez, E. and Sanz-Medel, A., Static headspace, solid-phase microextraction and headspace solid-phase microextraction for BTEX determination in aqueous samples by gas chromatography, 415 (2000) 9
Flórez Menéndez, J.C., Menéndez García, A., Sánchez Uría, J.E. and Sanz-Medel, A., Continuous tandem on-line separation inductively coupled plasma optical emission spectrometry selective determination of germanium in zinc electrolytic solutions, 402 (1999) 319
Florido, A., *see* El Aamrani, F.Z., 402 (1999) 129
Florou, A.B., Prodromidis, M.I., Karayannis, M.I. and Tzouwara-Karayanni, S.M., Flow electrochemical determination of ascorbic acid in real samples using a glassy carbon electrode modified with a cellulose acetate film bearing 2,6-dichlorophenolindophenol, 409 (2000) 113
Florou, A.B., Prodromidis, M.I., Tzouwara-Karayanni, S.M. and Karayannis, M.I., Fabrication and voltammetric study of lanthanum 2,6-dichlorophenolindophenol chemically modified screen printed electrodes. Application for the determination of ascorbic acid, 423 (2000) 107
Fodor, P., *see* Ipolyi, I., 413 (2000) 13
Folestad, S., *see* Berntsson, O., 419 (2000) 45
Forgács, E., *see* Darwish, Y., 411 (2000) 239
Fortes, A., *see* Wang, J., 402 (1999) 7
Forteza, R., *see* Semenova, N.V., 412 (2000) 169
Fortin, C. and Caron, F.V., Complexing capacity of low-level radioactive waste leachates for ^{60}Co and ^{109}Cd using an ion-exchange technique, 410 (2000) 107
Foti, C., *see* De Stefano, C., 418 (2000) 43
Foulkes, M., *see* Shafawi, A., 415 (2000) 21
Fragaki, A., *see* Mitsana-Papazoglou, A., 410 (2000) 153
Fránek, M., Deng, A. and Kolář, V., Performance characteristics for flow injection immunoassay using monoclonal antibodies against s-triazine and 2,4-D herbicides, 412 (2000) 19
Frenzel, W., *see* Dantan, N., 420 (2000) 133
Frost, V.J., *see* Depczynski, U., 420 (2000) 217
Fu, C.G. and Fang, Z.L., Combination of flow injection with capillary electrophoresis. Part 7. Microchip capillary electrophoresis system with flow injection sample introduction and amperometric detection, 422 (2000) 71
Fu, E., *see* Guan, N., 418 (2000) 145
Fu, R.N., *see* Shi, X.Y., 424 (2000) 271
Fuhrmann, B., *see* He, Z.K., 407 (2000) 203
Fuhrmann, B., *see* He, Z.K., 409 (2000) 83
Fujino, O., Umetani, S., Ueno, E., Shigeta, K. and Matsuda, T., Determination of uranium and thorium in apatite minerals by inductively coupled plasma atomic emission spectrometry with solvent extraction separation into diisobutyl ketone, 420 (2000) 65
Fujio, Y., *see* Nguyen, H.T.H., 402 (1999) 233
Funada, Y. and Hirata, Y., Development of a simulation program for the analysis of oils and fats by subcritical fluid chromatography, 401 (1999) 73
Furlanetto, S., Orlandini, S., Aldini, G., Gotti, R., Dreassi, E. and Pinzauti, S., Designing experiments to optimise and validate the adsorptive stripping voltammetric determination of nimesulide, 413 (2000) 229

G

Gadzekpo, V.P., Bühlmann, P., Xiao, K.P., Aoki, H. and Umezawa, Y., Development of an ion-channel sensor for heparin detection, 411 (2000) 163
Gaggioli, D., *see* Secchi, C., 402 (1999) 37
Gajda, B., *see* Apostoluk, W.V., 405 (2000) 321
Gál, C., *see* Tolnai, B., 408 (2000) 117
Galban, J., *see* Sierra, J.F., 414 (2000) 33
Galceran, M.T., *see* Carneiro, M.C., 408 (2000) 263
Galhardo, C.X. and Masini, J.C., Spectrophotometric determination of phosphate and silicate by sequential injection using molybdenum blue chemistry, 417 (2000) 191
Gallarate, M., *see* Bianco Prevot, A., 412 (2000) 141
Gallego, M., *see* Cáceres, A., 404 (2000) 121
Gallego, M., *see* Cárdenas, S., 402 (1999) 1
Gallignani, M., *see* Peña, Y.P.-d., 403 (2000) 249
Gameiro, P., Reis, S., Lima, J.L.F.C. and de Castro, B., Calibration of pH glass electrodes by direct strong acid/strong base titrations under dilute conditions, 405 (2000) 167
Gamero-Castaño, M. and Fernández de la Mora, J., Mechanisms of electrospray ionization of singly and multiply charged salt clusters, 406 (2000) 67
Gammelgaard, B., Jessen, K.D., Kristensen, F.H. and Jøns, O., Determination of trimethylselenonium ion in urine by ion chro-

matography and inductively coupled plasma mass spectrometry detection, 404 (2000) 47
Gammelgaard, B., *see* Bendahl, L., 411 (2000) 103
Gang, S., Xingguo, C., Yunkun, Z., Mancang, L. and Zhide, H., Determination of Pd(II) by application of an on-line microwave oven and artificial neural networks in flow injection analysis, 420 (2000) 123
Ganjali, M.R., *see* Javanbakht, M., 408 (2000) 75
Ganjali, M.R., *see* Shamsipur, M., 418 (2000) 197
Gao, J., *see* Lu, X., 405 (2000) 161
Gao, J.Z., *see* Lu, X.Q., 404 (2000) 249
García Mateo, J.V., *see* Catalá Icardo, M., 407 (2000) 187
García Mateo, J.V., *see* Palomeque, M., 401 (1999) 229
García, S., *see* Rebolo, S., 417 (2000) 211
García-Alvarez-Coque, M.C., *see* López-Grío, S., 418 (2000) 153
García-Alvarez-Coque, M.V.C., *see* Gil-Agustí, M., 421 (2000) 45
García-Beltrán, L., *see* Sabé, R., 419 (2000) 121
García-Domínguez, J.A., *see* Santiuste, J.M., 405 (2000) 335
García-Raurich, J., *see* El Aamrani, F.Z., 402 (1999) 129
Garcia, M.S., *see* Sanchez-Pedreño, C., 414 (2000) 195
Garde, A.H., *see* Hjort Pedersen, T.K., 413 (2000) 63
Garde, A.H., *see* Nikolajsen, T.B., 424 (2000) 161
Garden, L.M., *see* Costley, C.T., 405 (2000) 179
Garg, B.S., *see* Rao, N.S., 405 (2000) 247
Gargallo, R., *see* Vives, M., 424 (2000) 105
Garrido Frenich, A., Martínez Galera, M., Martínez Vidal, J.L., Massart, D.L., Torres-Lapasió, J.R., De Braekeleer, K., Wang, J.H. and Hopke, P.K., Resolution of multicomponent peaks by orthogonal projection approach, positive matrix factorization and alternating least squares, 411 Garrone, E., *see* Bruzzoniti, M.C., 422 (2000) 231
Gásquez, J.A., *see* Wuilloud, R.G., 420 (2000) 73
Gasteiger, J., *see* Hemmer, M.C., 420 (2000) 145
Gavalas, V.G. and Chaniotakis, N.A., Polyelectrolyte stabilized oxidase based biosensors: effect of diethylaminoethyl-dextran on the stabilization of glucose and lactate oxidases into porous conductive carbon, 404 (2000) 67
Gavalas, V.G. and Chaniotakis, N.A., [60]Fullerene-mediated amperometric biosensors, 409 (2000) 131
Gavrieli, I., *see* Halicz, L., 422 (2000) 203
Gawart, L., *see* Malinowska, E., 421 (2000) 93
Gaydou, E.M., *see* Magnani, L., 411 (2000) 209
Gbatu, T.P., Sutton, K.L. and Caruso, J.A., Development of new SPME fibers by sol–gel technology for SPME-HPLC determination of organometals, 402 (1999) 67
Geckeler, K.E., *see* Osipova, E.A., 404 (2000) 231
Gelencsér, A., *see* Tolnai, B., 408 (2000) 117
Gemeiner, P., *see* Tkáč, J., 420 (2000) 1
Gemperline, P.J., *see* Smith, B.M., 423 (2000) 167
Gené, J., *see* Blanco, M., 419 (2000) 209
Genga, A., *see* Bruno, P., 410 (2000) 193
Georgiou, C.A., *see* Nouros, P.G., 417 (2000) 119
Georgiou, C.A., *see* Thomaidis, N.S., 405 (2000) 239
Gervasio, A.P.G., Luca, G.C., Menegário, A.A., Reis, B.F. and Filho, H.B., On-line electrolytic dissolution of alloys in flow injection analysis. Determination of iron, tungsten, molybdenum, vanadium and chromium in tool steels by inductively coupled plasma atomic emission spectrometry, 405 (2000) 213
Ghandour, M.A., *see* Ali, A.M., 412 (2000) 99
Ghiasvand, A.R., *see* Shamsipur, M., 408 (2000) 271
Gholami, A., *see* Bagheri, H., 424 (2000) 233
Ghoneim, M.M., *see* El-Hallag, I.S., 414 (2000) 173
Ghous, T. and Townshend, A., Flow injection method for the determination of thyroxine by inhibition of glutamate dehydrogenase, 411 (2000) 45
Giacomelli, L., Boggetti, H., Agnelli, H., Cattana, R. and Silber, J.J., Factor analysis applied to the study of retention mechanism of nitroanilines in normal phase high performance liquid chromatography, 402 (1999) 285
Giacomelli, M.B.O., *see* da Silva, J.B.B., 401 (1999) 307
Gianguzza, A., *see* De Stefano, C., 418 (2000) 43
Gil-Agustí, M., García-Alvarez-Coque, M.V.C. and Esteve-Romero, J., Correlation between hydrophobicity and retention data of several antihistamines in reversed-phase liquid chromatography with aqueous-organic and micellar-organic mobile phases, 421 (2000) 45
Gill, G.A., *see* Warnken, K.W., 423 (2000) 265
Giménez Romero, D., *see* Catalá Icardo, M., (407) (2000) 187
Gimeno-Adelantado, J.V., *see* Doménech-Carbó, A., 407 (2000) 275
Giovannoli, C., *see* Giraudi, G., 417 (2000) 95
Giráldez, I., *see* Gómez Ariza, J.L., 414 (2000) 151
Giraudi, G., Giovannoli, C., Baggiani, C., Anfossi, L. and Tozzi, C., Effect of homologous and heterologous spacer arms of progesterone — horse radish peroxidase conjugates on the equilibrium constants for an immobilised anti-progesterone antiserum, 417 (2000) 95
Głąb, S., *see* Koncki, R., 418 (2000) 213
Głąb, S., *see* Koncki, R., 424 (2000) 27
Glushko, N.I., *see* Medyantseva, E.P., 411 (2000) 13
Gnecco, C., *see* Pesavento, M., 401 (1999) 265
Gobin, C., *see* Pontié, M., 411 (2000) 175
Gogan, N.J., *see* Jin, L., 412 (2000) 77
Gómez Ariza, J.L., Giráldez, I., Sánchez-Rodas, D. and Morales, E., Metal sequential extraction procedure optimized for heavily polluted and iron oxide rich sediments, 414 (2000) 151
Gomez, M.B., Gomez, M.M. and Palacios, M.A., Control of interferences in the determination of Pt, Pd and Rh in airborne particulate matter by inductively coupled plasma mass spectrometry, 404 (2000) 285
Gomez, M.M., *see* Gomez, M.B., 404 (2000) 285
Gómez-Hens, A., *see* Caro de la Torre, M.A., 407 (2000) 53
González LaFuente, J.M., Fernández Martínez, E., Vicente Pérez, J.A., Fernández Fernández, S., Miranda Ordieres, A.J., Sánchez Uría, J.E., Fernández Sánchez, M.L. and Sanz-Medel, A., Differential-pulse voltammetric determination of low $\mu g l^{-1}$ cyanide levels using EDTA, Cu(II) and a hanging mercury drop electrode, 410 (2000) 135
González, E. Blanco, *see* Méndez, S. Pérez, 416 (2000) 1
González, M., *see* Iglesias-Fernández, O., (401) (1999) 251
González, M.J., *see* Ramos, L., 402 (1999) 241
González-Casado, A., *see* Blanc, R., 403 (2000) 117
González-Cortés, A., *see* Agüí, L., 401 (1999) 145

González-Martín, I., Pérez-Pavón, J.L., González-Pérez, C., Hernández-Méndez, J. and Álvarez-García, N., Differentiation of products derived from Iberian breed swine by electronic olfactometry (electronic nose), 424 (2000) 279
González-Pérez, C., *see* González-Martín, I., 424 (2000) 279
Gooijer, C., *see* de Beer, T., 416 (2000) 151
Gooijer, C., *see* Kok, S.J., 405 (2000) 1
Gooijer, C., *see* Kuijt, J., 417 (2000) 15
Gordon, P., *see* Liu, Y.M., 420 (2000) 81
Gorton, L. and Torto, N., In vivo or in vitro microdialysis? 409 (2000) 1
Gotti, R., *see* Furlanetto, S., 413 (2000) 229
Granados, M., *see* Miralles, E., 403 (2000) 197
Granados, M., *see* Saurina, J., 409 (2000) 237
Grases, F., *see* March, J.G., 409 (2000) 9
Gray, D.S., *see* Arrigan, D.W., 402 (1999) 157
Green, S., *see* Liu, Y.M., 420 (2000) 81
Greenway, G.M., Nelstrop, L.J. and Port, S.N., Tris(2,2-bipyridyl)-ruthenium (II) chemiluminescence in a microflow injection system for codeine determination, 405 (2000) 43
Grégoire, D.C., *see* Sekaly, A.L., 402 (1999) 211, 223
Greibrokk, T., *see* Jara, S., 407 (2000) 165
Grekas, N., *see* Deftereos, N.T., 403 (2000) 137
Gresham, G.L., *see* Stone, M.L., 407 (2000) 311
Grobecker, K.H., *see* Dobney, A.M., 423 (2000) 9
Grotti, M., *see* Magi, E., 401 (1999) 55
Grover, S.K., *see* Kumar, A., 414 (2000) 43
Gründig, B., *see* Strehlitz, B., 403 (2000) 11
Guadarrama, A., Fernández, J.A., Íñiguez, M., Souto, J. and de Saja, J.A., Array of conducting polymer sensors for the characterisation of wines, 411 (2000) 193
Guan, N., Zeng, Z., Wang, Y., Fu, E. and Cheng, J., Open tubular capillary electrochromatography in fused-silica capillaries chemically bonded with macrocyclic dioxopolyamine, 418 (2000) 145
Guan, Y., *see* Li, G., 421 (2000) 27
Guasch, J., *see* Martínez, A., 406 (2000) 257
Guascito, M.R., *see* Casella, I.G., 409 (2000) 27
Guascito, M.R., *see* De Benedetto, G.E., 410 (2000) 143
Güçer, S., *see* Erdemoğlu, S.B., 411 (2000) 81
Gucer, S., *see* Yaman, M., 410 (2000) 119
Guilbault, G.G., *see* Kelly, S.C., 412 (2000) 111
Guimarães, O.M., *see* Chacarolli, C.J., 411 (2000) 217
Guimarães, O.M., *see* Ruys, D.P., 404 (2000) 95
Gumí, T., Oleinikova, M., Palet, C., Valiente, M. and Muñoz, M., Facilitated transport of lead(II) and cadmium(II) through novel activated composite membranes containing di-(2-ethyl-hexyl)-phosphoric acid as carrier, 408 (2000) 65
Güner, S., *see* Karaböcek, S., 408 (2000) 163
Guo, C., *see* Yang, X., 407 (2000) 45
Guo, C.C., *see* Zhang, X.B., 419 (2000) 227
Guo, G., *see* Han, S., 405 (2000) 115
Guo, H., *see* Mullett, W.M., 414 (2000) 123
Guo, Z.X. and Shen, H.X., Sensitive and simple determination of protein by resonance Rayleigh scattering with 4-azochromotropic acid phenylfluorone, 408 (2000) 177
Guo, Z.X., Hao, Y.M., Cong, X. and Shen, H.X., Application of the dibromohydroxyphenylfluorone–molybdenum(VI) complex to the sensitive spectrophotometric determination of protein, 403 (2000) 225
Guo, Z.X., *see* Hao, Y.M., 402 (1999) 21
Guoan, L., *see* Qingwen, L., 409 (2000) 137
Gupta, K.C., *see* Rao, N.S., 405 (2000) 247
Gupta, V.K., Prasad, R., Kumar, P. and Mangla, R., New nickel(II) selective potentiometric sensor based on 5,7,12,14-tetramethyldibenzotetraazaannulene in a poly(vinyl chloride) matrix, 420 (2000) 19
Gupta, V.K., *see* Pillai, A., 408 (2000) 111
Gurden, S.P., *see* Reis, M.M., 422 (2000) 21
Gutz, I.G., *see* Pedrotti, J.J., 422 (2000) 131
Gyurcsányi, R.E., *see* Ivanov, A.N., 404 (2000) 55

H

Haapakka, K., *see* Ala-Kleme, T., 403 (2000) 161
Haddad, P.R., *see* Vachirapatama, N., 409 (2000) 35
Hadžija, O., *see* Brajenović, N., 406 (2000) 279
Halicz, L., Segal, I., Gavrieli, I., Lorber, A. and Karpas, Z., Determination of the $^{234}U/^{238}U$ ratio in water samples by inductively coupled plasma mass spectrometry, 422 (2000) 203
Hall, E.A., *see* Heng, L.Y., 403 (2000) 77
Hall, S.B., *see* Lu, X., 418 (2000) 205
Hamai, S. and Sakurai, H., Capillary electrophoretic separation of positional isomers of hydroxynaphthalenecarboxylic acids through the formation of inclusion complexes with β-cyclodextrin, 402 (1999) 53
Hammam, E., *see* El-Hallag, I.S., 414 (2000) 173
Hammerschmidt, F., *see* Zarbl, E., 404 (2000) 169
Hammock, B.D., *see* Kido, H., 411 (2000) 1
Han, H.Y., He, Z.K. and Zeng, Y.E., Pulse injection analysis with chemiluminescence detection: determination of cinnamic acid using the $Ru(bipy)_3^{2+}$-$KMnO_4$ system, 402 (1999) 113
Han, R., *see* Lin, C., 403 (2000) 219
Han, S., Li, X., Guo, G., Sun, Y. and Yuan, Z., Voltammetric measurement of microorganism populations, 405 (2000) 115
Hanafi-Bagby, D., Piunno, P.A., Wust, C.C. and Krull, U.J., Concentration dependence of a thiazole orange derivative that is used to determine nucleic acid hybridization by an optical biosensor, 411 (2000) 19
Hanaoka, S., Lin, J.M. and Yamada, M., Chemiluminescence behavior of the decomposition of hydrogen peroxide catalyzed by copper(II)–amino acid complexes and its application to the determination of tryptophan and phenylalanine, 409 (2000) 65
Hanbauer, M., *see* Zarbl, E., 404 (2000) 169
Hänninen, O., *see* Tuovinen, K., 404 (2000) 7
Hansen, A.M., *see* Hjort Pedersen, T.K., 413 (2000) 63
Hansen, A.M., *see* Nikolajsen, T.B., 424 (2000) 161
Hansen, E.H., *see* Nielsen, S.C., 422 (2000) 47
Hansen, E.H., *see* Wang, J., 424 (2000) 223
Hao, A., *see* Li, G., 421 (2000) 27
Hao, Y.M. and Shen, H.X., Spectrophotometric determination of nucleic acids using palladium(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol, 413 (2000) 87

Hao, Y.M. and Shen, H.X., Simple and sensitive determination of nucleic acids using palladium(II) complex with 2-(2-thiazolylazo)-5-dimethylaminobenzoic acid, 422 (2000) 159
Hao, Y.M., Guo, Z.X., Wang, X.X. and Shen, H.X., Utilization of the copper(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol as an absorption spectroscopic probe for nucleic acids assay, 402 (1999) 21
Hao, Y.M., *see* Guo, Z.X., 403 (2000) 225
Haraguchi, H., *see* Umemura, T., 419 (2000) 87
Hardcastle, J.E., *see* Jano, I., 424 (2000) 139
Hardy, J.K., *see* Tan, B., 422 (2000) 37
Härmä, H., Aronkytö, P. and Lövgren, T., Multiplex immunoassays on size-categorized individual beads using time-resolved fluorescence, 410 (2000) 85
Harms, D., Meyer, J., Westerheide, L., Krebs, B. and Karst, U., Determination of glucose in soft drinks using its enzymatic oxidation and the detection of formed hydrogen peroxide with a dinuclear iron(III) complex, 401 (1999) 83
Haruyama, T., *see* Másson, M., 402 (1999) 29
Haruyama, T., *see* Zhang, C., 408 (2000) 225
Hassan, N.M., *see* Lam, M.T., 402 (1999) 195
Hassan, N.M., *see* Murimboh, J., 423 (2000) 115
Hassan, N.M., *see* Sekaly, A.L., 402 (1999) 211
Hassoon, S. and Schechter, I., In situ fluorimetric determination of pesticides on vegetables, 405 (2000) 9
Haugen, J.E., Tomic, O. and Kvaal, K., A calibration method for handling the temporal drift of solid state gas-sensors, 407 (2000) 23
Hauser, P.C., *see* Colombo, C., 412 (2000) 69
Haustein, M., *see* Hund, E., 404 (2000) 257
Havelcová, M., *see* Němcová, I., 401 (1999) 223
Hayashi, M., *see* Watanabe, E., 424 (2000) 149
Hayashita, T., *see* Tong, A.J., 420 (2000) 57
He, P., *see* Xu, C., 411 (2000) 31
He, R. and Wang, J., Novel catalytic spectrophotometric procedure for the determination of trace-level aluminium, 412 (2000) 241
He, X., *see* Chen, L., 417 (2000) 51
He, X., *see* Mullett, W.M., 414 (2000) 123
He, X., *see* Xiong, G., 413 (2000) 49
He, Y., Luisa Cervera, M., Isabel Garrido-Ecija, M. and de la Guardia, M., On-line bidirectional electrostacking of chromium(III) and chromium(VI) for flame atomic absorption spectrometry determination, 421 (2000) 57
He, Z.K., Fuhrmann, B. and Spohn, U., Coulometric microflow titrations with chemiluminescent and amperometric detection of the equivalence points — basic investigations and bromimetric titration of low concentration solutions of arsenite, 407 (2000) 203
He, Z.K., Fuhrmann, B. and Spohn, U., Coulometric microflow titrations with chemiluminescent and amperometric equivalence point detection. Bromimetric titration of low concentrations of hydrazine and ammonium, 409 (2000) 83
He, Z.K., *see* Han, H.Y., 402 (1999) 113
He, Z.K., *see* Ling, L.S., 403 (2000) 209
Heckemann, H.-J., Highly sensitive flow analysis determination of orthophosphate using solid phase enrichment of phosphomolybdenum blue without need for organic solvents in elution, 410 (2000) 177
Hegedűs, G., Bélai, I. and Székács, A., Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121
Hegedűs, G., *see* Székács, A., 421 (2000) 135
Hemmer, M.C. and Gasteiger, J., Prediction of three-dimensional molecular structures using information from infrared spectra, 420 (2000) 145
Heng, L.Y. and Hall, E.A., Methacrylic–acrylic polymers in ion-selective membranes: achieving the right polymer recipe, 403 (2000) 77
Hennion, M.C., *see* Delaunay, N., 407 (2000) 173
Henriksen, T., *see* Kristiansen, J., 403 (2000) 265
Herbreteau, B., *see* Mathieu, C., 402 (1999) 87
Hernández, J., *see* Sánchez-Pedreño, C., 415 (2000) 159
Hernández, L.M., *see* Ramos, L., 402 (1999) 241
Hernandez, R.M., *see* Nelson, B.C., 410 (2000) 1
Hernández-Carrasquilla, M., Gas chromatography-mass spectrometry analysis of β_2-agonists in bovine retina, 408 (2000) 285
Hernández-Cassou, S., *see* Saurina, J., 405 (2000) 153
Hernández-Cassou, S., *see* Saurina, J., 408 (2000) 135
Hernández-Córdoba, M., *see* Viñas, P., 412 (2000) 121
Hernández-Méndez, J., *see* González-Martín, I., 424 (2000) 279
Herrero, C., *see* Rebolo, S., 417 (2000) 211
Heyden, Y. Vander, *see* Toasaksiri, S., 416 (2000) 29
Hidaka, K., *see* Yoshida, H., 413 (2000) 137
Hieftje, G.M., *see* Leach, A.M., 402 (1999) 267
Hieftje, G.M., *see* Leach, A.M., 412 (2000) 47
Hilhorst, R., *see* Osman, A.M., 422 (2000) 81
Hill, S.J., *see* Shaw, M.J., 401 (1999) 65
Hill Jr., H.H., *see* Asbury, G. Reid, 404 (2000) 273
Hindson, B.J., *see* Barnett, N.W., 421 (2000) 1
Hirabayashi, A., *see* Huang, M., 413 (2000) 217
Hirakawa, T., *see* Suzuki, H., 405 (2000) 57
Hiramatsu, M., *see* Shiono, H., 405 (2000) 17
Hirata, Y., *see* Funada, Y., 401 (1999) 73
Hirayama, N., Umehara, W., Makizawa, H. and Honjo, T., Ion chromatography using a charged complex anion-exchange group, 409 (2000) 17
Hirose, K., *see* Darwish, I., 413 (2000) 79
Hiyama, T., Determination of oxygen-to-metal atomic ratio in mixed oxide fuel by non-dispersive infrared spectrophotometry after fusion in an inert gas atmosphere, 402 (1999) 297
Hjort Pedersen, T.K., Hansen, A.M., Lund, S.P. and Garde, A.H., Validation of a radioimmunoassay for the determination of total corticosterone in rat plasma, 413 (2000) 63
Hjuler, K., *see* Mortensen, J., 403 (2000) 273
Hlavay, J., *see* Tolnai, B., 408 (2000) 117
Ho, J.a.A. and Durst, R.A., Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis, 414 (2000) 51
Ho, J.a.A. and Durst, R.A., Development of a flow-injection liposome immunoanalysis system for fumonisin B1, 414 (2000) 61
Hobo, T., *see* Chen, Z., 403 (2000) 173
Hodouchi, K., *see* Matsubara, H., 405 (2000) 87
Hoefsloot, H.C., *see* Bijlsma, S., 419 (2000) 197
Holmin, S., *see* Winquist, F., 406 (2000) 147
Hong, W., *see* Liu, D., 416 (2000) 139

Honjo, T., *see* Hirayama, N., 409 (2000) 17
Honorato, R.S., *see* Véras, G., 401 (1999) 215
Honorato, R.S., Zagatto, E.A.G., Lima, R.A.C. and Araújo, M.C.U., Prior assay as an approach to flow titrations. Spectrophotometric determination of iron in alloys and ores, 416 (2000) 231
Hoornweg, G.P., *see* de Beer, T., 416 (2000) 151
Hopke, P.K., *see* Garrido Frenich, A., 411 (2000) 145
Hopke, P.K., *see* Wang, J.H., 412 (2000) 177
Horáček, J. and Skládal, P., Effect of organic solvents on immunoassays of environmental pollutants studied using a piezoelectric biosensor, 412 (2000) 37
Horiki, A., *see* Watanabe, M., 416 (2000) 117
Horikoshi, K., *see* Okuma, H., 411 (2000) 37
Hormozi Nezhad, M.R., *see* Safavi, A., 409 (2000) 283
Horrocks, B.R., *see* Mirkin, M.V., 406 (2000) 119
Hoshina, S., *see* Miyachi, H., 407 (2000) 1
Hoshino, H., Suzuki, M., Kan'no, M., Ohmachi, T. and Yotsuyanagi, T., Room temperature phosphorescence characteristics of platinum(II) chelates with 8-quinolinol derivatives in aqueous micellar solutions, 407 (2000) 71
Houdier, S., Perrier, S., Defrancq, E. and Legrand, M., A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221
Hrabárová, E., *see* Tkáč, J., 420 (2000) 1
Hsu, C.G., *see* Zaijun, L., 402 (1999) 253
Hu, J., Liu, L., Danielsson, B., Zhou, X. and Wang, L., Piezoelectric immunosensor for detection of complement C_6, 423 (2000) 215
Hu, Q., *see* Zhang, L., 424 (2000) 257
Hu, Q., Zhang, L., Zhou, T. and Fang, Y., Determination of daunorubicin in human urine by capillary zone electrophoresis with amperometric detection, 416 (2000) 15
Hu, S., Xu, C., Luo, J., Luo, J. and Cui, D., Biosensor for detection of hypoxanthine based on xanthine oxidase immobilized on chemically modified carbon paste electrode, 412 (2000) 55
Hu, Z., *see* Ma, Q., 406 (2000) 247
Hua, L. and Tan, S.N., Amperometric detection for capillary electrophoresis at a sol–gel carbon composite electrode, 403 (2000) 179
Huang, F., *see* Wang, M., 422 (2000) 151
Huang, M., Kojima, H., Shirasaki, T., Hirabayashi, A. and Koizumi, H., Study on solvent-loading effect on inductively coupled plasma and microwave-induced plasma sources with a microliter nebulizer, 413 (2000) 217
Huang, X.J. and Fang, Z.L., Chemiluminescence detection in capillary electrophoresis, 414 (2000) 1
Huang, Y., *see* Toriba, A., 415 (2000) 57
Huang, Y., Zhang, Z., Lv, J. and Cheng, H., Flow-injection analysis–fluorescence detection for the in vivo on-line determination of calcium in blood with microdialysis sampling, 419 (2000) 175
Hubaud, J.C., *see* Magnani, L., 411 (2000) 209
Huet, D., *see* Valat, C., 404 (2000) 187
Hund, E., Massart, D.Luc and Smeyers-Verbeke, J., Inter-laboratory studies in analytical chemistry, 423 (2000) 145
Hund, E., Vander Heyden, Y., Haustein, M., Massart, D.L. and Smeyers-Verbeke, J., Comparison of several criteria to decide on the significance of effects in a robustness test with an asymmetrical factorial design, 404 (2000) 257
Hunter, K.A., *see* Croot, P.L., 406 (2000) 289
Hurtta, M., *see* Latva, S., 418 (2000) 11

I

Ianni, C., *see* Magi, E., 401 (1999) 55
Ibrahim, M.S., Voltammetric behaviour and determination of the anthracycline antitumor drug nogalamycin, 409 (2000) 105
Ide, N., *see* Igarashi, S., 424 (2000) 263
Idei, N., *see* Yamato, S., 406 (2000) 191
Igarashi, S., Ide, N. and Takagai, Y., High-performance liquid chromatographic–spectrophotometric determination of copper(II) and palladium(II) with 5,10,15,20-tetrakis(4*N*-pyridyl)-porphine following homogeneous liquid–liquid extraction in the water–acetic acid–chloroform ternary solvent system, 424 (2000) 263
Iglesias-Fernández, O., Facal, P., González, M. and Rey, F., Conductimetric analysis of the interaction of Cu(II) ions and a humic-like natural polyelectrolyte (Laurel, *Laurus nobilis*) mixture, 401 (1999) 251
Ikebukuro, K., *see* Akimoto, T., 417 (2000) 125
Ikebukuro, K., *see* Miyachi, H., 407 (2000) 1
Ikeda, T., *see* Ito, S., 424 (2000) 57
Ikeda, T., *see* Yamamoto, K., 406 (2000) 201
Ikonomou, M.G., *see* Ross, A.R., 411 (2000) 91
Imai, K., *see* Toriba, A., 415 (2000) 57
Imasaka, T., *see* Miki, S., 404 (2000) 1
Imasaka, T., *see* Onoda, T., 412 (2000) 213
Imbert, F., *see* Peña, Y.P.d., 403 (2000) 249
Íñiguez, M., *see* Guadarrama, A., 411 (2000) 193
Inoue, S., *see* Zhang, Q., 401 (1999) 277
Inoue, S., *see* Zhang, Q., 407 (2000) 147
Ipatov, A., *see* Mortensen, J., 403 (2000) 273
Ipolyi, I. and Fodor, P., Development of analytical systems for the simultaneous determination of the speciation of arsenic [As(III), methylarsonic acid, dimethylarsinic acid, As(V)] and selenium [Se(IV), Se(VI)], 413 (2000) 13
Isabel Garrido-Ecija, M., *see* He, Y., 421 (2000) 57
Ishida, J., *see* Yoshida, H., 413 (2000) 137
Iskrić, S., *see* Brajenović, N., 406 (2000) 279
Ito, K., Nishimura, K., Murakami, S., Arakawa, H. and Maeda, M., Novel bioluminescent assay of pyruvate phosphate dikinase using firefly luciferase–luciferin reaction and its application to bioluminescent enzyme immunoassay, 421 (2000) 113
Ito, S., *see* Watanabe, E., 424 (2000) 149
Ito, S., Yamazaki, S.i., Kano, K. and Ikeda, T., Highly sensitive electrochemical detection of alkaline phosphatase, 424 (2000) 57
Itoh, Y., *see* Yamato, S., 406 (2000) 191
Iturriaga, H., *see* Blanco, M., 407 (2000) 233, 247
Iturriaga, H., *see* Blanco, M., 419 (2000) 209
Ivanov, A.N., Evtugyn, G.A., Gyurcsányi, R.E., Tóth, K. and Budnikov, H.C., Comparative investigation of electrochemical cholinesterase biosensors for pesticide determination, 404 (2000) 55
Ivanov, V.M., *see* Ershova, N.I., 408 (2000) 145

Ivaska, A., *see* Lindfors, T., 404 (2000) 101, 111
Iwata, T., Mitoma, H. and Yamaguchi, M., Fluorescence derivatization of amino acids with 4-(5′,6′-dimethoxybenzothiazolyl)phenylisothiocyanate in liquid chromatography, 416 (2000) 69
Izquierdo-Ridorsa, A., *see* Saurina, J., 408 (2000) 135

J

Jackson, G.S., *see* Constantopoulos, T.L., 406 (2000) 37
Jaffrezic, N., *see* Senillou, A., 401 (1999) 117
Jaffrezic-Renault, N., *see* Soldatkin, A.P., 403 (2000) 25
Jain, P., *see* Arya, S.P., 417 (2000) 1
Jakoubková, P., *see* Šrámková, J., 408 (2000) 183
Jakusch, M., *see* Vogt, F., 422 (2000) 187
Jalali-Heravi, M. and Fatemi, M.H., Simulation of mass spectra of noncyclic alkanes and alkenes using artificial neural network, 415 (2000) 95
Jan, T., *see* Zaijun, L., 402 (1999) 253
Jančar, J., *see* Vodopivec, M., 407 (2000) 105
Janewongpaisan, S., *see* Burns, D. Thorburn, 422 (2000) 199
Jano, I. and Hardcastle, J.E., General equation for determining the dissociation constants of polyprotic acids and bases from additive properties. Part III. Calculation of errors, 424 (2000) 139
Janoš, P., Reversed-phase liquid chromatography of metal chelates of 4-(2-pyridylazo) resorcinol: retention model and its verification, 414 (2000) 113
Jansen, M., *see* Despagne, F., 406 (2000) 233
Jara, S., Lysebo, C., Greibrokk, T. and Lundanes, E., Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification, 407 (2000) 165
Jardine, D., *see* Swatsitang, P., 417 (2000) 231
Jarosz, M., *see* Oszwałdowski, S.V., 421 (2000) 35
Jaumann, R., *see* Lampen, P., 420 (2000) 229
Javanbakht, M., Shabani-Kia, A., Darvich, M.R., Ganjali, M.R. and Shamsipur, M., Cadmium(II)-selective membrane electrode based on a synthesized tetrol compound, 408 (2000) 75
Jen, J.F., *see* Chien, Y.C., 419 (2000) 73
Jessen, K.D., *see* Gammelgaard, B., 404 (2000) 47
Jetter, K., Depczynski, U., Molt, K. and Niemöller, A., Principles and applications of wavelet transformation to chemometrics, 420 (2000) 169
Jeziorek, D., *see* Bogdańska, A., 402 (1999) 339
Jian, L.X., *see* Zhang, X.B., 419 (2000) 227
Jianfang, W., *see* Wenli, L., 417 (2000) 111
Jiang, G.b., Liu, J.y. and Yang, K.w., Speciation analysis of butyltin compounds in Chinese seawater by capillary gas chromatography with flame photometric detection using in-situ hydride derivatization followed by headspace solid-phase microextraction, 421 (2000) 67
Jiang, J.H., *see* Tan, Y., 412 (2000) 195
Jiang, M., *see* Wang, J., 402 (1999) 7
Jiang, S.J., *see* Lee, T.H., 413 (2000) 197
Jiao, K., Sun, W., Zhang, S.s. and Sun, G., Application of *p*-phenylenediamine as an electrochemical substrate in peroxidase-mediated voltammetric enzyme immunoassay, 413 (2000) 71
Jiaomai, P., *see* Zaijun, L., 402 (1999) 253
Jiménez-Lozano, E., *see* Barrón, D., 415 (2000) 83
Jin, D. and Pardue, H.L., Algorithms for time-dependent chromatographic peak areas. 1. Algorithms evaluated for fully resolved peaks, 422 (2000) 1
Jin, D. and Pardue, H.L., Algorithms for time-dependent chromatographic peak areas. II. Resolution of overlapped chromatograms for two- and three-component samples, 422 (2000) 11
Jin, E.S., *see* Khan, S.S., 404 (2000) 213
Jin, J., *see* Shi, G., 413 (2000) 131
Jin, L. and Gogan, N.J., Copper complexing capacities of freshwaters by adsorptive cathodic stripping voltammetry, 412 (2000) 77
Jin, L., *see* Shi, G., 413 (2000) 131
Jin, L., *see* Xian, Y., 415 (2000) 127
Jin, L., *see* Xue, J., 405 (2000) 77
Jin, W., Ye, X., Yu, D. and Dong, Q., A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode, 408 (2000) 257
Jin, Z., *see* Su, Y., 422 (2000) 209
Jing, X., *see* Wang, P., 424 (2000) 51
Jinhui, X. and Lee, F.S., Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111
Jinno, K., *see* Salleh, S.H., 418 (2000) 69
Jøns, O., *see* Gammelgaard, B., 404 (2000) 47
Johansson, E., *see* Eriksson, L., 420 (2000) 181
Johansson, M.O., *see* Berntsson, O., 419 (2000) 45
John, R., *see* Zhang, S., 421 (2000) 175
Johnson, C.L.V., *see* Aucélio, R.Q., 411 (2000) 57
Jones, P., *see* Barnett, N.W., 421 (2000) 1
Jones, P., *see* Shaw, M.J., 401 (1999) 65
Jonsson, J.A., *see* Calzado, J.A., 417 (2000) 159
Jönsson, J.A., *see* Chimuka, L., 416 (2000) 77

K

Kai, M., *see* Ohba, Y., 414 (2000) 95
Kalähne, R., Amin, M., Sobottka, J. and Sauerbrey, R., Methods of multivariate data analysis applied to the investigation of fen soils, 420 (2000) 205
Kalman, E.L., Löfvendahl, A., Winquist, F. and Lundström, I., Classification of complex gas mixtures from automotive leather using an electronic nose, 403 (2000) 31
Kamenev, A.I., *see* Osipova, E.A., 404 (2000) 231
Kamidate, T., Niwa, S. and Nakata, N., Application of cationic liposomes containing surfactants to an enhancer in firefly bioluminescent assay of adenosine 5′-triphosphate, 424 (2000) 169
Kanemitsu, M., Arakawa, H., Yoda, R. and Maeda, M., Chemiluminescent determination of lucigenin using thioureid derivatives, 403 (2000) 125
Kaneta, T., *see* Miki, S., 404 (2000) 1
Kang, J., *see* Lu, X., 405 (2000) 161

Kang, J.W., *see* Lu, X.Q., 404 (2000) 249
Kan'no, M., *see* Hoshino, H., 407 (2000) 71
Kanno, W., *see* Matsubara, H., 405 (2000) 87
Kano, K., *see* Ito, S., 424 (2000) 57
Kano, K., *see* Yamamoto, K., 406 (2000) 201
Kappes, T., *see* Colombo, C., 412 (2000) 69
Karaböcek, S., Nohut, S., Dalman, O. and Güner, S., A new spectrophotometric reagent for copper: 3,3′-(1,3-propanediyldiimine)-bis-[3-methyl-2-butanone]dioxime, 408 (2000) 163
Karamertzanis, P., *see* Statheropoulos, M., 401 (1999) 35
Karayannis, M.I. and Pettas, I.A., Simultaneous kinetic determination of cobalt, nickel and iron by coupling stopped-flow techniques and charge coupled device detection, 423 (2000) 277
Karayannis, M.I., *see* Fiamegos, Y.C., 403 (2000) 315
Karayannis, M.I., *see* Florou, A.B., 409 (2000) 113
Karayannis, M.I., *see* Florou, A.B., 423 (2000) 107
Karayannis, M.I., *see* Maines, A., 408 (2000) 217
Kargosha, K. and Noroozifar, M., Solid-phase sodium bismuthate as an oxidant in flow injection analysis: determination of manganese in effluent streams, 413 (2000) 57
Karlberg, B., *see* Carlsson, K., 415 (2000) 1
Karlberg, B., *see* Carlsson, K., 423 (2000) 137
Karlberg, B., *see* Kuban, P., 404 (2000) 19
Karlberg, B., *see* Moberg, L., 407 (2000) 127
Karlberg, B., *see* Moberg, L., 411 (2000) 137
Karpas, Z., *see* Halicz, L., 422 (2000) 203
Karst, U., *see* Harms, D., 401 (1999) 83
Karst, U., *see* Kempter, C., 410 (2000) 47
Karst, U., *see* Meyer, J., 401 (1999) 191
Kartal, S., *see* Tokalioğlu, S., 413 (2000) 33
Karu, A.E., *see* Li, K., 419 (2000) 1
Karube, I., *see* Akimoto, T., 417 (2000) 125
Karube, I., *see* Miyachi, H., 407 (2000) 1
Karube, I., *see* Rachkov, A., 405 (2000) 23
Karube, I., *see* Suzuki, H., 405 (2000) 57
Karunasagar, D., *see* Balarama Krishna, M.V., 408 (2000) 199
Katsu, T., *see* Xu, D., 401 (1999) 111
Katsuta, S., Yamada, H., Kudo, Y. and Takeda, Y., Ion-pair formation in water and extraction into benzene of 18-crown-6–sodium ion complex with nitrated phenolate ions, 416 (2000) 145
Kaufman, S.L., Electrospray diagnostics performed by using sucrose and proteins in the gas-phase electrophoretic mobility molecular analyzer (GEMMA), 406 (2000) 3
Kawakami, N., *see* Yamato, S., 406 (2000) 191
Kawashima, T., *see* Tomiyasu, T., 424 (2000) 127
Kayasth, S., *see* Swain, K., 405 (2000) 297
Ke, Z., Wanhong, M., Ruxiu, C., Zhixin, L. and Nanqin, G., Determination of riboflavin by the perturbation of active oxygen on a chemical oscillating reaction, 413 (2000) 115
Keawpasert, P., *see* Chimpalee, N., 408 (2000) 123
Kebarle, P. and Peschke, M., On the mechanisms by which the charged droplets produced by electrospray lead to gas phase ions, 406 (2000) 11
Keenan, F., *see* Lochner, F., 401 (1999) 299
Kelly, S.C., O'Connell, P.J., O'Sullivan, C.K. and Guilbault, G.G., Development of an interferent free amperometric biosensor for determination of L-lysine in food, 412 (2000) 111
Kempter, C., Pötter, W., Binding, N., Kläning, H., Witting, U. and Karst, U., Tailor-made derivatizing agents for carbonyl compounds using liquid chromatography, 410 (2000) 47
Kephart, T. Scott and Dasgupta, P.K., Hot eluent capillary liquid chromatography using zirconia and titania based stationary phases, 414 (2000) 71
Kerman, K., *see* Erdem, A., 422 (2000) 139
Khaldeeva, E.V., *see* Medyantseva, E.P., 411 (2000) 13
Khalil, S., Borham, N. and EL-Ries, M.A., Piroxicam and tenoxicam selective membrane sensors, 414 (2000) 215
Khan, S.S., Jin, E.S., Sojic, N. and Pantano, P., A fluorescence-based imaging-fiber electrode chemical sensor for hydrogen peroxide, 404 (2000) 213
Kido, H., Maquieira, A. and Hammock, B.D., Disc-based immunoassay microarrays, 411 (2000) 1
Kikuchi, Y. and Sakamoto, Y., Complex formation of alkali metal ions with 18-crown-6 and its derivatives in 1,2-dichloroethane, 403 (2000) 325
Kilg, R. and Smit, H.C., A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147
Kim, H.B., *see* Kogi, O., 418 (2000) 129
Kim, I.S., Setford, S.J. and Saini, S., Determination of polychlorinated biphenyl compounds in electrical insulating oils by enzyme immunoassay, 422 (2000) 167
Kim, N., *see* Park, I.S., 404 (2000) 75
Kim, S.R., *see* Lee, W.Y., 404 (2000) 195
Kim, T.H., *see* Lee, W.Y., 404 (2000) 195
Kinoshita, H., *see* Yamamoto, K., 406 (2000) 201
Kirowa-Eisner, E., *see* Bonfil, Y., 424 (2000) 65
Kitamura, N., *see* Kogi, O., 418 (2000) 129
Klampfl, C.W., *see* Niessner, G., 414 (2000) 133
Kläning, H., *see* Kempter, C., 410 (2000) 47
Klingenberg, C., *see* Daujotis, V., 419 (2000) 243
Klinkenberg, H., *see* Dobney, A., 420 (2000) 89
Knoll, E.D., *see* Spence, D.M., 409 (2000) 3
Ko, F.H., *see* Lu, J.K., 407 (2000) 291
Ko, L.E., *see* Chou, S.T., 419 (2000) 81
Ko, W.K., *see* Wu, S.M., 413 (2000) 125
Kobatake, E., *see* Másson, M., 402 (1999) 29
Kobatake, E., *see* Zhang, C., 408 (2000) 225
Koby, M., *see* Su, Y., 422 (2000) 209
Kogi, O., Kim, H.B. and Kitamura, N., Microinjection-microspectroscopy of single oil droplets in water: an application to liquid/liquid extraction under solution-flow conditions, 418 (2000) 129
Koide, A., *see* Umemura, T., 419 (2000) 87
Koizumi, H., *see* Huang, M., 413 (2000) 217
Kojima, H., *see* Huang, M., 413 (2000) 217
Kok, S.J., Evertsen, R., Velthorst, N.H., Brinkman, U.A.Th. and Gooijer, C., On the coupling of fluorescence line-narrowing spectroscopy and poly(ethylene)imine-cellulose thin-layer chromatography, 405 (2000) 1
Kokado, A., Arakawa, H. and Maeda, M., New electrochemical assay of alkaline phosphatase using ascorbic acid 2-phosphate and its application to enzyme immunoassay, 407 (2000) 119
Kokot, S., *see* Ni, Y., 412 (2000) 185
Kokot, S., *see* Ni, Y., 419 (2000) 185

Kolář, V., *see* Fránek, M., 412 (2000) 19
Kolev, S.D., Sakai, Y., Cattrall, R.W., Paimin, R. and Potter, I.D., Theoretical and experimental study of palladium(II) extraction from hydrochloric acid solutions into Aliquat 336/PVC membranes, 413 (2000) 241
Kolev, S.D., *see* Newcombe, D.T., 401 (1999) 137
Kolev, S.D., *see* Sheikheldin, S.Y., 419 (2000) 9
Kolev, S.D., *see* Wang, L., 416 (2000) 177
Komori, K., *see* Tatsuma, T., 408 (2000) 233
Koncki, R., Lenarczuk, T. and Głąb, S.V, Optical sensing schemes for Prussian Blue/Prussian White film system, (424) (2000) 27
Koncki, R., Radomska, A. and Głąb, S.V., Bioanalytical flow-injection system for control of hemodialysis adequacy, (418) (2000) 213
Kondo, T., *see* Matsubara, H., 405 (2000) 87
Kong, J., *see* Chen, X., 412 (2000) 89
Kono, M., *see* Miyachi, H., 407 (2000) 1
Kontoyannis, C.G. and Douroumis, D., Determination of liposomes drug retention capacity using differential pulse polarography: the case of chlorothiazide, 409 (2000) 99
Kopinke, H., *see* Strehlitz, B., 403 (2000) 11
Korobeinicheva, I.K., *see* Piottukh-Peletsky, V.N., 409 (2000) 181
Korolczuk, M.V., Voltammetric determination of traces of Cr(VI) in the presence of Cr(III) and humic acid, 414 (2000) 165
Korpela, A., *see* Pantsar-Kallio, M., 410 (2000) 65
Koster-Ammerlaan, A., *see* Polkowska-Motrenko, H., 408 (2000) 89
Kotouček, M., *see* Barták, P., 421 (2000) 221
Kotrlý, S., *see* Šrámková, J., 408 (2000) 183
Krach, C. and Sontag, G., Determination of some heterocyclic aromatic amines in soup cubes by ion-pair chromatography with coulometric electrode array detection, 417 (2000) 77
Kramer, J.R., *see* Smith, D. Scott, 416 (2000) 211
Krämer, K. and Ebel, S., Application of NIR reflectance spectroscopy for the identification of pharmaceutical excipients, 420 (2000) 155
Krantz-Rülcker, C., *see* Winquist, F., 406 (2000) 147
Krause, C., *see* Werner, T., 421 (2000) 199
Krebs, B., *see* Harms, D., 401 (1999) 83
Kristensen, F.H., *see* Gammelgaard, B., 404 (2000) 47
Kristiansen, J., Christensen, J.M., Henriksen, T., Nielsen, N.H. and Menné, T., Determination of nickel in fingernails and forearm skin (stratum corneum), 403 (2000) 265
Kristiansen, J., *see* Nikolajsen, T.B., 424 (2000) 161
Kröning, S., *see* Dantan, N., 420 (2000) 133
Krug, F.J., *see* Lima, E.C., 409 (2000) 267
Krull, U.J., *see* Hanafi-Bagby, D., 411 (2000) 19
Kubáček, L., *see* Barták, P., 407 (2000) 327
Kuban, P. and Karlberg, B., On-line monitoring of kraft pulping liquors with a valveless flow injection–capillary electrophoresis system, 404 (2000) 19
Kubát, P., *see* Zelinger, Z., 422 (2000) 179
Kubilienė, E., *see* Armalis, S., 423 (2000) 287
Kubota, L.T., *see* de Carvalho, R.M., 420 (2000) 109
Kubota, L.T., *see* Sena, M.M., 409 (2000) 159
Kubota, S., *see* Nukatsuka, I., 415 (2000) 221
Kubová, J., *see* Bujdoš, M., 408 (2000) 103
Kudo, Y., *see* Katsuta, S., 416 (2000) 145
Kudryavtsev, A.V., Perminova, I.V. and Petrosyan, V.S., Size-exclusion chromatographic descriptors of humic substances, 407 (2000) 193
Kuijt, J., de Rijke, E., Brinkman, U.A.Th. and Gooijer, C., Practical implementation of quenched phosphorescence detection in capillary electrophoresis, 417 (2000) 15
Kumar, A., Malhotra, R., Malhotra, B.D. and Grover, S.K., Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol–gel film, 414 (2000) 43
Kumar, A.S., *see* Zen, J.M., 421 (2000) 189
Kumar, P., *see* Gupta, V.K., 420 (2000) 19
Kumar, P., *see* Rao, N.S., 405 (2000) 247
Kumar, S.J., *see* Meeravali, N.N., 404 (2000) 295
Kuo, C.T., *see* Chien, Y.C., 419 (2000) 73
Küppers, S., *see* Dantan, N., 420 (2000) 133
Kürner, J.M., *see* Werner, T., 421 (2000) 199
Kuroda, N., Shimoda, R., Wada, M. and Nakashima, K., Lophine derivatives and analogues as new phenolic enhancers for the luminol–hydrogen peroxide–horseradish peroxidase chemiluminescence system, 403 (2000) 131
Kuznetsova, V.V., *see* Proskurnin, M.A., 418 (2000) 101
Kvaal, K., *see* Haugen, J.E., 407 (2000) 23
Kveder, S., *see* Brajenović, N., 406 (2000) 279
Kyriakou, S.A., *see* Statheropoulos, M., 409 (2000) 203

L

Laane, C., *see* Osman, A.M., 422 (2000) 81
Laborda, F., Medrano, J. and Castillo, J.R., Data acquisition of transient signals in inductively coupled plasma mass spectrometry, 407 (2000) 301
Labowsky, M., Fenn, J.B. and Fernandez de la Mora, J., A continuum model for ion evaporation from a drop: effect of curvature and charge on ion solvation energy, 406 (2000) 105
Lafosse, M., *see* Mathieu, C., 402 (1999) 87
Lafosse, M., *see* Viron, C., 409 (2000) 257
Laganà, A., Fago, G., Fasciani, L., Marino, A. and Mosso, M., Determination of diphenyl-ether herbicides and metabolites in natural waters using high-performance liquid chromatography with diode array tandem mass spectrometric detection, 414 (2000) 79
Laganà, A., Fago, G., Marino, A. and Penazzi, V.M., Liquid chromatography mass spectrometry tandem for multiresidue determination of selected post-emergence herbicides after soil column extraction, 415 (2000) 41
Lago, C.L., *see* Matos, R.C., 404 (2000) 151
Lai, E.P., *see* Mullett, W.M., 414 (2000) 123
Lam, M.T., Murimboh, J., Hassan, N.M. and Chakrabarti, C.L., Competitive ligand exchange/adsorptive cathodic stripping voltammetry (CLE/AdCSV) for kinetic studies of nickel speciation in aqueous environmental samples containing heterogeneous, macromolecular, organic complexants, 402 (1999) 195
Lam, M.T., *see* Murimboh, J., 423 (2000) 115

Lam, S.K., *see* Chan, M.A., 408 (2000) 33
Lambert, D.F. and Turoczy, N.J., Comparison of digestion methods for the determination of selenium in fish tissue by cathodic stripping voltammetry, 408 (2000) 97
Lämmerhofer, M., *see* Lesnik, J., 401 (1999) 3
Lämmerhofer, M., *see* Zarbl, E., 404 (2000) 169
Lampen, P., Trauthan, F., Dummel, A., Arnold, G. and Jaumann, R., Spectroscopic and photometric evaluation of images from the Mars Pathfinder camera, 420 (2000) 229
Lancashire, R.J., The use of the Internet for teaching Chemistry, (420) (2000) 239
Lange, B. and van den Berg, C.M., Determination of selenium by catalytic cathodic stripping voltammetry, 418 (2000) 33
Lapa, R.A., Lima, J.L. and Santos, J.L., Dual-stopped-flow spectrophotometric determination of amiloride hydrochloride in a multicommutated flow system, 407 (2000) 225
Lapa, R.A., Lima, J.L. and Santos, J.L., Fluorimetric determination of isoniazid by oxidation with cerium(IV) in a multicommutated flow system, (419) (2000) 17
Lapa, R.A., *see* Almeida, C.M., 407 (2000) 213
Larsson, U., *see* Moberg, L., 411 (2000) 137
Lasch, J., *see* Raith, K., 418 (2000) 167
Latorre, M.J., *see* Rebolo, S., 417 (2000) 211
Latva, M., *see* Ala-Kleme, T., 403 (2000) 161
Latva, S., Hurtta, M., Peräniemi, S. and Ahlgrén, M., Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry, 418 (2000) 11
Lau, O.W. and Shao, B., Affinity mass sensors: concept and general considerations, 407 (2000) 11
Lau, O.W. and Shao, B., Determination of glucose using a piezoelectric quartz crystal and the silver mirror reaction, 407 (2000) 17
Lau, O.W., Shao, B. and Lee, M.T., Affinity mass sensors: determination of fructose, 403 (2000) 49
Lavín, F. López, *see* Alonso, A., 408 (2000) 129
Lawless, J.L., *see* Chan, M.A., 408 (2000) 33
Lázaro, E., San Andrés, M.P. and Vera, S., Determination of five polycyclic aromatic hydrocarbons in aqueous micellar media by fluorescence at room temperature, 413 (2000) 159
Le Bihan, A., *see* Cabon, J.Y., 402 (1999) 327
Le Lamer, S., *see* Poucheret, P., 405 (2000) 221
Leach, A.M., Burden, D.L. and Hieftje, G.M., Radioluminescence detector for the flow injection determination of phosphorus as vanadomolybdophosphoric acid, 402 (1999) 267
Leach, A.M., Potyrailo, R.A. and Hieftje, G.M., Design and characterization of a radioluminescent temperature sensor, 412 (2000) 47
Leal, C., *see* Saurina, J., 409 (2000) 237
Leal-Granadillo, I.A., Alonso, J. Ignacio García and Sanz-Medel, A., Determination of the speciation of organolead compounds in airborne particulate matter by gas chromatography–inductively coupled plasma mass spectrometry, 423 (2000) 21
Leatzow, D., *see* Liu, G., 408 (2000) 21
Lee, F.S., *see* Jinhui, X., 416 (2000) 111
Lee, K.S., *see* Lee, W.Y., 404 (2000) 195
Lee, M.T., *see* Lau, O.W., 403 (2000) 49
Lee, T.H. and Jiang, S.J., Determination of mercury compounds by capillary electrophoresis inductively coupled plasma mass spectrometry with microconcentric nebulization, 413 (2000) 197
Lee, W.Y., Kim, S.R., Kim, T.H., Lee, K.S., Shin, M.C. and Park, J.K., Sol–gel-derived thick-film conductometric biosensor for urea determination in serum, 404 (2000) 195
Leenheer, A. De, *see* Praisler, M., 404 (2000) 303
Leenheer, J.A., *see* Brown, G.K., 402 (1999) 169, 183
Legin, A., *see* Mortensen, J., 403 (2000) 273
Legrand, M., *see* Houdier, S., 412 (2000) 221
Lehtonen, T., Peuravuori, J. and Pihlaja, K., Characterisation of lake-aquatic humic matter isolated with two different sorbing solid techniques: tetramethylammonium hydroxide treatment and pyrolysis-gas chromatography/mass spectrometry, 424 (2000) 91
Lemos, V.A., *see* Ferreira, S.L., 403 (2000) 259
Lenarczuk, T., *see* Koncki, R., 424 (2000) 27
Lendl, B., *see* Ayora-Cañada, M.J., 417 (2000) 41
Lendl, B., *see* LeThanh, H., 422 (2000) 63
Lesnik, J., Lämmerhofer, M. and Lindner, W., Fourier transform infrared spectroscopic characterization of complexes of carbamoylated quinidine chiral selector and *N*-derivatized leucine enantiomers in solution. Evidence for stereoselective intermolecular interactions, 401 (1999) 3
Le Thanh, H. and Lendl, B., Sequential injection Fourier transform infrared spectroscopy for the simultaneous determination of organic acids and sugars in soft drinks employing automated solid phase extraction, 422 (2000) 63
Lewenstam, A., *see* Michalska, A., 406 (2000) 159
Lewis, S.W., *see* Barnett, N.W., 421 (2000) 1
Li, C., *see* Li, J., 402 (1999) 311
Li, C.-m., *see* Zhang, D.q., 405 (2000) 185
Li, D., *see* Liu, Z., 407 (2000) 87
Li, D.-h., *see* Chen, Q.y., 406 (2000) 209
Li, D.H., Yang, H.H., Zhen, H., Fang, Y., Zhu, Q.Z. and Xu, J.G., Fluorimetric determination of albumin and globulin in human serum using tetra-substituted sulphonated aluminum phthalocyanine, 401 (1999) 185
Li, G., Lin, X., Zhu, C., Hao, A. and Guan, Y., New derivative of β-cyclodextrin as chiral selectors for the capillary electrophoretic separation of chiral drugs, 421 (2000) 27
Li, G., *see* Fan, C., 423 (2000) 95
Li, G., *see* Luan, T., 404 (2000) 329
Li, G., *see* Luan, T., 424 (2000) 19
Li, H.M., *see* Yang, R.H., 404 (2000) 205
Li, H.N. and Ci, Y.X., Electrochemical method for analyzing intracellular redox activity changes of the etoposide-induced apoptosis in HL-60 cells, 416 (2000) 221
Li, J., Lu, F., Umemura, T. and Tsunoda, K.i., Determination of lead by hydride generation inductively coupled plasma mass spectrometry, (419) (2000) 65
Li, J., *see* Wang, H., 423 (2000) 77
Li, J., Xu, H., Shi, J., Li, C. and Bao, C., Studies of the major degradation products of a higher alkyl polyacrylate using pyrolysis gas chromatography–mass spectrometry, 402 (1999) 311
Li, K., *see* Dai, X., 403 (2000) 243
Li, K., *see* Dong, S., 415 (2000) 185

Li, K., Woodward, L.A., Karu, A.E. and Li, Q.X., Immunochemical detection of polycyclic aromatic hydrocarbons and 1-hydroxypyrene in water and sediment samples, 419 (2000) 1
Li, K.A., *see* Ma, W.X., 416 (2000) 191
Li, L., *see* Wang, A., 419 (2000) 235
Li, L.D., Chen, X.K., Mou, L., Long, W.q. and Tong, A.J., Comparison of non-protected fluid room temperature phosphorescence properties of α-naphthyloxyacetic acid and β-naphthyloxyacetic acid, 424 (2000) 177
Li, L.D., *see* Tong, A.J., 420 (2000) 57
Li, Q.X., *see* Li, K., 419 (2000) 1
Li, W., Chen, J., Xiang, B. and An, D., Simultaneous on-line dissolution monitoring of multicomponent solid preparations containing vitamins B_1, B_2 and B_6 by a fiber-optic sensor system, 408 (2000) 39
Li, W., Wang, Z., Sun, C., Xian, M. and Zhao, M., Fabrication of multilayer films containing horseradish peroxidase and polycation-bearing Os complex by means of electrostatic layer-by-layer adsorption and its application as a hydrogen peroxide sensor, 418 (2000) 225
Li, X., *see* Han, S., 405 (2000) 115
Li, X.Y., *see* Pei, J., 402 (1999) 145
Li, X.-y., *see* Pei, J., 414 (2000) 205
Li, Y., *see* Chen, Z.P., 423 (2000) 187
Li, Y.H., *see* Sun, Y.G., 423 (2000) 247
Li, Z., *see* Ma, Q., 406 (2000) 247
Liang, C., Peng, H., Zhou, A., Nie, L. and Yao, S., Molecular imprinting polymer coated BAW bio-mimic sensor for direct determination of epinephrine, 415 (2000) 135
Liang, C., *see* Peng, H., 423 (2000) 221
Liang, S.C., *see* Wang, H., 419 (2000) 169
Ligero, A., *see* Manganiello, L., 406 (2000) 309
Lima, E.C., Barbosa Jr., F. and Krug, F.J., The use of tungsten–rhodium permanent chemical modifier for cadmium determination in decomposed samples of biological materials and sediments by electrothermal atomic absorption spectrometry, 409 (2000) 267
Lima, J.L., *see* Almeida, C.M., 407 (2000) 213
Lima, J.L., *see* Lapa, R.A., 407 (2000) 225
Lima, J.L., *see* Lapa, R.A., 419 (2000) 17
Lima, J.L.F.C., *see* de Gracia, J., 402 (1999) 275
Lima, J.L.F.C., *see* Gameiro, P., 405 (2000) 167
Lima, R.A.C., *see* Honorato, R.S., 416 (2000) 231
Lima, S., *see* Pedrotti, J.J., 422 (2000) 131
Limoges, B., *see* Valat, C., 404 (2000) 187
Lin, C., Yang, J., Wu, X., Zhang, G., Liu, R., Cao, X. and Han, R., Enhanced fluorescence of the terbium–gadolinium–nucleic acids system and the determination of nucleic acids, 403 (2000) 219
Lin, J. and Liu, D., An optical pH sensor with a linear response over a broad range, 408 (2000) 49
Lin, J.M., *see* Chen, Z., 403 (2000) 173
Lin, J.M., *see* Hanaoka, S., 409 (2000) 65
Lin, S.Y., *see* Chen, W.H., 410 (2000) 25
Lin, X., *see* Li, G., 421 (2000) 27
Lin, X.Q., *see* Sun, Y.G., 423 (2000) 247
Lindfors, T. and Ivaska, A., All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with ETH1001 as neutral carrier, 404 (2000) 101
Lindfors, T. and Ivaska, A., All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with tetraoctylammonium chloride as cationic additive, 404 (2000) 111
Lindner, W., *see* Lesnik, J., 401 (1999) 3
Lindner, W., *see* Zarbl, E., 404 (2000) 169
Ling, L.S., He, Z.K., Song, G.W., Yuan, D. and Zeng, Y.e., A novel method for determination of DNA by use of molecular 'Light Switch' complex of $Ru(bipy)_2(dppx)^{2+}$, 403 (2000) 209
Lino, C.M., *see* Pena, A., 405 (2000) 51
Lipka, R., *see* Oszwałdowski, S.V., 421 (2000) 35
Litborn, E., Emmer, A. and Roeraade, J., Chip-based nanovials for tryptic digest and capillary electrophoresis, 401 (1999) 11
Liu, C., *see* Ni, Y., 419 (2000) 185
Liu, C.Y., *see* Chen, W.H., 410 (2000) 25
Liu, D., Liu, J., Tian, D., Hong, W., Zhou, X. and Yu, J.C., Polymeric membrane silver-ion selective electrodes based on bis(dialkyldithiophosphates), 416 (2000) 139
Liu, D., *see* Lin, J., 408 (2000) 49
Liu, F., *see* Ma, W.X., 416 (2000) 191
Liu, G., Van Wie, B.J., Leatzow, D., Weyrauch, B. and Tiffany, T., Experimental design modeling of carryover to optimize air-segmented continuous flow analysis, 408 (2000) 21
Liu, H.M., Tsai, S.J.J., Cheng, F.C. and Chung, S.Y., Determination of trace manganese in the brain of mice subjected to manganese deposition by graphite furnace atomic absorption spectrometry, 405 (2000) 197
Liu, J., *see* Cheng, L., 417 (2000) 133
Liu, J., *see* Liu, D., 416 (2000) 139
Liu, J.-y., *see* Jiang, G.-b., 421 (2000) 67
Liu, K.n., *see* Ding, X.j., 407 (2000) 319
Liu, L., *see* Hu, J., 423 (2000) 215
Liu, R., *see* Lin, C., 403 (2000) 219
Liu, S.P., Liu, Z.F. and Luo, H.Q., Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 255
Liu, S.P., Liu, Z.F. and Luo, H.Q., Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 261
Liu, W.G., *see* Xiao, Y.K., 420 (2000) 95
Liu, X., *see* Wang, H., 423 (2000) 77
Liu, X.L., *see* Nie, M.Y., 408 (2000) 279
Liu, Y., *see* Chen, L., 417 (2000) 51
Liu, Y.H., Dam, T.H. and Pantano, P., A pH-sensitive nanotip array imaging sensor, 419 (2000) 215
Liu, Y.M., Gordon, P., Green, S. and Sweedler, J.V., Determination of salsolinol enantiomers by gas chromatography-mass spectrometry with cyclodextrin chiral columns, 420 (2000) 81
Liu, Z., Deng, J. and Li, D., A new tyrosinase biosensor based on tailoring the porosity of Al_2O_3 sol–gel to co-immobilize tyrosinase and the mediator, 407 (2000) 87
Liu, Z., Wang, Q., Mao, L. and Cai, R., Highly sensitive spectrofluorimetric determination of ascorbic acid based on its enhancement effect on a mimetic enzyme-catalyzed reaction, 413 (2000) 167

Liu, Z.F., *see* Liu, S.P., 407 (2000) 255, 261
Liwo, A., *see* Bogdańska, A., 402 (1999) 339
Liwo, A., *see* Zielińska, J., 401 (1999) 317
Llauradó, M., *see* Torres, J.M., 414 (2000) 101
Lo Coco, F., Monotti, P., Fiecchi, V. and Ceccon, L., Determination of lead (II) and cadmium (II) in hard and soft wheat by derivative potentiometric stripping analysis, 409 (2000) 93
Lo, D., *see* Chan, M.A., 408 (2000) 33
Łobiński, R., *see* McSheehy, S., 421 (2000) 147
Lobo-Castañón, M.J., *see* Saidman, S.B., 424 (2000) 45
Lochner, F., Appleton, J., Keenan, F. and Cooke, M., Multi-element profiling of human deciduous teeth by laser ablation-inductively coupled plasma-mass spectrometry, 401 (1999) 299
Löfvendahl, A., *see* Kalman, E.L., 403 (2000) 31
Long, W.-q., *see* Li, L.D., 424 (2000) 177
López, W., *see* Peña, Y.P.d., 403 (2000) 249
López-Cueto, G., Ostra, M. and Ubide, C., Linear and non-linear multivariate calibration methods for multicomponent kinetic determinations in cases of severe non-linearity, 405 (2000) 285
López-Grío, S., Torres-Lapasió, J.R., Baeza-Baeza, J.J. and García-Alvarez-Coque, M.C., Micellar liquid chromatographic separation of amino acids using pre- and post-column *o*-phthalaldehyde/*N*-acetylcysteine derivatization, 418 (2000) 153
Lorber, A., *see* Halicz, L., 422 (2000) 203
Lorenzo, E., *see* Casero, E., 403 (2000) 1
Lorenzo, E., *see* Moreno, G., 420 (2000) 29
Losito, I., *see* Quinto, M., 420 (2000) 9
Loukas, Y.L., Radial basis function networks in host–guest interactions: instant and accurate formation constant calculations, 417 (2000) 221
Lövgren, T., *see* Härmä, H., 410 (2000) 85
Lu, F., *see* Li, J., 419 (2000) 65
Lu, J., *see* Shi, G., 413 (2000) 131
Lu, J.K., Ko, F.H., Chu, T.C., Sun, Y.C., Wang, M.Y. and Wang, T.K., Evaluation of cleaning efficiency with a radioactive tracer and development of a microwave digestion method for semiconductor processes, 407 (2000) 291
Lu, J.Y., *see* Sekaly, A.L., 402 (1999) 223
Lu, X., Chen, Z., Hall, S.B. and Yang, X., Evaluation and characteristics of a Pb(II) ion-selective electrode based on aquatic humic substances, 418 (2000) 205
Lu, X., Kang, J. and Gao, J., Voltammetric study of the transfer of tetramethyl-*p*-phenylene-diamine across the water/nitrobenzene interface, 405 (2000) 161
Lu, X.Q., Wang, X.W., Kang, J.W. and Gao, J.Z., Processing discrete data for deconvolution voltammetry based on the Fourier least-square method, 404 (2000) 249
Lu, Y., Bian, L. and Yang, P., Quantitative artificial neural network for electronic noses, 417 (2000) 101
Luan, T., Li, G. and Zhang, Z., Gas-phase postderivatization following solid-phase microextraction for rapid determination of *trans*-resveratrol in wine by gas chromatography-mass spectrometry, 424 (2000) 19
Luan, T., Li, G., Zhao, M. and Zhang, Z., Rapid detection of tetramethylenedisulfotetramine in human blood by solid-phase microextraction/gas chromatography, 404 (2000) 329
Lubal, P., *see* Chen, B., 406 (2000) 317
Lubenova, S., *see* Yordanov, N.D., 403 (2000) 305
Luca, G.C., *see* Gervasio, A.P.G., 405 (2000) 213
Luisa Cervera, M., *see* He, Y., 421 (2000) 57
Lund, S.P., *see* Hjort Pedersen, T.K., 413 (2000) 63
Lundanes, E., *see* Jara, S., 407 (2000) 165
Lundström, I., *see* Kalman, E.L., 403 (2000) 31
Lundström, I., *see* Winquist, F., 406 (2000) 147
Luo, G., *see* Rao, Y., 416 (2000) 227
Luo, H.Q., *see* Liu, S.P., 407 (2000) 255, 261
Luo, J., *see* Hu, S., 412 (2000) 55
Luque de Castro, M.D., *see* Delgado Reyes, F., 408 (2000) 209
Luque de Castro, M.D., *see* Sheikheldin, S.Y., 419 (2000) 9
Luque de Castro, M.D., *see* Wang, L., 416 (2000) 177
Luque, M., Luque-Pérez, E., Ríos, A. and Valcárcel, M., Supported liquid membranes for the determination of vanillin in food samples with amperometric detection, 410 (2000) 127
Luque-Pérez, E., *see* Luque, M., 410 (2000) 127
Luther III, G., *see* Rozan, T.F., 415 (2000) 175
Lv, J., *see* Huang, Y., 419 (2000) 175
Lysebo, C., *see* Jara, S., 407 (2000) 165

M

Ma, Q., Yan, A., Hu, Z., Li, Z. and Fan, B., Principal component analysis and artificial neural networks applied to the classification of Chinese pottery of neolithic age, 406 (2000) 247
Ma, W.X., Liu, F., Li, K.A., Chen, W. and Tong, S.Y., Preconcentration, separation and determination of trace Hg(II) in environmental samples with aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel, (416) (2000) 191
MacCarthy, P., *see* Brown, G.K., 402 (1999) 169, 183
Madariaga, J.M., *see* Zuloaga, O., 416 (2000) 43
Maeda, M., *see* Ito, K., 421 (2000) 113
Maeda, M., *see* Kanemitsu, M., 403 (2000) 125
Maeda, M., *see* Kokado, A., 407 (2000) 119
Maeda, Y., *see* Nguyen, H.T.H., 402 (1999) 233
Magi, E., Ianni, C. and Grotti, M., Study of amino acids by means of liquid chromatography mass spectrometry: optimization of the particle–beam interface, 401 (1999) 55
Magnani, L., Gaydou, E.M. and Hubaud, J.C., Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion, 411 (2000) 209
Mahajan, M., *see* Arya, S.P., 417 (2000) 1
Mahmoud, M.E., Osman, M.M. and Amer, M.E., Selective preconcentration and solid phase extraction of mercury(II) from natural water by silica gel-loaded dithizone phases, 415 (2000) 33
Maier, N.M., *see* Zarbl, E., 404 (2000) 169
Maier, R.M., *see* Yolcubal, I., 422 (2000) 121
Maines, A., Prodromidis, M.I., Tzouwara-Karayanni, S.M., Karayannis, M.I., Ashworth, D. and Vadgama, P., Reagentless enzyme electrode for malate based on modified polymeric membranes, 408 (2000) 217
Maj, K., *see* Zielińska, J., 401 (1999) 317
Majidi, V., *see* Su, Y., 422 (2000) 209

Mák, M. and Baláspiri, L., Structure identification of synthetic human galanin using tandem mass spectrometry and in situ fast atom bombardment mapping, 402 (1999) 303
Makizawa, H., *see* Hirayama, N., 409 (2000) 17
Makowski, M., *see* Augustin-Nowacka, D., 418 (2000) 233
Makowski, M., *see* Zielińska, J., 401 (1999) 317
Malavolti, E., Cagnini, A., Caputo, G., Della Ciana, L. and Mascini, M., An optimized optrode for continuous potassium monitoring in whole blood, 401 (1999) 129
Maleki, N., Safavi, A. and Ramezani, Z., New cavity design suitable for monitoring gaseous samples by molecular emission cavity analysis, 409 (2000) 197
Malhotra, B.D., *see* Chaubey, A., 407 (2000) 97
Malhotra, B.D., *see* Kumar, A., 414 (2000) 43
Malhotra, R., *see* Kumar, A., 414 (2000) 43
Malinowska, E., Gawart, L., Parzuchowski, P.V., Rokicki, G. and Brzózka, Z., Novel approach of immobilization of calix[4]arene type ionophore in 'self-plasticized' polymeric membrane, 421 (2000) 93
Malyszko, J., *see* Michalkiewicz, S., 403 (2000) 333
Mancang, L., *see* Gang, S., 420 (2000) 123
Mandal, R., *see* Sekaly, A.L., 402 (1999) 211
Manganiello, L., Ríos, A., Valcárcel, M., Ligero, A. and Tena, T., Automatic determination of fat in milk by use of a flow injection system with a piezoelectric detector, 406 (2000) 309
Mangla, R., *see* Gupta, V.K., 420 (2000) 19
Mank, A.J., *see* Dobney, A.M., 423 (2000) 9
Mansfeldt, T. and Biernath, H., Determination of total cyanide in soils by micro-distillation, 406 (2000) 283
Mao, L. and Yamamoto, K., Amperometric on-line sensor for continuous measurement of hypoxanthine based on osmium-polyvinylpyridine gel polymer and xanthine oxidase bienzyme modified glassy carbon electrode, 415 (2000) 143
Mao, L., *see* Liu, Z., 413 (2000) 167
Mao, L., *see* Zhang, K., 413 (2000) 109
Mao, X., *see* Dai, X., 403 (2000) 243
Mao, X., *see* Dong, S., 415 (2000) 185
Maquieira, A., *see* Kido, H., 411 (2000) 1
March, J.G., Simonet, B.M. and Grases, F., Kinetic–turbidimetric determination of phytic acid by sequential injection analysis, 409 (2000) 9
Marcinek, M., *see* McSheehy, S., 410 (2000) 71
Marconi, E., *see* Amine, A., 406 (2000) 217
Marino, A., *see* Laganà, A., 414 (2000) 79
Marino, A., *see* Laganà, A., 415 (2000) 41
Márquez, N., Bravo, B., Chávez, G., Ysambertt, F. and Salager, J.L., Analysis of polyethoxylated surfactants in microemulsion-oil–water systems, 405 (2000) 267
Marshall, J., *see* Costley, C.T., 405 (2000) 179
Marteau, P., *see* Estienne, F., 424 (2000) 185
Martelet, C., *see* Senillou, A., 401 (1999) 117
Martelet, C., *see* Soldatkin, A.P., 403 (2000) 25
Martinez, L.D., *see* Wuilloud, R.G., 420 (2000) 73
Martín, J., *see* Pérez-Ruiz, T., 402 (1999) 13
Martínez Calatayud, J., *see* Catalá Icardo, M., 407 (2000) 187
Martínez Galera, M., *see* Castro Cano, M.L., 423 (2000) 127
Martínez Galera, M., *see* Garrido Frenich, A., 411 (2000) 145
Martínez Vidal, J.L., *see* Castro Cano, M.L., 423 (2000) 127
Martínez Vidal, J.L., *see* Garrido Frenich, A., 411 (2000) 145
Martínez, A., Riu, J., Busto, O., Guasch, J. and Xavier Rius, F., Validation of bias in multianalyte determination methods. Application to RP-HPLC derivatizing methodologies, 406 (2000) 257
Martínez-Lozano, C., *see* Pérez-Ruiz, T., 402 (1999) 13
Martínez-Montequín, S., Fernández-Sánchez, C. and Costa-García, A., Voltammetric monitoring of the interaction between streptavidin and biotinylated alkaline phosphatase through the enzymatic hydrolysis of 3-indoxyl phosphate, 417 (2000) 57
Martínez-Soria, M.T., *see* Sanz-Asensio, J., 409 (2000) 171
Martínez-Vidal, J.L., *see* Arrebola, F.J., 401 (1999) 45
Mascini, M., *see* Malavolti, E., 401 (1999) 129
Mascini, M., *see* Tombelli, S., 418 (2000) 1
Masini, J.C., *see* Galhardo, C.X., 417 (2000) 191
Maspoch, S., *see* Blanco, M., 407 (2000) 233, 247
Maspoch, S., *see* Blanco, M., 419 (2000) 209
Maspoch, S., *see* Crouch, S.R., 424 (2000) 115
Massart, D. Luc, *see* Despagne, F., 406 (2000) 233
Massart, D.L., *see* Estienne, F., 424 (2000) 185
Massart, D.L., *see* Fernández Pierna, J.A., 408 (2000) 13
Massart, D.L., *see* Garrido Frenich, A., 411 (2000) 145
Massart, D.L., *see* Hund, E., 404 (2000) 257
Massart, D.L., *see* Praisler, M., 404 (2000) 303
Massart, D.L., *see* Toasaksiri, S., 416 (2000) 29
Massart, D.Luc, *see* Hund, E., 423 (2000) 145
Masset, S., *see* Monteil-Rivera, F., 424 (2000) 243
Másson, M., Haruyama, T., Kobatake, E. and Aizawa, M., 4-Hydroxynaphthyl-1-phosphate as a substrate for alkaline phosphatase and its use in sandwich immunoassay, 402 (1999) 29
Mateo, J.V. García, *see* Bautista, J.A. García, 404 (2000) 141
Mathiasson, L., *see* Chimuka, L., 416 (2000) 77
Mathiasson, L., *see* Ndungu, K., 404 (2000) 319
Mathiasson, L., *see* Sandahl, M., 424 (2000) 1
Mathieu, C., Herbreteau, B., Lafosse, M., Renaud, M., Cardinet, C. and Dreux, M., Liquid chromatography and exchange reaction of a synthetic thiurams mixture, 402 (1999) 87
Matoetoe, M.C., *see* van Staden, J.F., 411 (2000) 201
Matos, R.C., Augelli, M.A., Lago, C.L. and Angnes, L., Flow injection analysis-amperometric determination of ascorbic and uric acids in urine using arrays of gold microelectrodes modified by electrodeposition of palladium, 404 (2000) 151
Matsubara, H., Kondo, T., Kanno, W., Hodouchi, K. and Yamada, A., Copper oxide based flow-through detector for glucose determination, 405 (2000) 87
Matsuda, T., *see* Fujino, O., 420 (2000) 65
Matsumoto, K., *see* Tsukatani, T., 416 (2000) 197
Matsuoka, H., *see* Saito, M., 404 (2000) 223
Mazurkiewicz, M.V., *see* Apostoluk, W.V., 405 (2000) 321
McCreedy, T., *see* Zuotao, Z., 401 (1999) 237
McNiven, S., *see* Rachkov, A., 405 (2000) 23
McSheehy, S., Marcinek, M., Chassaigne, H. and Szpunar, J., Identification of dimethylarsinoyl-riboside derivatives in seaweed by pneumatically assisted electrospray tandem mass spectrometry, 410 (2000) 71
McSheehy, S., Yang, W., Pannier, F., Szpunar, J., L|obiński, R., Auger, J. and Potin-Gautier, M., Speciation analysis of selenium

in garlic by two-dimensional high-performance liquid chromatography with parallel inductively coupled plasma mass spectrometric and electrospray tandem mass spectrometric detection, 421 (2000) 147
Méallet-Renault, R., *see* Delmarre, D., 401 (1999) 125
Medrano, J., *see* Laborda, F., 407 (2000) 301
Medyantseva, E.P., Khaldeeva, E.V., Glushko, N.I. and Budnikov, H.C., Amperometric enzyme immunosensor for the determination of the antigen of the pathogenic fungi *Trichophyton rubrum*, 411 (2000) 13
Meeravali, N.N. and Kumar, S.J., Slurry-sampling with rapid atomization *versus* microwave digestion with conventional atomization for the determination of copper, manganese and nickel in algae matrix using transverse heated-electrothermal atomic absorption spectrometry, 404 (2000) 295
Meinrath, G., Robust spectral analysis by moving block bootstrap designs, 415 (2000) 105
Mello, C., *see* Coscione, A.R., 423 (2000) 31
Mello, C., *see* de Carvalho, R.M., 420 (2000) 109
Meloun, M. and Pluhařová, M., Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55
Meloun, M., Čapek, J., Mikšík, P. and Brereton, R.G., Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51
Mencaglia, A., *see* Preininger, C., 403 (2000) 67
Mendaš, G., Tkalčević, B. and Drevenkar, V., Determination of chloro- and methylthiotriazine compounds in human urine: extraction with diethyl ether and C_{18} solid-phase extraction for gas chromatographic analysis with nitrogen-selective and electron capture detection, 424 (2000) 7
Méndez, S. Pérez, González, E. Blanco and Sanz-Medel, A., Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1
Menegário, A.A., *see* Gervasio, A.P.G., 405 (2000) 213
Menéndez García, A., *see* Flórez Menéndez, J.C., 402 (1999) 319
Menné, T., *see* Kristiansen, J., 403 (2000) 265
Mentasti, E., *see* Abollino, O., 411 (2000) 223
Mentasti, E., *see* Bruzzoniti, M.C., 422 (2000) 231
Mercier, M., *see* Bonneil, E., 404 (2000) 29
Merdivan, M., Buchmeiser, M.R. and Bonn, G., Phosphonate-based resins for the selective enrichment of uranium(VI), 402 (1999) 91
Meric, B., *see* Erdem, A., 422 (2000) 139
Merkoçi, A., *see* Vasjari, M., 405 (2000) 173
Mester, Z., *see* Wu, J., 424 (2000) 211
Meuzelaar, H.L.C., *see* Statheropoulos, M., 401 (1999) 35
Meyer, J. and Karst, U., Workplace monitoring of gas phase hydrogen peroxide by means of fluorescence spectroscopy, 401 (1999) 191
Meyer, J., *see* Harms, D., 401 (1999) 83
Meyerhoff, M.E., *see* Bakker, E., 416 (2000) 121
Meyerhoff, M.E., *see* Esson, J.M., 404 (2000) 83
Mi, Y., *see* Qin, Y., 421 (2000) 207
Michael, A.C., *see* Peters, J.L., 412 (2000) 1
Michalkiewicz, S. and Malyszko, J., Study on the stability of Co(III), Mn(III) and Tl(III) ions in acetic acid solutions, 403 (2000) 333
Michalska, A. and Lewenstam, A., Potentiometric selectivity of p-doped polymer films, 406 (2000) 159
Micheel, B., *see* Stöcklein, W.F., 405 (2000) 255
Miertuš, S., *see* Stred'anský, M., 415 (2000) 151
Miki, S., Kaneta, T. and Imasaka, T., Visualization of an immunological reaction between single antigen and antibody molecules by optical chromatography, 404 (2000) 1
Mikšík, P., *see* Meloun, M., 423 (2000) 51
Mikuška, P. and Večeřa, Z., Effect of complexones and tensides on selectivity of nitrogen dioxide determination in air with a chemiluminescence aerosol detector, 410 (2000) 159
Miller, K.E. and Synovec, R.E., Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection, 412 (2000) 149
Minami, H., *see* Zhang, Q., 401 (1999) 277
Minami, H., *see* Zhang, Q., 407 (2000) 147
Minwen, W., *see* Wenli, L., 417 (2000) 111
Miralles, E., Compañó, R., Granados, M. and Prat, M.D., Determination of metal-cyanide complexes by ion-interaction chromatography with fluorimetric detection, 403 (2000) 197
Miranda Ordieres, A.J., *see* González LaFuente, J.M., (410) (2000) 135
Miranda-Ordieres, A.J., *see* Saidman, S.B., 424 (2000) 45
Mirkin, M.V. and Horrocks, B.R., Electroanalytical measurements using the scanning electrochemical microscope, 406 (2000) 119
Miró, M., *see* Cladera, A., 421 (2000) 155
Mitoma, H., *see* Iwata, T., 416 (2000) 69
Mitsana-Papazoglou, A., Fragaki, A., Chamosfakidi, P. and Calokerinos, A.C., Chemiluminometric behaviour of erythromycin and related compounds, 410 (2000) 153
Miwa, T., *see* Munaf, E., 418 (2000) 175
Miyachi, H., Yano, K., Ikebukuro, K., Kono, M., Hoshina, S. and Karube, I., Application of chimeric RNA–DNA oligonucleotides to the detection of pathogenic microorganisms using surface plasmon resonance, 407 (2000) 1
Miyashita, T., *see* Amao, Y., 421 (2000) 167
Mizaikoff, B., *see* Vogt, F., 422 (2000) 187
Moberg, L. and Karlberg, B., An improved *N,N'*-diethyl-*p*-phenylenediamine (DPD) method for the determination of free chlorine based on multiple wavelength detection, 407 (2000) 127
Moberg, L., Karlberg, B., Blomqvist, S. and Larsson, U., Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137
Moens, L., *see* Vanhaecke, F., 419 (2000) 55
Moffett, J.W., *see* Bruland, K.W., 405 (2000) 99
Mohajeri, A., *see* Shamsipur, M., 418 (2000) 197
Mohr, G.J., Nezel, T. and Spichiger-Keller, U.E., Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^T 4001, 414 (2000) 181
Molina, A.A., *see* Murillo Pulgarín, J.A., (423) (2000) 85
Molina-Díaz, A., *see* Ruiz-Medina, A., 404 (2000) 131
Molodtsov, S.G., *see* Piottukh-Peletsky, V.N., 409 (2000) 181

Molt, K., Foreword, 420 (2000) 143
Molt, K., *see* Depczynski, U., 420 (2000) 217
Molt, K., *see* Jetter, K., 420 (2000) 169
Monbet, P., *see* Riso, R.D., 410 (2000) 97
Monotti, P., *see* Lo Coco, F., 409 (2000) 93
Montanari, C.A., Cass, Q.B., Tiritan, M.E. and Souza, A.L.S.-d., A QSERR study on enantioselective separation of enantiomeric sulphoxides, 419 (2000) 93
Monteil-Rivera, F., Brouwer, E.B., Masset, S., Deslandes, Y. and Dumonceau, J., Combination of X-ray photoelectron and solid-state ^{13}C nuclear magnetic resonance spectroscopy in the structural characterisation of humic acids, 424 (2000) 243
Morales, E., *see* Gómez Ariza, J.L., 414 (2000) 151
Moreira, B.C., *see* Ferreira, S.L., 403 (2000) 259
Moreira, J.C., *see* Bastos, M.B., 408 (2000) 83
Moreno, G., Pariente, F. and Lorenzo, E., Electrocatalytic oxidation of ascorbate at glassy carbon electrodes modified with electrodeposited films derived from dihydroxybenzaldehyde isomers, 420 (2000) 29
Morlay, C., *see* Mouginot, Y., 407 (2000) 337
Mortensen, J., Legin, A., Ipatov, A., Rudnitskaya, A., Vlasov, Y. and Hjuler, K., A flow injection system based on chalcogenide glass sensors for the determination of heavy metals, 403 (2000) 273
Moscone, D., *see* Amine, A., 406 (2000) 217
Mosso, M., *see* Laganà, A., 414 (2000) 79
Mossop, K.F., *see* Costley, C.T., 405 (2000) 179
Mostafa, G.A., *see* Abbas, M.N., 410 (2000) 185
Motellier, S., Petit, S. and Decambox, P., Quantitative capillary electrophoretic analysis for calcium and magnesium in sodium–matrix waters, 410 (2000) 11
Mou, L., *see* Li, L.D., 424 (2000) 177
Mou, S.f., *see* Ding, X.-j., 407 (2000) 319
Mouginot, Y., Morlay, C., Cromer, M. and Vittori, O., Potentiometric study of copper(II) and nickel(II) complexation by a cross-linked poly(acrylic acid) gel, 407 (2000) 337
Mousavi, M.F., Sahari, S., Alizadeh, N. and Shamsipur, M., Lead ion-selective membrane electrode based on 1,10-dibenzyl-1,10-diaza-18-crown-6, 414 (2000) 189
Moya-Moreno, M., *see* Doménech-Carbó, A., 407 (2000) 275
Mukherjee, B., *see* Wang, J., 402 (1999) 7
Mulaudzi, L.V., *see* van Staden, J.F., 421 (2000) 19
Müller, B. and Stierli, R., In situ determination of sulfide profiles in sediment porewaters with a miniaturized Ag/Ag_2S electrode, 401 (1999) 257
Mullett, W.M., Dirie, M.F., Lai, E.P., Guo, H. and He, X., A 2-aminopyridine molecularly imprinted polymer surrogate microcolumn for selective solid phase extraction and determination of 4-aminopyridine, 414 (2000) 123
Munaf, E., Takeuchi, T. and Miwa, T., Visualization of cyclodextrins via complexation with iodine in microcolumn liquid chromatography, 418 (2000) 175
Muñoz, M., *see* Gumí, T., 408 (2000) 65
Muñoz, M., *see* Oleinikova, M., 403 (2000) 91
Murakami, S., *see* Ito, K., 421 (2000) 113
Murakami, T., Cytotoxicity testing through cell adhesion to a pattern of collagen matrix, 415 (2000) 201
Murakami, T., Cytotoxicity testing of model compounds through cell adhesion to a pattern of collagen matrix, 420 (2000) 103
Murillo Pulgarín, J.A., Molina, A.A. and Alañón Pardo, M.T., Determination of nafcillin by room temperature phosphorescence, 423 (2000) 85
Murimboh, J., Lam, M.T., Hassan, N.M. and Chakrabarti, C.L., A study of Nafion-coated and uncoated thin mercury film-rotating disk electrodes for cadmium and lead speciation in model solutions of fulvic acid, 423 (2000) 115
Murimboh, J., *see* Lam, M.T., 402 (1999) 195
Murimboh, J., *see* Sekaly, A.L., 402 (1999) 211
Musso, S., *see* Chen, B., 406 (2000) 317

N

Nader, H.B., *see* Carvalho, R.S., 403 (2000) 205
Naeimi, H., *see* Shamsipur, M., 408 (2000) 271
Nagatani, H., *see* Yulizar, Y., 419 (2000) 107
Nagels, L.J., *see* Poels, I., 401 (1999) 21
Najafi, A., *see* Bagheri, H., 424 (2000) 233
Nakaie, C.R., *see* Carvalho, R.S., 403 (2000) 205
Nakashima, K., *see* Kuroda, N., 403 (2000) 131
Nakata, N., *see* Kamidate, T., 424 (2000) 169
Nakazawa, H., *see* Watanabe, E., 424 (2000) 149
Nalini, B. and Sriman Narayanan, S., Amperometric determination of ascorbic acid based on electrocatalytic oxidation using a ruthenium(III) diphenyldithiocarbamate-modified carbon paste electrode, 405 (2000) 93
Nanqin, G., *see* Ke, Z., 413 (2000) 115
Navalón, A., *see* Blanc, R., 403 (2000) 117
Ndungu, K. and Mathiasson, L., Microporous membrane liquid–liquid extraction technique combined with gas chromatography mass spectrometry for the determination of organotin compounds, 404 (2000) 319
Nedelkov, D. and Nelson, R.W., Exploring the limit of detection in biomolecular interaction analysis mass spectrometry (BIA/MS): detection of attomole amounts of native proteins present in complex biological mixtures, 423 (2000) 1
Nelson, B.C., Rockwell, G.F., Campfield, T., O'Grady, P., Hernandez, R.M. and Wise, S.A., Capillary electrophoretic determination of oxalate in amniotic fluid, 410 (2000) 1
Nelson, R.W., *see* Nedelkov, D., 423 (2000) 1
Nelstrop, L.J., *see* Greenway, G.M., 405 (2000) 43
Němcová, I., Rychlovský, P., Havelcová, M. and Brabcová, M., Determination of heparin using flow injection analysis with spectrophotometric detection, 401 (1999) 223
Nepote, A.J., *see* Arancibia, J.A., 419 (2000) 159
Neubert, R.H., *see* Raith, K., 403 (2000) 295
Neubert, R.H., *see* Raith, K., 418 (2000) 167
Newcombe, D.T., Cardwell, T.J., Cattrall, R.W. and Kolev, S.D., An optical redox chemical sensor based on ferroin immobilised in a Nafion® membrane, 401 (1999) 137
Nezel, T., *see* Mohr, G.J., 414 (2000) 181
Nguyen, H.T.H., Fujio, Y., Takenaka, N., Bandow, H. and Maeda, Y., A new method for determining the concentration of atmospheric

alcohols using the nitrite formation reaction, 402 (1999) 233
Ni, Y., Liu, C. and Kokot, S., Simultaneous kinetic spectrophotometric determination of acetaminophen and phenobarbital by artificial neural networks and partial least squares, 419 (2000) 185
Ni, Y., Wang, L. and Kokot, S., Voltammetric determination of butylated hydroxyanisole, butylated hydroxytoluene, propyl gallate and *tert*-butylhydroquinone by use of chemometric approaches, 412 (2000) 185
Nie, L., *see* Liang, C., 415 (2000) 135
Nie, M.Y., Zhou, L.M., Liu, X.L., Wang, Q.H. and Zhu, D.Q., Gas chromatographic enantiomer separation on long-chain alkylated β-cyclodextrin chiral stationary phases, 408 (2000) 279
Nielsen, N.H., *see* Kristiansen, J., 403 (2000) 265
Nielsen, S.C. and Hansen, E.H., Interfacing flow injection analysis (sequential injection analysis) and electro-thermal atomic absorption spectrometry determination of trace-levels of Cr(VI) via on-line pre-concentration by adsorption in a knotted reactor and by liquid–liquid extraction, 422 (2000) 47
Niemöller, A., *see* Jetter, K., 420 (2000) 169
Niessner, G. and Klampfl, C.W., Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats, 414 (2000) 133
Nikitas, P. and Pappa-Louisi, A., Comments on the two-dimensional smoothing of data, 415 (2000) 117
Nikokavouras, J., *see* Papadopoulos, K., 423 (2000) 239
Nikolajsen, T.B., Hansen, A.M., Kristiansen, J. and Garde, A.H., Validation of a competitive ELISA for the determination of serum keratan sulphate, 424 (2000) 161
Nikolskaya, E.B., *see* Yagodina, O.V., 409 (2000) 143
Nishimura, K., *see* Ito, K., 421 (2000) 113
Niwa, S., *see* Kamidate, T., 424 (2000) 169
Noguera-Ortí, J.F., Villanueva-Camañas, R.M. and Ramis-Ramos, G., Determination of phenolic antioxidants in vegetal and animal fats without previous extraction by dilution with *n*-propanol and micellar liquid chromatography, 402 (1999) 81
Nohta, H., *see* Ragab, G.H., 403 (2000) 155
Nohta, H., *see* Shiono, H., 405 (2000) 17
Nohta, H., *see* Yoshida, H., 413 (2000) 137
Nohut, S., *see* Karaböcek, S., 408 (2000) 163
Noroozifar, M., *see* Kargosha, K., 413 (2000) 57
Nouros, P.G., Georgiou, C.A. and Polissiou, M.G., Determination of olive oil 2-thiobarbituric acid reactive substances by parallel flow injection, 417 (2000) 119
Nukatsuka, I., Anezaki, K., Kubota, S. and Ohzeki, K., Enhancement of the atomic absorption signal by silicate at electrothermal atomic absorption spectrometry, 415 (2000) 221

O

O'Connell, P.J., *see* Kelly, S.C., 412 (2000) 111
O'Grady, B.V., *see* Featherstone, A.M., 409 (2000) 215
O'Grady, P., *see* Nelson, B.C., 410 (2000) 1
Ohashi, A., *see* Yulizar, Y., 419 (2000) 107
Ohba, Y., Soda, K., Kai, M. and Zaitsu, K., Assay of cyclic nucleotide phosphodiesterase activity in rat brain by high-performance liquid chromatography using (3,4-dimethoxyphenyl)-glyoxal as a fluorescence derivatizing reagent, 414 (2000) 95
Ohgaru, T., *see* Yamamoto, K., 406 (2000) 201
Ohmachi, T., *see* Hoshino, H., 407 (2000) 71
Ohta, K., Ion chromatography with indirect photometric detection of common mono- and divalent cations using an unmodified silica gel column and tyramine/oxalic acid/18-crown-6 as eluent, 405 (2000) 277
Ohzeki, K., *see* Nukatsuka, I., 415 (2000) 221
Okada, T., *see* Sun, L.X., 421 (2000) 83
Okazaki, W., *see* Okuma, H., 411 (2000) 37
Okuma, H., Okazaki, W., Usami, R. and Horikoshi, K., Development of the enzyme reactor system with an amperometric detection and application to estimation of the incipient stage of spoilage of chicken, 411 (2000) 37
Okura, I., *see* Amao, Y., 407 (2000) 41
Okura, I., *see* Amao, Y., 421 (2000) 167
Oleinikova, M., Muñoz, M., Benavente, J. and Valiente, M., Determination of structural and electrical parameters for activated composite membranes containing di-(2-ethylhexyl)dithiophosphoric acid as carrier, 403 (2000) 91
Oleinikova, M., *see* Gumí, T., 408 (2000) 65
Olivares, J.A., *see* Su, Y., 422 (2000) 209
Oliveira, C.C., Sartini, R.P. and Zagatto, E.A.G., Microwave-assisted sample preparation in sequential injection: spectrophotometric determination of magnesium, calcium and iron in food, 413 (2000) 41
Oliveira, E., *see* Correia, P.R.M., 405 (2000) 205
Oliveira, P.V., *see* Correia, P.R.M., 405 (2000) 205
Olivieri, A.C., *see* Arancibia, J.A., 419 (2000) 159
Olsina, R.A., *see* Wuilloud, R.G., 420 (2000) 73
Omanović, D., *see* Pižeta, I., 401 (1999) 163
Omura, K., *see* Darwish, I., 413 (2000) 79
Onida, B., *see* Bruzzoniti, M.C., 422 (2000) 231
Ono, M., *see* Yamato, S., 406 (2000) 191
Onoda, T., Saito, G. and Imasaka, T., Scheme for collinear ionization in supersonic jet/multiphoton ionization/time-of-flight mass spectrometry, 412 (2000) 213
Orians, K.J., *see* Ross, A.R., 411 (2000) 91
Orio, G., *see* Bianco Prevot, A., 412 (2000) 141
Orlandini, S., *see* Furlanetto, S., 413 (2000) 229
Ortuño, J.A., *see* Sanchez-Pedreño, C., 414 (2000) 195
Ortuño, J.A., *see* Sánchez-Pedreño, C., 415 (2000) 159
Oshima, T., *see* Umemura, T., 419 (2000) 87
Osipova, E.A., Sladkov, V.E., Kamenev, A.I., Shkinev, V.M. and Geckeler, K.E., Determination of Ag(I), Hg(II), Cu(II), Pb(II), Cd(II) by stripping voltammetry in aqueous solutions using complexing polymers in conjunction with membrane filtration, 404 (2000) 231
Osman, A.M., Hilhorst, R. and Laane, C., Chemiluminescent determination of Ce(IV) using Cypridina luciferin analog, 422 (2000) 81
Osman, M.M., *see* Mahmoud, M.E., 415 (2000) 33
Ossowski, T., *see* Bogdańska, A., 402 (1999) 339
Ostra, M., *see* López-Cueto, G., 405 (2000) 285

O'Sullivan, C.K., *see* Kelly, S.C., 412 (2000) 111
Oszwałdowski, S.V., Lipka, R. and Jarosz, M., Sensitive reversed-phase liquid chromatographic determination of hydrogen peroxide and glucose based on ternary vanadium(V)-hydrogen peroxide-2-(5-bromo-2-pyridylazo)-5-diethylaminophenol system, 421 (2000) 35
Ouyang, S. and Vairavamurthy, M.A., Effect of magnesium ion in the analysis of carboxylated compounds by electrospray-mass spectrometry, 422 (2000) 101
Oyama, N., *see* Tatsuma, T., 408 (2000) 233
Özaltin, N., Differential pulse polarographic determination of tenoxicam in pharmaceuticals and added to blood, 406 (2000) 183
Ozawa, T., *see* Quan, Z., 423 (2000) 197
Özel, M.Z., Bartle, K.D., Clifford, A.A. and Burford, M.D., Extraction, solubility and stability of metal complexes using stainless steel supercritical fluid extraction system, 417 (2000) 177
Ozsoz, M., *see* Erdem, A., 422 (2000) 139
Ozsoz, M., *see* Yan, F., 409 (2000) 247

P

Paakkanen, H., *see* Tuovinen, K., 404 (2000) 7
Padró, A., *see* Vilanó, M., 411 (2000) 71
Paimin, R., *see* Kolev, S.D., 413 (2000) 241
Palacios, M.A., *see* Gomez, M.B., 404 (2000) 285
Palet, C., *see* Calzado, J.A., 403 (2000) 101
Palet, C., *see* Calzado, J.A., 417 (2000) 159
Palet, C., *see* Gumí, T., 408 (2000) 65
Palilis, L.P. and Calokerinos, A.C., Analytical applications of chemiluminogenic reactions, 413 (2000) 175
Palilis, L.P., *see* Pena, A., 405 (2000) 51
Palleschi, G., *see* Amine, A., 406 (2000) 217
Palmer, D.A., *see* Xiao, C., 415 (2000) 209
Palmisano, F., *see* Quinto, M., 420 (2000) 9
Palomeque, M., Bautista, J.A. García, García Mateo, J.V. and Calatayud, J. Martínez, Flow injection biamperometric determination of metronidazole with on-line photodegradation, 401 (1999) 229
Pande, K.K., *see* Chaubey, A., 407 (2000) 97
Pannier, F., *see* McSheehy, S., 421 (2000) 147
Pantano, P., *see* Khan, S.S., 404 (2000) 213
Pantano, P., *see* Liu, Y.H., 419 (2000) 215
Pantsar-Kallio, M. and Korpela, A., Analysis of gaseous arsenic species and stability studies of arsine and trimethylarsine by gas chromatography-mass spectrometry, 410 (2000) 65
Papadopoulos, K., Triantis, T., Dimotikali, D. and Nikokavouras, J., Radiostorage- and photostoragechemiluminescence: analytical prospects, 423 (2000) 239
Pappa, A., *see* Statheropoulos, M., 401 (1999) 35
Pappa-Louisi, A., *see* Nikitas, P., 415 (2000) 117
Pardo-Martínez, M., *see* Viñas, P., 412 (2000) 121
Pardue, H.L., *see* Chen, W., 409 (2000) 123
Pardue, H.L., *see* Jin, D., 422 (2000) 1, 11
Pariente, F., *see* Casero, E., 403 (2000) 1
Pariente, F., *see* Moreno, G., 420 (2000) 29
Park, C., *see* Tong, A.J., 420 (2000) 57
Park, I.S., Cho, Y.J. and Kim, N., Characterization and meat freshness application of a serial three-enzyme reactor system measuring ATP-degradative compounds, 404 (2000) 75
Park, J.K., *see* Lee, W.Y., 404 (2000) 195
Parzuchowski, P.V., *see* Malinowska, E., 421 (2000) 93
Pascual-Reguera, M.I., *see* Ruiz-Medina, A., 404 (2000) 131
Pasternack, R.F., *see* Delmarre, D., 401 (1999) 125
Patel, A., *see* Edwards, J., 417 (2000) 185
Pauporté, T., *see* Pontié, M., 411 (2000) 175
Pawliszyn, J., *see* Wu, J., 424 (2000) 211
Pěchová, D., *see* Barták, P., 421 (2000) 221
Peck, G.A. and Smith, J. David, Determination of ^{210}Po and ^{210}Pb in rainwater using measurement of ^{210}Po and ^{210}Bi, 422 (2000) 113
Pedrotti, J.J., Lima, S., Coichev, N. and Gutz, I.G., Overcoming oxygen quenching in fluorescence spectrometry with a highly efficient in-line degassing device interfaced with a flow cell, 422 (2000) 131
Pei, J. and Li, X.y., Xanthine and hypoxanthine sensors based on xanthine oxidase immobilized on a $CuPtCl_6$ chemically modified electrode and liquid chromatography electrochemical detection, 414 (2000) 205
Pei, J., Yu, N.T. and Li, X.Y., Electrocatalytic detection of biological nitric oxide at an ultramicroelectrode modified with an electrodeposited $CuPtCl_6$ film, 402 (1999) 145
Pena, A., Palilis, L.P., Lino, C.M., Silveira, M. Irene and Calokerinos, A.C., Determination of tetracycline and its major degradation products by chemiluminescence, 405 (2000) 51
Peña, R.M., *see* Rebolo, S., 417 (2000) 211
Peña, Y.P.-d., López, W., Burguera, J.L., Burguera, M., Gallignani, M., Brunetto, R., Carrero, P., Rondon, C. and Imbert, F., Synthetic zeolites as sorbent material for on-line preconcentration of copper traces and its determination using flame atomic absorption spectrometry, 403 (2000) 249
Penazzi, V.M., *see* Laganà, A., 415 (2000) 41
Peng, H., Liang, C., Zhou, A., Zhang, Y., Xie, Q. and Yao, S., Development of a new atropine sulfate bulk acoustic wave sensor based on a molecularly imprinted electrosynthesized copolymer of aniline with *o*-phenylenediamine, 423 (2000) 221
Peng, H., *see* Liang, C., 415 (2000) 135
Peng, Y., *see* Qin, W., 407 (2000) 81
Peräniemi, S., *see* Latva, S., 418 (2000) 11
Pereiro, R., *see* Vicente de la Riva, B.S., 419 (2000) 33
Pérez-Clavijo, M., *see* Sanz-Asensio, J., 409 (2000) 171
Pérez-Conde, M.C., *see* Pulido-Tofiño, P., 417 (2000) 85
Pérez-Maseda, C., *see* Blanco, M., 407 (2000) 233, 247
Pérez-Pavón, J.L., *see* González-Martín, I., 424 (2000) 279
Pérez-Ruiz, T., Martínez-Lozano, C., Tomás, V. and Martín, J., Flow-injection chemiluminescence determination of DNA based on a photochemical reaction, 402 (1999) 13
Perly, B., *see* Viron, C., 409 (2000) 257
Perminova, I.V., *see* Kudryavtsev, A.V., 407 (2000) 193
Perrier, S., *see* Houdier, S., 412 (2000) 221
Pesavento, M., Alberti, G. and Profumo, A., Determination of the metal complexing capacity of aqueous solutions containing ligands by titration in the presence of complexing resins, 405 (2000) 309

Pesavento, M., Biesuz, R., Baffi, F. and Gnecco, C., Determination of metal ions concentration and speciation in seawater by titration with an iminodiacetic resin, 401 (1999) 265
Peschke, M., *see* Kebarle, P., 406 (2000) 11
Peters, J.L., Yang, H. and Michael, A.C., Quantitative aspects of brain microdialysis, 412 (2000) 1
Petit, M. Dolores and Rucandio, M. Isabel, Sequential extractions for determination of cadmium distribution in coal fly ash, soil and sediment samples, 401 (1999) 283
Petit, S., *see* Motellier, S., 410 (2000) 11
Petrosyan, V.S., *see* Kudryavtsev, A.V., 407 (2000) 193
Petruš, L., *see* Tkáč, J., 420 (2000) 1
Pettas, I.A., *see* Karayannis, M.I., 423 (2000) 277
Peuravuori, J., *see* Lehtonen, T., 424 (2000) 91
Piatt, J.J., *see* Yolcubal, I., 422 (2000) 121
Pichon, V., *see* Delaunay, N., 407 (2000) 173
Pierce, S.A., *see* Yolcubal, I., 422 (2000) 121
Pihlaja, K., *see* Lehtonen, T., 424 (2000) 91
Pihlar, B., *see* Ponikvar, M., 418 (2000) 113
Pilidis, G.A., *see* Fiamegos, Y.C., 403 (2000) 315
Pillai, A., Sunita, G. and Gupta, V.K., A new system for the spectrophotometric determination of arsenic in environmental and biological samples, 408 (2000) 111
Pilo, M.I., *see* Sanna, G., 415 (2000) 165
Pilviö, R., *see* Torres, J.M., 414 (2000) 101
Pingarrón, J.M., *see* Agüí, L., 401 (1999) 145
Pingwu, D., *see* Tianyou, P., 421 (2000) 75
Pinzauti, S., *see* Furlanetto, S., 413 (2000) 229
Piottukh-Peletsky, V.N., Korobeinicheva, I.K., Bogdanova, T.F., Molodtsov, S.G. and Derendyaev, B.G., Exhaustive set of non-isomorphic sub-graphs and its application to chemical structure elucidation using a IR spectroscopy database, 409 (2000) 181
Piu, P.C., *see* Sanna, G., 415 (2000) 165
Piunno, P.A., *see* Hanafi-Bagby, D., 411 (2000) 19
Pižeta, I., Omanović, D. and Branica, M., The influence of data treatment on the interpretation of experimental results in voltammetry, 401 (1999) 163
Pižeta, I., *see* Djogić, R., 404 (2000) 159
Pizzariello, A., *see* Stred'anský, M., 415 (2000) 151
Plaza-Medina, M., *see* Sanz-Asensio, J., 409 (2000) 171
Plette, A.C., *see* Temminghoff, E.J., 417 (2000) 149
Pluhařová, M., *see* Meloun, M., 416 (2000) 55
Poch, M., *see* de Gracia, J., 402 (1999) 275
Podgornik, A., *see* Vodopivec, M., 407 (2000) 105
Poels, I. and Nagels, L.J., Conducting polymer and oligomer microelectrodes for the potentiometric detection of anions in capillary electrophoresis, 401 (1999) 21
Pogány, M., *see* Székács, A., 421 (2000) 135
Polissiou, M.G., *see* Nouros, P.G., 417 (2000) 119
Polkowska-Motrenko, H., Danko, B., Dybczyński, R., Koster-Ammerlaan, A. and Bode, P., Effect of acid digestion method on cobalt determination in plant materials, 408 (2000) 89
Polson, L.A., *see* Stone, M.L., 407 (2000) 311
Ponikvar, M., Sedej, B., Pihlar, B. and Žemva, B., Determination of fluoride in $M(SbF_6)_x$ compounds, 418 (2000) 113
Pontié, M., Gobin, C., Pauporté, T., Bedioui, F. and Devynck, J., Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175
Poppi, R.J., *see* Coscione, A.R., 423 (2000) 31
Poppi, R.J., *see* Sena, M.M., 409 (2000) 159
Porcel, M., *see* Crouch, S.R., 424 (2000) 115
Porras, M.J., *see* Alonso, A., 408 (2000) 129
Port, S.N., *see* Greenway, G.M., 405 (2000) 43
Potin-Gautier, M., *see* McSheehy, S., 421 (2000) 147
Potter, I.D., *see* Kolev, S.D., 413 (2000) 241
Pötter, W., *see* Kempter, C., 410 (2000) 47
Potyrailo, R.A., *see* Leach, A.M., 412 (2000) 47
Poucheret, P., Le Lamer, S., Cros, G., de Richter, R.K., Bonnet, P.A. and Bressolle, F.V., Tungsten determination in rat and dog plasma samples by inductively coupled plasma emission spectrometry. Application to preclinical pharmacokinetic studies, 405 (2000) 221
Pournaghi-Azar, M.H. and Dastangoo, H., Differential pulse anodic stripping voltammetry of copper in dichloromethane: application to the analysis of human hair, 405 (2000) 135
Praisler, M., Dirinck, I., Van Bocxlaer, J., Leenheer, A. De and Massart, D.L., Exploratory analysis for the automated identification of amphetamines from vapour-phase FTIR spectra, 404 (2000) 303
Pramauro, E., *see* Bianco Prevot, A., 412 (2000) 141
Prasad, R., *see* Gupta, V.K., 420 (2000) 19
Prat, M.D., *see* Miralles, E., 403 (2000) 197
Prat, M.D., *see* Saurina, J., 409 (2000) 237
Prego, R., *see* Barciela Alonso, M.C., 416 (2000) 21
Preininger, C., Mencaglia, A. and Baldini, F., Polymer-coated optical fibres for application in a direct evanescent wave immunoassay, 403 (2000) 67
Probst, T.U., *see* Song, M., 413 (2000) 207
Prodromidis, M.I., *see* Florou, A.B., 409 (2000) 113
Prodromidis, M.I., *see* Florou, A.B., 423 (2000) 107
Prodromidis, M.I., *see* Maines, A., 408 (2000) 217
Profumo, A., *see* Pesavento, M., 405 (2000) 309
Proskurnin, M.A. and Kuznetsova, V.V., Optimisation of the optical scheme of a dual-beam thermal lens spectrometer using expert estimation, 418 (2000) 101
Puignou, L., *see* Carneiro, M.C., 408 (2000) 263
Pulido-Tofiño, P., Barrero-Moreno, J.M. and Pérez-Conde, M.C., Flow-through fluoroimmunosensor for isoproturon determination in agricultural foodstuff. Evaluation of antibody immobilization on solid support, 417 (2000) 85
Purcell, S.D., *see* Barnett, N.W., 421 (2000) 1
Pyatkova, L.N., *see* Dmitrienko, S.G., 405 (2000) 231
Pyrzyniska, K., *see* Erdemoğlu, S.B., 411 (2000) 81

Q

Qin, W., Zhang, Z. and Peng, Y., Plant tissue-based chemiluminescence flow biosensor for urea, 407 (2000) 81
Qin, Y., Mi, Y. and Bakker, E., Determination of complex formation constants of 18 neutral alkali and alkaline earth metal ionophores in poly(vinyl chloride) sensing membranes plasticized with

bis(2-ethylhexyl)sebacate and *o*-nitrophenyloctylether, 421 (2000) 207
Qin, Y., *see* Dan, D., 420 (2000) 39
Qingwen, L., Guoan, L. and Youqin, S., Response of nanosized cobalt oxide electrodes as pH sensors, 409 (2000) 137
Quan, Z., Ozawa, T., Sato, M. and Umezawa, Y., Screening method for substrates of multidrug resistance-associated protein, 423 (2000) 197
Quinto, M., Losito, I., Palmisano, F. and Zambonin, C.G., Disposable interference-free glucose biosensor based on an electropolymerised poly(pyrrole) permselective film, 420 (2000) 9

R

Rachkov, A., McNiven, S., El'skaya, A., Yano, K. and Karube, I., Fluorescence detection of β-estradiol using a molecularly imprinted polymer, 405 (2000) 23
Radomska, A., *see* Koncki, R., 418 (2000) 213
Ragab, G.H., Nohta, H. and Zaitsu, K., Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155
Raith, K. and Neubert, R.H., Liquid chromatography–electrospray mass spectrometry and tandem mass spectrometry of ceramides, 403 (2000) 295
Raith, K., Zellmer, S., Lasch, J. and Neubert, R.H., Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167
Raje, N., *see* Swain, K., 405 (2000) 297
Ramamurthy, N., *see* Esson, J.M., 404 (2000) 83
Ramezani, Z., *see* Maleki, N., 409 (2000) 197
Ramirez Molina, C., Boujtita, M. and El Murr, N., A carbon paste electrode modified by entrapped toluidine blue-O for amperometric determination of L-lactate, 401 (1999) 155
Ramis-Ramos, G., *see* Noguera-Ortí, J.F., 402 (1999) 81
Ramos, L., Eljarrat, E., Hernández, L.M., Rivera, J. and González, M.J., Levels of polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and dibenzofurans in commercial yoghurt samples in Spain. Comparison with different dairy products, 402 (1999) 241
Rangel, A.O. and Tóth, I.V., Enzymatic determination of ethanol and glycerol by flow injection parallel multi-site detection, 416 (2000) 205
Rao, N.S., Agarwal, S.K., Chauhan, V.K., Bhatia, D., Sharma, A.K., Kumar, P., Garg, B.S. and Gupta, K.C., Microwave-assisted spectrophotometric estimation of polymer-supported functional groups using a universal reagent, 405 (2000) 247
Rao, Y., Tong, Y., Zhang, X., Luo, G. and Baeyens, W.R., Determination of ofloxacin using a chemiluminescence flow-injection method, 416 (2000) 227
Rashidi-Ranjbar, P., *see* Shamsipur, M., 418 (2000) 197
Rauret, G., *see* Torres, J.M., 414 (2000) 101
Razzak, M., *see* Agatonovic-Kustrin, S., 417 (2000) 31
Rebolo, S., Peña, R.M., Latorre, M.J., García, S., Botana, A.M. and Herrero, C., Characterisation of Galician (NW Spain) Ribeira Sacra wines using pattern recognition analysis, 417 (2000) 211
Regula, I., *see* Brajenović, N., 406 (2000) 279
Reis, B.F., *see* Gervasio, A.P.G., 405 (2000) 213
Reis, B.F., *see* Rocha, F.R., 409 (2000) 227
Reis, M.M., Gurden, S.P., Smilde, A.K. and Ferreira, M.M., Calibration and detailed analysis of second-order flow injection analysis data with rank overlap, 422 (2000) 21
Reis, S., *see* Gameiro, P., 405 (2000) 167
Ren, J.L., *see* Zhang, J., 405 (2000) 31
Renaud, M., *see* Mathieu, C., 402 (1999) 87
Rey, F., *see* Carballeira, J.L., 401 (1999) 243
Rey, F., *see* Iglesias-Fernández, O., 401 (1999) 251
Richmond, R., The analytical characterisation of sub-minute measurement duty cycles in flow injection analysis mass spectrometry, by their carry-over, 403 (2000) 287
Richter, M.M., *see* Alexander, C.J., 402 (1999) 105
Riso, R.D., Waeles, M., Monbet, P. and Chaumery, C.J., Measurements of trace concentrations of mercury in sea water by stripping chronopotentiometry with gold disk electrode: influence of copper, 410 (2000) 97
Riu, J., *see* Martínez, A., 406 (2000) 257
Rius, F. Xavier, *see* Boqué, R., 423 (2000) 41
Rivera, J., *see* Ramos, L., 402 (1999) 241
Riviello, J., *see* Ding, X.j., 407 (2000) 319
Robards, K., *see* Swatsitang, P., 417 (2000) 231
Robles, L.C., Feo, J.C. and Aller, A.J., Selective preconcentration of phenyl-mercury by living *Escherichia coli* and its determination by cold vapour atomic absorption spectrometry, 423 (2000) 255
Rocha, F.R. and Reis, B.F., A flow system exploiting multicommutation for speciation of inorganic nitrogen in waters, 409 (2000) 227
Rockwell, G.F., *see* Nelson, B.C., 410 (2000) 1
Rodríguez, A.R., *see* Dabrio, M., 424 (2000) 77
Rodriguez, A.R., *see* Dabrio, M., 406 (2000) 171
Rodriguez, J., *see* Berzas, J.J., 417 (2000) 143
Roeraade, J., *see* Litborn, E., 401 (1999) 11
Rohde, M., *see* Stöcklein, W.F., 405 (2000) 255
Rokicki, G., *see* Malinowska, E., 421 (2000) 93
Romette, J.L., *see* Valat, C., 404 (2000) 187
Rondon, C., *see* Peña, Y.P.d., 403 (2000) 249
Ríos, A., *see* Luque, M., 410 (2000) 127
Ríos, A., *see* Manganiello, L., 406 (2000) 309
Ross, A.R., Ikonomou, M.G. and Orians, K.J., Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91
Rouhani, S., *see* Shamsipur, M., 418 (2000) 197
Rover Jr., L., *see* Sena, M.M., 409 (2000) 159
Rozan, T.F., Theberge, S.M. and Luther III, G., Quantifying elemental sulfur (S^0), bisulfide (HS^-) and polysulfides (S_x^{2-}) using a voltammetric method, 415 (2000) 175
Ruan, C., *see* Chen, X., 412 (2000) 89
Rubio, R., *see* Sabé, R., 419 (2000) 121
Rubio, R., *see* Vilanó, M., 411 (2000) 71
Rucandio, M. Isabel, *see* Petit, M. Dolores, 401 (1999) 283
Rudnitskaya, A., *see* Mortensen, J., 403 (2000) 273
Rue, E.L., *see* Bruland, K.W., 405 (2000) 99

Ruiz-Medina, A., Fernández-de Córdova, M.L., Ayora-Cañada, M.J., Pascual-Reguera, M.I. and Molina-Díaz, A., A flow-through solid phase UV spectrophotometric biparameter sensor for the sequential determination of ascorbic acid and paracetamol, 404 (2000) 131
Ruotolo, B.T., *see* Spence, D.M., 409 (2000) 3
Russell, R.A., *see* Barnett, N.W., 403 (2000) 145
Rutan, S.C., *see* Fenn, J.B., 406 (2000) 1
Ruxiu, C., *see* Ke, Z., 413 (2000) 115
Ruys, D.P., Andrade, J.F. and Guimarães, O.M., Mercury detection in air using a coated piezoelectric sensor, 404 (2000) 95
Rychlovský, P., *see* Němcová, I., 401 (1999) 223

S

Sabé, R., Rubio, R. and García-Beltrán, L., Determination of selenium in human blood specimens by electrothermal atomic absorption, 419 (2000) 121
Sabry, S.M. and Wahbi, A.A.M., Application of orthogonal functions to differential pulse voltammetric analysis. Simultaneous determination of tin and lead in soft drinks, 401 (1999) 173
Sacco, C., *see* Tombelli, S., 418 (2000) 1
Sadik, O.A., *see* Yan, F., 409 (2000) 247
Safavi, A., Abdollahi, H., Sedaghatpour, F. and Zeinali, S., Kinetic spectrophotometric determination of V(IV) in the presence of V(V) by the H-point standard addition method, 409 (2000) 275
Safavi, A., Hormozi Nezhad, M.R. and Shams, E., Highly selective and sensitive kinetic spectrophotometric determination of vanadium(IV) in the presence of vanadium(V), 409 (2000) 283
Safavi, A., *see* Maleki, N., 409 (2000) 197
Sahari, S., *see* Mousavi, M.F., 414 (2000) 189
Saidman, S.B., Lobo-Castañón, M.J., Miranda-Ordieres, A.J. and Tuñón-Blanco, P., Amperometric detection of D-sorbitol with NAD^+-D-sorbitol dehydrogenase modified carbon paste electrode, 424 (2000) 45
Saini, S., *see* Kim, I.S., 422 (2000) 167
Saito, G., *see* Onoda, T., 412 (2000) 213
Saito, M. and Matsuoka, H., pH microelectrode–micropipette system for the measurement of enzyme reactions in a picoliter volume of a living plant cell, 404 (2000) 223
Saito, Y., *see* Salleh, S.H., 418 (2000) 69
Sajovic, L., *see* Zarbl, E., 404 (2000) 169
Sakai, Y., *see* Kolev, S.D., 413 (2000) 241
Sakamoto, Y., *see* Kikuchi, Y., 403 (2000) 325
Sakurai, H., *see* Hamai, S., 402 (1999) 53
Salager, J.L., *see* Márquez, N., 405 (2000) 267
Salleh, S.H., Saito, Y. and Jinno, K., An approach to solventless sample preparation procedure for pesticides analysis using solid phase microextraction/supercritical fluid extraction technique, 418 (2000) 69
Salonia, J.A., *see* Wuilloud, R.G., 420 (2000) 73
Sammartano, S., *see* De Stefano, C., 418 (2000) 43
San Andrés, M.P., *see* Lázaro, E., 413 (2000) 159
Sánchez Uría, J.E., *see* Flórez Menéndez, J.C., 402 (1999) 319
Sánchez Uría, J.E., *see* Flórez Menéndez, J.C., 415 (2000) 9
Sánchez Uría, J.E., *see* González LaFuente, J.M., 410 (2000) 135
Sánchez, F. García, Díaz, A. Navas and Torijas, M.C., Selective determination of carbaryl and benomyl by fluorescence polarization, 414 (2000) 25
Sánchez-Pedreño, C., Ortuño, J.A. and Hernández, J., Perchlorate-selective polymeric membrane electrode based on a gold(I) complex: application to water and urine analysis, 415 (2000) 159
Sanchez-Pedreño, C., Ortuño, J.A., Albero, M.I., Garcia, M.S. and Valero, M.V., Development of a new bulk optode membrane for the determination of mercury(II), 414 (2000) 195
Sánchez-Rodas, D., *see* Gómez Ariza, J.L., (414) (2000) 151
Sandahl, M., Úlfsson, E. and Mathiasson, L., Automated determination of Vinclozolin at the ppb level in aqueous samples by a combination of microporous membrane liquid–liquid extraction and adsorption chromatography, 424 (2000) 1
Sanllorente, S., *see* Alonso, M. Asunción, 405 (2000) 123
Sanna, G., Pilo, M.I., Piu, P.C., Tapparo, A. and Seeber, R., Determination of heavy metals in honey by anodic stripping voltammetry at microelectrodes, 415 (2000) 165
Santa, T., *see* Toriba, A., 415 (2000) 57
Santelli, R.E., *see* Barra, C.M., 407 (2000) 155
Santelli, R.E., *see* Ferreira, S.L., 403 (2000) 259
Santiuste, J.M. and García-Domínguez, J.A., Study of retention interactions of solute and stationary phase in the light of the solvation model theory, 405 (2000) 335
Santos, J.L., *see* Lapa, R.A., 407 (2000) 225
Santos, J.L., *see* Lapa, R.A., 419 (2000) 17
Santschi, P.H., *see* Tang, D., 408 (2000) 299
Santschi, P.H., *see* Warnken, K.W., 423 (2000) 265
Sanz-Asensio, J., Martínez-Soria, M.T., Plaza-Medina, M. and Pérez-Clavijo, M., Trimethyltin chloride determination by hydride generation — gas phase molecular absorption spectrometry. A sequential application of experimental designs, 409 (2000) 171
Sanz-Medel, A., *see* Blanco, R.M., 419 (2000) 137
Sanz-Medel, A., *see* Costa-Fernández, J.M., 407 (2000) 61
Sanz-Medel, A., *see* Flórez Menéndez, J.C., 402 (1999) 319
Sanz-Medel, A., *see* Flórez Menéndez, J.C., 415 (2000) 9
Sanz-Medel, A., *see* González LaFuente, J.M., 410 (2000) 135
Sanz-Medel, A., *see* Leal-Granadillo, I.A., 423 (2000) 21
Sanz-Medel, A., *see* Méndez, S. Pérez, 416 (2000) 1
Sanz-Medel, A., *see* Vicente de la Riva, B.S., 419 (2000) 33
Sarabia, L.A., *see* Alonso, M. Asunción, 405 (2000) 123
Sarinho, V.T., *see* Véras, G., 401 (1999) 215
Sartini, R.P., *see* Carneiro, J.M., 416 (2000) 185
Sartini, R.P., *see* Oliveira, C.C., 413 (2000) 41
Sarzanini, C., *see* Abollino, O., 411 (2000) 223
Sarzanini, C., *see* Bruzzoniti, M.C., 422 (2000) 231
Sasaki, S., *see* Akimoto, T., 417 (2000) 125
Sasaki, S., *see* Suzuki, H., 405 (2000) 57
Sastre, A., *see* El Aamrani, F.Z., 402 (1999) 129
Sato, M., *see* Quan, Z., 423 (2000) 197
Sauerbrey, R., *see* Kalähne, R., 420 (2000) 205
Saunois, A., *see* Viron, C., 409 (2000) 257
Saurina, J., Hernández-Cassou, S., Fàbregas, E. and Alegret, S., Cyclic voltammetric simultaneous determination of oxidizable amino acids using multivariate calibration methods, 405 (2000) 153

Saurina, J., Hernández-Cassou, S., Tauler, R. and Izquierdo-Ridorsa, A., Spectrophotometric determination of pK_a values based on a pH gradient flow-injection system, 408 (2000) 135
Saurina, J., Leal, C., Compañó, R., Granados, M., Tauler, R. and Prat, M.D., Determination of triphenyltin in sea-water by excitation–emission matrix fluorescence and multivariate curve resolution, 409 (2000) 237
Saverwyns, S., *see* Vanhaecke, F., 419 (2000) 55
Scharte, G., *see* Stöcklein, W.F., 405 (2000) 255
Schechter, I., *see* Hassoon, S., 405 (2000) 9
Schelhorn, H., *see* Borsdorf, H., 403 (2000) 235
Scheller, F.W., *see* Stöcklein, W.F., 405 (2000) 255
Schmid, R.D., *see* Bachmann, T.T., 401 (1999) 95
Schmidt, H.L., *see* Becker, T.M., 421 (2000) 7
Schollmeyer, E., *see* Cleve, E., 420 (2000) 163
Schramm, R., Chemometric methods in energy dispersive X-ray fluorescence, 420 (2000) 197
Schroeder, W.H., *see* Sekaly, A.L., 402 (1999) 211, 223
Scollary, G.R., *see* Clark, A.C., 413 (2000) 25
Secchi, C., Berrini, A., Gaggioli, D., Acocella, F., Beattie, J. and Borromeo, V., Monoclonal antibody capture fluorometric enzyme linked immunosorbent assay for detection of porcine growth hormone in plasma, 402 (1999) 37
Sedaghatpour, F., *see* Safavi, A., 409 (2000) 275
Sedej, B., *see* Ponikvar, M., 418 (2000) 113
Seeber, R., *see* Sanna, G., 415 (2000) 165
Segal, I., *see* Halicz, L., 422 (2000) 203
Segura, J., *see* Ventura, R., 418 (2000) 79
Segura-Carretero, A., Cruces-Blanco, C., Cañabate-Díaz, B., Fernández-Sánchez, J.F. and Fernández-Gutiérrez, A., Heavy-atom induced room-temperature phosphorescence: a straightforward methodology for the determination of organic compounds in solution, 417 (2000) 19
Sekaly, A.L., Chakrabarti, C.L., Back, M.H., Grégoire, D.C., Lu, J.Y. and Schroeder, W.H., Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223
Sekaly, A.L., Mandal, R., Hassan, N.M., Murimboh, J., Chakrabarti, C.L., Back, M.H., Grégoire, D.C. and Schroeder, W.H., Effect of metal/fulvic acid mole ratios on the binding of Ni(II), Pb(II), Cu(II), Cd(II), and Al(III) by two well-characterized fulvic acids in aqueous model solutions, 402 (1999) 211
Seliem, M.M., *see* Abo El-Maali, N., 417 (2000) 67
Semenova, N.V., Bauzá de Mirabó, F.M., Forteza, R. and Cerdá, V., Sequential injection analysis system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 412 (2000) 169
Sena, M.M., Fernandes, J.C.B., Rover Jr., L., Poppi, R.J. and Kubota, L.T., Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry, 409 (2000) 159
Senillou, A., Jaffrezic, N., Martelet, C. and Cosnier, S., A laponite clay-poly(pyrrole–pyridinium) matrix for the fabrication of conductimetric microbiosensors, 401 (1999) 117
Sepaniak, M.J., *see* Betts, T.A., 422 (2000) 89
Setford, S.J., *see* Kim, I.S., 422 (2000) 167
Shabani-Kia, A., *see* Javanbakht, M., 408 (2000) 75
Shafawi, A., Ebdon, L., Foulkes, M., Stockwell, P. and Corns, W., Preliminary evaluation of adsorbent-based mercury removal systems for gas condensate, 415 (2000) 21
Shahrokhian, S., *see* Amini, M.K., 402 (1999) 137
Shams, E., *see* Safavi, A., 409 (2000) 283
Shamsipur, M., Ghiasvand, A.R., Sharghi, H. and Naeimi, H., Solid phase extraction of ultra trace copper(II) using octadecyl silica membrane disks modified by a naphthol-derivative Schiff's base, 408 (2000) 271
Shamsipur, M., Rouhani, S., Mohajeri, A., Ganjali, M.R. and Rashidi-Ranjbar, P., A bromide ion-selective polymeric membrane electrode based on a benzo-derivative xanthenium bromide salt, 418 (2000) 197
Shamsipur, M., *see* Javanbakht, M., 408 (2000) 75
Shamsipur, M., *see* Mousavi, M.F., 414 (2000) 189
Shao, B., *see* Lau, O.W., 403 (2000) 49
Shao, B., *see* Lau, O.W., 407 (2000) 11, 17
Sharghi, H., *see* Shamsipur, M., 408 (2000) 271
Sharma, A.K., *see* Rao, N.S., 405 (2000) 247
Sharp, M., *see* Anh, N.B.H., 405 (2000) 145
Shaw, M.J., Hill, S.J. and Jones, P., Chelation ion chromatography of metal ions using high performance substrates dynamically modified with heterocyclic carboxylic acids, 401 (1999) 65
Sheikheldin, S.Y., Cardwell, T.J., Cattrall, R.W., Luque de Castro, M.D. and Kolev, S.D., Determination of phenol in water by pervaporation–flow injection analysis, 419 (2000) 9
Shekhar, R., *see* Balarama Krishna, M.V., 408 (2000) 199
Shekhovtsova, T.N., *see* Veselova, I.A., 413 (2000) 95
Shen, G., *see* Wu, Z., 412 (2000) 29
Shen, G.L., *see* Zhang, X.B., 419 (2000) 227
Shen, H.X., *see* Guo, Z.X., 403 (2000) 225
Shen, H.X., *see* Guo, Z.X., 408 (2000) 177
Shen, H.X., *see* Hao, Y.M., 402 (1999) 21
Shen, H.X., *see* Hao, Y.M., 413 (2000) 87
Shen, H.X., *see* Hao, Y.M., 422 (2000) 159
Shi, G., Lu, J., Xu, F., Zhou, H., Jin, L. and Jin, J., Liquid chromatography — electrochemical detector for the determination of glucose in rat brain combined with in vivo microdialysis, 413 (2000) 131
Shi, J., *see* Li, J., 402 (1999) 311
Shi, X.Y., Zhang, Y.Q. and Fu, R.N., Synergistic effects of mixed GC stationary phase consisting of two different cyclodextrin derivatives, (424) (2000) 271
Shigeta, K., *see* Fujino, O., 420 (2000) 65
Shih, J.S., *see* Chang, P., 403 (2000) 39
Shih, J.S., *see* Chiou, C.S., 416 (2000) 169
Shih, T.S., *see* Chien, Y.C., 419 (2000) 73
Shih, Y. and Zen, J.M., An electrochemical sensor based on a clay-coated screen-printed electrode for the determination of arbutin, 412 (2000) 63
Shimada, K., *see* Yamato, S., 406 (2000) 191
Shimoda, R., *see* Kuroda, N., 403 (2000) 131
Shin, M.C., *see* Lee, W.Y., 404 (2000) 195
Shiono, H., Nohta, H., Utsuyama, C. and Hiramatsu, M., New method for adding reagents: an application of caged molecules to analytical chemistry, 405 (2000) 17
Shirasaki, T., *see* Huang, M., 413 (2000) 217

Shkinev, V.M., *see* Osipova, E.A., 404 (2000) 231
Shor, N.B., *see* Yagodina, O.V., 409 (2000) 143
Sidenius, U., *see* Bendahl, L., 411 (2000) 103
Siems, W.F., *see* Asbury, G. Reid, 404 (2000) 273
Sierra, J.F., Galban, J., De Marcos, S. and Castillo, J.R., Direct determination of glucose in serum by fluorimetry using a labeled enzyme, 414 (2000) 33
Silber, J.J., *see* Giacomelli, L., 402 (1999) 285
Silveira, M. Irene, *see* Pena, A., 405 (2000) 51
Simonet, B.M., *see* March, J.G., 409 (2000) 9
Singh, V.S., *see* Chaubey, A., 407 (2000) 97
Siriraks, A., *see* Ding, X.j., 407 (2000) 319
Skládal, P., *see* Horáček, J., 412 (2000) 37
Skrabal, S.A., *see* Bruland, K.W., 405 (2000) 99
Sladkov, V.E., *see* Osipova, E.A., 404 (2000) 231
Slaets, S. and Adams, F.C., Determination of organomercury compounds with a miniaturised automated speciation analyser, 414 (2000) 141
Smeyers-Verbeke, J., *see* Hund, E., 404 (2000) 257
Smeyers-Verbeke, J., *see* Hund, E., 423 (2000) 145
Smilde, A.K., *see* Bijlsma, S., 419 (2000) 197
Smilde, A.K., *see* Reis, M.M., 422 (2000) 21
Smilde, A.K., *see* Swierenga, H., 411 (2000) 121
Smit, H.C., *see* Kilg, R., 413 (2000) 147
Smith, B., *see* Tran, M., 419 (2000) 153
Smith, B.M. and Gemperline, P.J., Wavelength selection and optimization of pattern recognition methods using the genetic algorithm, 423 (2000) 167
Smith, B.W., *see* Aucélio, R.Q., 411 (2000) 57
Smith, B.W., *see* Sun, Q., 413 (2000) 187
Smith, D. Scott and Kramer, J.R., Multisite metal binding to fulvic acid determined using multiresponse fluorescence, 416 (2000) 211
Smith, J. David, *see* Peck, G.A., 422 (2000) 113
Smola, N. and Urleb, U., Qualitative and quantitative analysis of oxytetracycline by near-infrared spectroscopy, 410 (2000) 203
Snavely, R.E., *see* Tan, B., 422 (2000) 37
Soares, H.M. and Conde, P.C., Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies, 421 (2000) 103
Sobottka, J., *see* Kalähne, R., 420 (2000) 205
Soda, K., *see* Ohba, Y., 414 (2000) 95
Sojic, N., *see* Khan, S.S., 404 (2000) 213
Soldatkin, A.P., Volotovsky, V., El'skaya, A.V., Jaffrezic-Renault, N. and Martelet, C., Improvement of urease based biosensor characteristics using additional layers of charged polymers, 403 (2000) 25
Song, G.W., *see* Ling, L.S., 403 (2000) 209
Song, M. and Probst, T.U., Rapid determination of technetium-99 by electrothermal vaporization-inductively coupled plasma-mass spectrometry with sodium chlorate and nitric acid as modifiers, 413 (2000) 207
Song, Y.S., *see* Tong, A.J., 420 (2000) 57
Sontag, G., *see* Krach, C., 417 (2000) 77
Souren, F., *see* Dobney, A., 420 (2000) 89
Souto, J., *see* Guadarrama, A., 411 (2000) 193
Souza, A.L.S.d., *see* Montanari, C.A., 419 (2000) 93
Spence, D.M., Knoll, E.D., Ruotolo, B.T. and Bjerregaard, J., Development of a sequential injection system in the capillary format for determinations of the IpaC protein, 409 (2000) 3
Spence, D.M., *see* Edwards, J., 417 (2000) 185
Spence, D.M., *see* Edwards, J.L., 401 (1999) 209
Spezia, S., *see* Bettinelli, M., 424 (2000) 289
Spichiger-Keller, U.E., *see* Mohr, G.J., 414 (2000) 181
Spohn, U., *see* He, Z.K., 407 (2000) 203
Spohn, U., *see* He, Z.K., 409 (2000) 83
Spolnik, Z.M., Claes, M. and Van Grieken, R., Determination of trace elements in organic matrices by grazing-emission X-ray fluorescence spectrometry, 401 (1999) 293
Šrámková, J., Kotrlý, S. and Jakoubková, P., Precision attainable in the determination of silver by flame atomic absorption spectrometry. Analysis of thermoelectric silver-doped tellurides, 408 (2000) 183
Sriman Narayanan, S., *see* Nalini, B., 405 (2000) 93
Stach, J., *see* Borsdorf, H., 403 (2000) 235
Stalikas, C.D., *see* Fiamegos, Y.C., 403 (2000) 315
Starodub, N.F., Dzantiev, B.B., Starodub, V.M. and Zherdev, A.V., Immunosensor for the determination of the herbicide simazine based on an ion-selective field-effect transistor, 424 (2000) 37
Starodub, V.M., *see* Starodub, N.F., 424 (2000) 37
Statheropoulos, M. and Kyriakou, S.A., Quantitative thermogravimetric-mass spectrometric analysis for monitoring the effects of fire retardants on cellulose pyrolysis, 409 (2000) 203
Statheropoulos, M., Pappa, A., Karamertzanis, P. and Meuzelaar, H.L.C., Noise reduction of fast, repetitive GC/MS measurements using principal component analysis (PCA), 401 (1999) 35
Stefan, R.I., van Staden, J.F. and Aboul-Enein, H.Y., On-line assay of *S*-captopril using an amperometric biosensor/sequential injection system, 411 (2000) 51
Stierli, R., *see* Müller, B., 401 (1999) 257
Stöcklein, W.F., Rohde, M., Scharte, G., Behrsing, O., Warsinke, A., Micheel, B. and Scheller, F.W., Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255
Stockwell, P., *see* Shafawi, A., 415 (2000) 21
Stone, M.L., Gresham, G.L. and Polson, L.A., Characterization of two polyphosphazene materials as membranes in membrane induction mass spectrometry, 407 (2000) 311
Štrancar, A., *see* Vodopivec, M., 407 (2000) 105
Stránský, Z., *see* Barták, P., 407 (2000) 327
Stránský, Z., *see* Barták, P., 421 (2000) 221
Stratis, J.A., *see* Anthemidis, A.N., 412 (2000) 161
Stratis, J.A., *see* Themelis, D.G., 402 (1999) 259
Stred'anská, S., *see* Stred'anský, M., 415 (2000) 151
Stred'anský, M., Pizzariello, A., Stred'anská, S. and Miertuš, S., Amperometric pH-sensing biosensors for urea, penicillin, and oxalacetate, 415 (2000) 151
Strehlitz, B., Gründig, B. and Kopinke, H., Sensor for amperometric determination of ammonia and ammonia-forming enzyme reactions, 403 (2000) 11
Streško, V., *see* Bujdoš, M., 408 (2000) 103
Striccoli, R., *see* Bruno, P., 410 (2000) 193

Stripeikis, J., Costa, P., Tudino, M. and Troccoli, O., Flow injection-hydride generation atomic absorption spectrometric determination of Se(VI) and Se(IV): utility of a conventionally heated water bath for the on-line reduction of Se(VI), 408 (2000) 191
Střižík, M., *see* Zelinger, Z., 422 (2000) 179
Šturdík, E., *see* Tkáč, J., 420 (2000) 1
Stypinski-Mis, B. and Anderegg, G., The stability of palladium(II) complexes with sulphur-containing ligands, 406 (2000) 325
Su, P., Wang, Y.C., Zhang, X.X., Sun, L. and Chang, W.B., Thermally reversible hydrogel modified capillary electrophoretic immunoassay of estradiol with laser-induced fluorescence detection, 418 (2000) 137
Su, Y., Jin, Z., Duan, Y., Koby, M., Majidi, V., Olivares, J.A. and Abeln, S.P., Highly sensitive beryllium detection with microwave plasma source atomic emission spectrometry, 422 (2000) 209
Suárez-Rodríguez, J.L. and Díaz-García, M.E., Flavonol fluorescent flow-through sensing based on a molecular imprinted polymer, 405 (2000) 67
Sun, C., *see* Li, W., 418 (2000) 225
Sun, G., *see* Jiao, K., 413 (2000) 71
Sun, H.w., *see* Zhang, D.-q., 405 (2000) 185
Sun, L., *see* Su, P., 418 (2000) 137
Sun, L.X. and Okada, T., Simultaneous determination of the concentration of methanol and relative humidity based on a single Nafion(Ag)-coated quartz crystal microbalance, 421 (2000) 83
Sun, Q., *see* Tran, M., 419 (2000) 153
Sun, Q., Tran, M., Smith, B.W. and Winefordner, J.D., Determination of Mn and Si in iron ore by laser-induced plasma spectroscopy, 413 (2000) 187
Sun, W., *see* Jiao, K., 413 (2000) 71
Sun, Y., *see* Han, S., 405 (2000) 115
Sun, Y.C., *see* Lu, J.K., 407 (2000) 291
Sun, Y.G., Cui, H., Lin, X.Q., Li, Y.H. and Zhao, H.Z., Flow injection analysis of pyrogallol with enhanced electrochemiluminescent detection, 423 (2000) 247
Sunita, G., *see* Pillai, A., 408 (2000) 111
Sutton, K.L., *see* Gbatu, T.P., 402 (1999) 67
Suzuki, H., Hirakawa, T., Sasaki, S. and Karube, I., An integrated module for sensing pO_2, pCO_2, and pH, 405 (2000) 57
Suzuki, M., *see* Hoshino, H., 407 (2000) 71
Sviridova, O.A., *see* Dmitrienko, S.G., 405 (2000) 231
Švitel, J., *see* Tkáč, J., 420 (2000) 1
Swain, K., Raje, N. and Kayasth, S., Preconcentration and determination of mercury in high purity arsenic, 405 (2000) 297
Swatsitang, P., Tucker, G., Robards, K. and Jardine, D., Isolation and identification of phenolic compounds in *Citrus sinensis*, 417 (2000) 231
Sweedler, J.V., *see* Liu, Y.M., 420 (2000) 81
Swierenga, H., Wülfert, F., de Noord, O.E., de Weijer, A.P., Smilde, A.K. and Buydens, L.M.C., Development of robust calibration models in near infra-red spectrometric applications, 411 (2000) 121
Synovec, R.E., *see* Miller, K.E., 412 (2000) 149
Székács, A., Hegedűs, G., Tóbiás, I., Pogány, M. and Barna, B., Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance, 421 (2000) 135
Székács, A., *see* Hegedűs, G., 421 (2000) 121
Szpunar, J., *see* McSheehy, S., 410 (2000) 71
Szpunar, J., *see* McSheehy, S., 421 (2000) 147
Szymanowski, J., *see* Apostoluk, W.V., 405 (2000) 321

T

Tacke, M., *see* Vogt, F., 422 (2000) 187
Tagami, K. and Uchida, S., Separation of rhenium by an extraction chromatographic resin for determination by inductively coupled plasma-mass spectrometry, 405 (2000) 227
Taher, M.A., Determination of trace copper in biological and environmental samples by third derivative spectrophotometry after pre-concentration with the ion pair of nitroso-R and tetradecyldimethylbenzylammonium chloride on microcrystalline naphthalene, 408 (2000) 153
Takagai, Y., *see* Igarashi, S., 424 (2000) 263
Takahashi, K., *see* Tanaka, M., 411 (2000) 109
Takeda, Y., *see* Katsuta, S., 416 (2000) 145
Takenaka, N., *see* Nguyen, H.T.H., 402 (1999) 233
Takeuchi, T., *see* Munaf, E., 418 (2000) 175
Tan, B., Hardy, J.K. and Snavely, R.E., Accelerant classification by gas chromatography/mass spectrometry and multivariate pattern recognition, 422 (2000) 37
Tan, S.N., *see* Hua, L., 403 (2000) 179
Tan, W., *see* Bang, L., 401 (1999) 91
Tan, Y., Jiang, J.H., Wu, H.L., Cui, H. and Yu, R.Q., Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC, 412 (2000) 195
Tanaka, M. and Takahashi, K., The identification and characterization of silicate complexes in calcium chloride solution using fast atom bombardment mass spectrometry, 411 (2000) 109
Tanaka, M., *see* Araki, T., 410 (2000) 37
Tang, D., *see* Warnken, K.W., 423 (2000) 265
Tang, D., Wen, L.S. and Santschi, P.H., Analysis of biogenic thiols in natural water samples by high-performance liquid chromatographic separation and fluorescence detection with ammonium 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD-F), 408 (2000) 299
Tangestaninejad, S., *see* Amini, M.K., 402 (1999) 137
Tao, J.J., *see* Wenli, L., 417 (2000) 111
Tapparo, A., *see* Sanna, G., 415 (2000) 165
Tarkowski, P., *see* Barták, P., 421 (2000) 221
Tartari, D., *see* Fabbri, D., 413 (2000) 3
Tatsuma, T., Komori, K., Yeoh, H.H. and Oyama, N., Disposable test plates with tyrosinase and β-glucosidases for cyanide and cyanogenic glycosides, 408 (2000) 233
Tauler, R., *see* Cruz, B.H., 424 (2000) 203
Tauler, R., *see* Saurina, J., 408 (2000) 135
Tauler, R., *see* Saurina, J., 409 (2000) 237
Tauler, R., *see* Vives, M., 424 (2000) 105
Teišerskienė, A., *see* Daujotis, V., 419 (2000) 243
Temminghoff, E.J., Plette, A.C., Van Eck, R. and Van Riemsdijk, W.H., Determination of the chemical speciation of trace metals in aqueous systems by the Wageningen Donnan Membrane Technique, 417 (2000) 149

Tena, T., *see* Manganiello, L., 406 (2000) 309
Teramae, N., *see* Tong, A.J., 420 (2000) 57
Tersariol, I.L., *see* Carvalho, R.S., 403 (2000) 205
Teruel, F.S., *see* Chacarolli, C.J., 411 (2000) 217
Tessier, A., *see* Alfaro-De la Torre, M.C., 418 (2000) 53
Thanasoulias, N.K., Vlessidis, A. and Evmiridis, N.P., Influence of oxidant-species scavengers on the chemiluminescence (CL) emission generated during the oxidation of pyrogallol by hydrogen peroxide, 401 (1999) 197
Theberge, S.M., *see* Rozan, T.F., 415 (2000) 175
Themelis, D.G., *see* Anthemidis, A.N., 412 (2000) 161
Themelis, D.G., Tzanavaras, P.D., Anthemidis, A.N. and Stratis, J.A., Direct, selective flow injection spectrophotometric determination of calcium in wines using methylthymol blue and an on-line cascade dilution system, 402 (1999) 259
Thomaidis, N.S. and Georgiou, C.A., Direct parallel flow injection multichannel spectrophotometric determination of olive oil iodine value, 405 (2000) 239
Thorburn Burns, D., *see* Chimpalee, N., 408 (2000) 123
Thuwasin, S., *see* Burns, D. Thorburn, 419 (2000) 41
Tian, B., *see* Wang, J., 416 (2000) 9
Tian, D., *see* Liu, D., 416 (2000) 139
Tianyou, P., Pingwu, D., Bin, H. and Zucheng, J., Direct analysis of titanium dioxide solid powder by fluorination assisted electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 421 (2000) 75
Tiffany, T., *see* Liu, G., 408 (2000) 21
Tipple, C.A., *see* Betts, T.A., 422 (2000) 89
Tiritan, M.E., *see* Montanari, C.A., 419 (2000) 93
Tkáč, J., Gemeiner, P., Švitel, J., Benikovský, T., Šturdík, E., Vala, V., Petruš, L. and Hrabárová, E., Determination of total sugars in lignocellulose hydrolysate by a mediated *Gluconobacter oxydans* biosensor, 420 (2000) 1
Tkalčević, B., *see* Mendaš, G., 424 (2000) 7
Toasaksiri, S., Massart, D.L. and Heyden, Y. Vander, Study of method validation criteria in a capillary electrophoresis method for the separation of non-steroidal anti-inflammatory drugs, 416 (2000) 29
Tóbiás, I., *see* Székács, A., 421 (2000) 135
Tokalioğlu, S., Kartal, S. and Elçi, L., Determination of heavy metals and their speciation in lake sediments by flame atomic absorption spectrometry after a four-stage sequential extraction procedure, 413 (2000) 33
Tolnai, B., Gelencsér, A., Gál, C. and Hlavay, J., Evaluation of the reliability of diffusive sampling in environmental monitoring, 408 (2000) 117
Tomás, V., *see* Pérez-Ruiz, T., 402 (1999) 13
Tombelli, S., Mascini, M., Sacco, C. and Turner, A.P., A DNA piezoelectric biosensor assay coupled with a polymerase chain reaction for bacterial toxicity determination in environmental samples, 418 (2000) 1
Tomellini, S.A., *see* Yang, M., 409 (2000) 45
Tomic, O., *see* Haugen, J.E., 407 (2000) 23
Tomiyasu, T., Yonehara, N. and Kawashima, T., Kinetic study of the iron-catalyzed reaction of the oxidative coupling reaction of 3-methyl-2-benzothiazolinone hydrazone with *N,N*-dimethylaniline, 424 (2000) 127
Tong, A.J., *see* Li, L.D., 424 (2000) 177
Tong, A.J., Song, Y.S., Li, L.D., Hayashita, T., Teramae, N., Park, C. and Bartsch, R.A., Selective extraction of alkali metal cations with proton-ionizable dibenzo-16-crown-5 fluoroionophores, 420 (2000) 57
Tong, S.Y., *see* Ma, W.X., 416 (2000) 191
Tong, Y., *see* Rao, Y., 416 (2000) 227
Toriba, A., Huang, Y., Santa, T. and Imai, K., Detection of 7-*N,N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) carbamoyl amino acids generated by post-column desulfuration in the simultaneous determination of the sequence and D/L-configuration of peptides using a fluorogenic Edman reagent, 7-*N,N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) isothiocyanate, 415 (2000) 57
Torijas, M.C., *see* Sánchez, F. García, 414 (2000) 25
Torimura, M., *see* Yamamoto, K., 406 (2000) 201
Torres, J.M., Llauradó, M., Rauret, G., Bickel, M., Altzitzoglou, T. and Pilviö, R., Determination of ^{90}Sr in aquatic organisms by extraction chromatography: method validation, 414 (2000) 101
Torres-Lapasió, J.R., *see* Garrido Frenich, A., 411 (2000) 145
Torres-Lapasió, J.R., *see* López-Grío, S., 418 (2000) 153
Torto, N., *see* Gorton, L., 409 (2000) 1
Tóth, I.V., *see* Rangel, A.O., 416 (2000) 205
Tóth, K., *see* Ivanov, A.N., 404 (2000) 55
Townshend, A., *see* Ghous, T., 411 (2000) 45
Townshend, A., *see* Zuotao, Z., 401 (1999) 237
Tozzi, C., *see* Giraudi, G., 417 (2000) 95
Traini, A., *see* Bruno, P., 410 (2000) 193
Tran, M., *see* Sun, Q., 413 (2000) 187
Tran, M., Sun, Q., Smith, B. and Winefordner, J.D., Direct determination of trace elements in terephthalic acid by laser induced breakdown spectroscopy, 419 (2000) 153
Trauthan, F., *see* Lampen, P., 420 (2000) 229
Triantis, T., *see* Papadopoulos, K., 423 (2000) 239
Troccoli, O., *see* Stripeikis, J., 408 (2000) 191
Trombini, C., *see* Fabbri, D., 413 (2000) 3
Trygg, J., *see* Eriksson, L., 420 (2000) 181
Tsai, S.J.J., *see* Liu, H.M., 405 (2000) 197
Tsai, T.H., Tsai, T.R., Chen, Y.F. and Chen, C.F., Determination and pharmacokinetic study of unbound cefoxitin in rat blood and brain with on-line microdialysis and microbore liquid chromatography, 412 (2000) 13
Tsai, T.R., *see* Tsai, T.H., 412 (2000) 13
Tse, O.L., *see* Choi, M.M., 423 (2000) 229
Tsuda, Y., *see* Watanabe, E., 424 (2000) 149
Tsuji, H., *see* Yokoyama, T., 409 (2000) 55
Tsukatani, T. and Matsumoto, K., Flow-injection fluorometric quantification of succinate in foodstuffs based on the use of an immobilized enzyme reactor, 416 (2000) 197
Tsunoda, K.-i., *see* Li, J., 419 (2000) 65
Tsunoda, K.-i., *see* Umemura, T., 419 (2000) 87
Tsunoi, S., *see* Araki, T., 410 (2000) 37
Tucker, G., *see* Swatsitang, P., 417 (2000) 231
Tucker, I.G., *see* Agatonovic-Kustrin, S., 418 (2000) 181
Tudino, M., *see* Stripeikis, J., 408 (2000) 191
Tungkananuruk, N., *see* Burns, D. Thorburn, 419 (2000) 41
Tungkananuruk, N., *see* Burns, D. Thorburn, 422 (2000) 199

Tuñón-Blanco, P., *see* Saidman, S.B., 424 (2000) 45
Tuovinen, K., Paakkanen, H. and Hänninen, O., Detection of pesticides from liquid matrices by ion mobility spectrometry, 404 (2000) 7
Turner, A.P., *see* Tombelli, S., 418 (2000) 1
Turoczy, N.J., *see* Lambert, D.F., 408 (2000) 97
Tzanavaras, P.D., *see* Themelis, D.G., 402 (1999) 259
Tzouwara-Karayanni, S.M., *see* Florou, A.B., 409 (2000) 113
Tzouwara-Karayanni, S.M., *see* Florou, A.B., 423 (2000) 107
Tzouwara-Karayanni, S.M., *see* Maines, A., 408 (2000) 217

U

Uang, S.N., *see* Chien, Y.C., 419 (2000) 73
Ubide, C., *see* López-Cueto, G., 405 (2000) 285
Uchida, S., *see* Tagami, K., 405 (2000) 227
Uchida, T., *see* Watanabe, M., 416 (2000) 117
Uchiyama, K., *see* Chen, Z., 403 (2000) 173
Ueno, E., *see* Fujino, O., 420 (2000) 65
Úlfsson, E., *see* Sandahl, M., 424 (2000) 1
Ulrich, N., Determination of antimony species with fluoride as modifier and flow injection hydride generation inductively-coupled plasma emission spectrometry, 417 (2000) 201
Umehara, W., *see* Hirayama, N., 409 (2000) 17
Umemura, T., *see* Li, J., 419 (2000) 65
Umemura, T., Tsunoda, K.i., Koide, A., Oshima, T., Watanabe, N., Chiba, K. and Haraguchi, H., Amphoteric surfactant-modified stationary phase for the reversed-phase high-performance liquid chromatographic separation of nucleosides and their bases by elution with water, 419 (2000) 87
Umetani, S., *see* Fujino, O., 420 (2000) 65
Umezawa, Y., *see* Eun, H., 413 (2000) 223
Umezawa, Y., *see* Gadzekpo, V.P., 411 (2000) 163
Umezawa, Y., *see* Quan, Z., 423 (2000) 197
Uría, J.E.S., *see* Blanco, R.M., 419 (2000) 137
Urleb, U., *see* Smola, N., 410 (2000) 203
Usami, R., *see* Okuma, H., 411 (2000) 37
Utsuyama, C., *see* Shiono, H., 405 (2000) 17

V

Vachirapatama, N., Doble, P. and Haddad, P.R., Separation and determination of niobium(V) and tantalum(V) as 2-(5-bromo-2-pyridylazo)-5-[*N*-propyl-*N*-(3-sulfopropyl)amino]phenol citrate ternary complexes in geological samples using ion interaction high-performance liquid chromatography, 409 (2000) 35
Vadgama, P., *see* Maines, A., 408 (2000) 217
Vairavamurthy, M.A., *see* Ouyang, S., 422 (2000) 101
Vala, V., *see* Tkáč, J., 420 (2000) 1
Valat, C., Limoges, B., Huet, D. and Romette, J.L., A disposable Protein A-based immunosensor for flow-injection assay with electrochemical detection, 404 (2000) 187
Valcárcel, M., *see* Cáceres, A., 404 (2000) 121
Valcárcel, M., *see* Cárdenas, S., 402 (1999) 1
Valcárcel, M., *see* Luque, M., 410 (2000) 127
Valcárcel, M., *see* Manganiello, L., 406 (2000) 309
Valero, M.V., *see* Sanchez-Pedreño, C., 414 (2000) 195
Valiente, M., *see* Calzado, J.A., 403 (2000) 101
Valiente, M., *see* Calzado, J.A., 417 (2000) 159
Valiente, M., *see* Gumí, T., 408 (2000) 65
Valiente, M., *see* Oleinikova, M., 403 (2000) 91
Van Bocxlaer, J., *see* Praisler, M., 404 (2000) 303
Van Borm, W., *see* Dobney, A., 420 (2000) 89
van Daalen, H., *see* Despagne, F., 406 (2000) 233
van den Berg, C.M., *see* Lange, B., 418 (2000) 33
van der Linden, W.E., *see* Bos, M., 412 (2000) 203
Van Eck, R., *see* Temminghoff, E.J., 417 (2000) 149
Van Grieken, R., *see* Spolnik, Z.M., 401 (1999) 293
van Raij, B., *see* Coscione, A.R., 423 (2000) 31
Van Riemsdijk, W.H., *see* Temminghoff, E.J., 417 (2000) 149
van Staden, J.F., *see* Stefan, R.I., 411 (2000) 51
van Staden, J.F. and Botha, A., Spectrophotometric determination of thiocyanate by sequential injection analysis, 403 (2000) 279
van Staden, J.F. and Matoetoe, M.C., Simultaneous determination of copper, lead, cadmium and zinc using differential pulse anodic stripping voltammetry in a flow system, 411 (2000) 201
van Staden, J.F. and Mulaudzi, L.V., Flow injection spectrophotometric assay of α-amylase activity, 421 (2000) 19
Van Wie, B.J., *see* Liu, G., 408 (2000) 21
Vander Heyden, Y., *see* Hund, E., 404 (2000) 257
Vanhaecke, F., Saverwyns, S., Wannemacker, G.D., Moens, L. and Dams, R., Comparison of the application of higher mass resolution and cool plasma conditions to avoid spectral interferences in Cr(III)/Cr(VI) speciation by means of high-performance liquid chromatography – inductively coupled plasma mass spectrometry, 419 (2000) 55
Vasjari, M., Merkoçi, A. and Alegret, S., Potentiometric characterisation of acid rains using corrected linear plots, 405 (2000) 173
Vázquez, P. Parrilla, *see* Fernández, J. Martínez, 412 (2000) 131
Večeřa, Z., *see* Mikuška, P., 410 (2000) 159
Velthorst, N.H., *see* de Beer, T., 416 (2000) 151
Velthorst, N.H., *see* Kok, S.J., 405 (2000) 1
Venezuela, C.S., *see* Chacarolli, C.J., 411 (2000) 217
Ventura, R., Damasceno, L., Farré, M., Cardoso, J. and Segura, J., Analytical methodology for the detection of β_2-agonists in urine by gas chromatography–mass spectrometry for application in doping control, 418 (2000) 79
Vera, S., *see* Lázaro, E., 413 (2000) 159
Véras, G., Honorato, R.S., Sarinho, V.T. and Araújo, M.C.U., A single solution for non-linear calibration in flow injection spectrophotometry. Kinetic determination of total protein in blood serum, 401 (1999) 215
Véronneau, C., Aupiais, J. and Dacheux, N., Selective determination of polonium by photon electron rejecting alpha liquid scintillation (PERALS® System), 415 (2000) 229
Veselova, I.A. and Shekhovtsova, T.N., Visual determination of lead(II) by inhibition of alkaline phosphatase immobilized on polyurethane foam, 413 (2000) 95
Vespalec, R., *see* Barták, P., 421 (2000) 221

Vicente de la Riva, B.S., Costa-Fernández, J.M., Pereiro, R. and Sanz-Medel, A., Fluorimetric method for the determination of trace levels of mercury in sea water using 6-mercaptopurine, 419 (2000) 33
Vicente Pérez, J.A., *see* González LaFuente, J.M., 410 (2000) 135
Vidal, J.L. Martínez, *see* Fernández, J. Martínez, 412 (2000) 131
Vilanó, M., Padró, A. and Rubio, R., Coupled techniques based on liquid chromatography and atomic fluorescence detection for arsenic speciation, 411 (2000) 71
Vílchez, J.L., *see* Blanc, R., 403 (2000) 117
Villaescusa, I., *see* de Gracia, J., 402 (1999) 275
Villanueva, M.T., *see* Blanco, R.M., 419 (2000) 137
Villanueva-Camañas, R.M., *see* Noguera-Ortí, J.F., 402 (1999) 81
Villaseñor Llerena, M.J., *see* Berzas Nevado, J.J., (417) (2000) 169
Villaseñor, M.J., *see* Berzas, J.J., 417 (2000) 143
Viñas, P., Pardo-Martínez, M. and Hernández-Córdoba, M., Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization, 412 (2000) 121
Viron, C., Saunois, A., André, P., Perly, B. and Lafosse, M., Isolation and identification of unsaturated fatty acid methyl esters from marine micro-algae, 409 (2000) 257
Virtanen, V. and Bordin, G., Tricine buffer for metallothionein isoform separation by capillary zone electrophoresis, 402 (1999) 59
Vittori, O., *see* Mouginot, Y., 407 (2000) 337
Vives, M., Gargallo, R. and Tauler, R., Multivariate extension of the continuous variation and mole-ratio methods for the study of the interaction of intercalators with polynucleotides, 424 (2000) 105
Vlasov, Y., *see* Mortensen, J., 403 (2000) 273
Vlessidis, A., *see* Thanasoulias, N.K., 401 (1999) 197
Vodopivec, M., Berovič, M., Jančar, J., Podgornik, A. and Štrancar, A., Application of Convective Interaction Media disks with immobilised glucose oxidase for on-line glucose measurements, 407 (2000) 105
Vogt, F., Tacke, M., Jakusch, M. and Mizaikoff, B., A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water, 422 (2000) 187
Volotovsky, V., *see* Soldatkin, A.P., 403 (2000) 25
Voorhees, K.J., *see* Xu, M., 418 (2000) 119
Vrielink, J.A.M., *see* Bos, M., 412 (2000) 203

W

Wada, M., *see* Kuroda, N., 403 (2000) 131
Waeles, M., *see* Riso, R.D., 410 (2000) 97
Wahbi, A.A.M., *see* Sabry, S.M., 401 (1999) 173
Waldron, K.C., *see* Bonneil, E., 404 (2000) 29
Wan, C. and de B. Harrington, P., Screening GC-MS data for carbamate pesticides with temperature-constrained–cascade correlation neural networks, 408 (2000) 1
Wang, A., Li, L., Zang, F. and Fang, Y., Amperometric detection of three purine alkaloids following their separation by micellar electrokinetic capillary chromatography, 419 (2000) 235
Wang, B., Zhang, J., Cheng, G. and Dong, S., Amperometric enzyme electrode for the determination of hydrogen peroxide based on sol–gel/hydrogel composite film, 407 (2000) 111
Wang, E., *see* You, T., 401 (1999) 29
Wang, G. and Cole, R.B., Charged residue versus ion evaporation for formation of alkali metal halide cluster ions in ESI, 406 (2000) 53
Wang, H., Li, J., Liu, X. and Zhang, H.S., *N*-hydroxysuccinimidyl fluorescein-*O*-acetate as a highly fluorescent derivatizing reagent for aliphatic amines in liquid chromatography, 423 (2000) 77
Wang, H., Yang, W., Liang, S.C., Zhang, Z.M. and Zhang, H.S., Spectrofluorimetric determination of nitrite with 5,6-diamino-1,3-naphthalene disulfonic acid, 419 (2000) 169
Wang, J. and Hansen, E.H., Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223
Wang, J., Chatrathi, M.P. and Tian, B., Capillary electrophoresis microchips with thick-film amperometric detectors: separation and detection of phenolic compounds, 416 (2000) 9
Wang, J., Chen, L. and Chatrathi, M.P., Evaluation of different fluorocarbon oils for their internal oxygen supply in glucose microsensors operated under oxygen-deficit conditions, 411 (2000) 187
Wang, J., Jiang, M., Fortes, A. and Mukherjee, B., New label-free DNA recognition based on doping nucleic-acid probes within conducting polymer films, 402 (1999) 7
Wang, J., *see* Dai, X., 403 (2000) 243
Wang, J., *see* He, R., 412 (2000) 241
Wang, J.H. and Hopke, P.K., Estimation of the heteroscedastic noise in large data arrays, 412 (2000) 177
Wang, J.H., *see* Garrido Frenich, A., 411 (2000) 145
Wang, K., *see* Yang, X., 407 (2000) 45
Wang, K.M., *see* Yang, R.H., 404 (2000) 205
Wang, L., Cardwell, T.J., Cattrall, R.W., Luque de Castro, M.D. and Kolev, S.D., Pervaporation-flow injection determination of ammonia in the presence of surfactants, 416 (2000) 177
Wang, L., *see* Hu, J., 423 (2000) 215
Wang, L., *see* Ni, Y., 412 (2000) 185
Wang, L., *see* Xue, J., 405 (2000) 77
Wang, L.H., Simultaneous determination of retinal, retinol and retinoic acid (all-*trans* and 13-*cis*) in cosmetics and pharmaceuticals at electrodeposited metal electrodes, 415 (2000) 193
Wang, M., Yang, J., Wu, X. and Huang, F., Study of the interaction of nucleic acids with acridine red and CTMAB by a resonance light scattering technique and determination of nucleic acids at nanogram levels, 422 (2000) 151
Wang, M.Y., *see* Lu, J.K., 407 (2000) 291
Wang, P., Wang, X., Jing, X. and Zhu, G., Sol–gel-derived, polishable, 1:12-phosphomolybdic acid-modified ceramic-carbon electrode and its electrocatalytic oxidation of ascorbic acid, 424 (2000) 51
Wang, Q., *see* Liu, Z., 413 (2000) 167
Wang, Q.H., *see* Nie, M.Y., 408 (2000) 279
Wang, S.P. and Chen, W.J., Determination of *p*-aminobenzoates and cinnamate in cosmetic matrix by supercritical fluid extraction and micellar electrokinetic capillary chromatography, 416 (2000) 157

Wang, T.K., *see* Lu, J.K., 407 (2000) 291
Wang, X., *see* Wang, P., 424 (2000) 51
Wang, X.W., *see* Lu, X.Q., 404 (2000) 249
Wang, X.X., *see* Hao, Y.M., 402 (1999) 21
Wang, Y., *see* Guan, N., 418 (2000) 145
Wang, Y.C., *see* Su, P., 418 (2000) 137
Wang, Y.H., *see* Xiao, Y.K., 420 (2000) 95
Wang, Z., *see* Li, W., 418 (2000) 225
Wanhong, M., *see* Ke, Z., 413 (2000) 115
Wannemacker, G.D., *see* Vanhaecke, F., 419 (2000) 55
Warnken, K.W., Tang, D., Gill, G.A. and Santschi, P.H., Performance optimization of a commercially available iminodiacetate resin for the determination of Mn, Ni, Cu, Cd and Pb by on-line preconcentration inductively coupled plasma-mass spectrometry, 423 (2000) 265
Warsinke, A., *see* Stöcklein, W.F., 405 (2000) 255
Watanabe, E., Tsuda, Y., Watanabe, S., Ito, S., Hayashi, M., Watanabe, T., Yuasa, Y. and Nakazawa, H., Development of an enzyme immunoassay for the detection of plant growth regulator inabenfide in rice, 424 (2000) 149
Watanabe, M., Horiki, A. and Uchida, T., Contamination-free decomposition of zirconium oxide for the determination of ultra-trace silicon by inductively coupled plasma-atomic emission spectrometry, 416 (2000) 117
Watanabe, N., *see* Umemura, T., 419 (2000) 87
Watanabe, S., *see* Watanabe, E., 424 (2000) 149
Watarai, H., *see* Yulizar, Y., 419 (2000) 107
Wei, H.Z., *see* Xiao, Y.K., 420 (2000) 95
Wen, L.S., *see* Tang, D., 408 (2000) 299
Wenli, L., Ascenzo, G.D', Curini, R., Chunhua, Y., Jianfang, W., Tao, J.J. and Minwen, W., Simulation of the development automatization control system for rare earth extraction process. Combination of ESRECE simulation software and EDXRF analysis technique, 417 (2000) 111
Werner, T., Kürner, J.M., Krause, C. and Wolfbeis, O.S., New longwave absorbing chromogenic calix[4]arene for calcium determination in aqueous environment, 421 (2000) 199
Wesolowski, D.J., *see* Xiao, C., 415 (2000) 209
Westerheide, L., *see* Harms, D., 401 (1999) 83
Weyrauch, B., *see* Liu, G., 408 (2000) 21
Whitney King, D., *see* Xiao, C., 415 (2000) 209
Wide, P., *see* Winquist, F., 406 (2000) 147
Winefordner, J.D., *see* Aucélio, R.Q., 411 (2000) 57
Winefordner, J.D., *see* Sun, Q., 413 (2000) 187
Winefordner, J.D., *see* Tran, M., 419 (2000) 153
Winquist, F., Holmin, S., Krantz-Rülcker, C., Wide, P. and Lundström, I., A hybrid electronic tongue, 406 (2000) 147
Winquist, F., *see* Kalman, E.L., 403 (2000) 31
Wise, S.A., *see* Nelson, B.C., 410 (2000) 1
Witting, U., *see* Kempter, C., 410 (2000) 47
Wold, S., *see* Eriksson, L., 420 (2000) 181
Wolfbeis, O.S., *see* Werner, T., 421 (2000) 199
Woodward, L.A., *see* Li, K., 419 (2000) 1
Wróbel, R. and Chmurzyński, L., Potentiometric pK_a determination of standard substances in binary solvent systems, 405 (2000) 303
Wróblewski, W., Chudy, M. and Dybko, A., Nitrate-selective chemically modified field effect transistors for flow-cell applications, 416 (2000) 97
Wróblewski, W., Chudy, M., Dybko, A. and Brzózka, Z., NH_4^+-sensitive chemically modified field effect transistors based on siloxane membranes for flow-cell applications, 401 (1999) 105
Wu, C., *see* Asbury, G. Reid, 404 (2000) 273
Wu, C., *see* Dong, S., 415 (2000) 185
Wu, H.L., *see* Chen, Z.P., 423 (2000) 187
Wu, H.L., *see* Tan, Y., 412 (2000) 195
Wu, H.L., *see* Wu, S.M., 413 (2000) 125
Wu, J., Mester, Z. and Pawliszyn, J., Speciation of organoarsenic compounds by polypyrrole-coated capillary in-tube solid phase microextraction coupled with liquid chromatography/electrospray ionization mass spectrometry, 424 (2000) 211
Wu, S.M., Wu, H.L., Ko, W.K. and Chen, S.H., Determination of amitriptyline and nortriptyline in spiked plasma by capillary zone electrophoresis with β-cyclodextrin, 413 (2000) 125
Wu, X., *see* Lin, C., 403 (2000) 219
Wu, X., *see* Wang, M., 422 (2000) 151
Wu, Z., Yan, Y., Shen, G. and Yu, R., A novel approach of antibody immobilization based on *n*-butyl amine plasma-polymerized films for immunosensors, 412 (2000) 29
Wuggenig, F., *see* Zarbl, E., 404 (2000) 169
Wuilloud, R.G., Salonia, J.A., Gásquez, J.A., Olsina, R.A. and Martinez, L.D., On-line pre-concentration system for vanadium determination in drinking water using flow injection-inductively coupled plasma atomic emission spectrometry, 420 (2000) 73
Wülfert, F., *see* Swierenga, H., 411 (2000) 121
Wust, C.C., *see* Hanafi-Bagby, D., 411 (2000) 19

X

Xavier Rius, F., *see* Martínez, A., 406 (2000) 257
Xian, M., *see* Li, W., 418 (2000) 225
Xian, Y., *see* Xue, J., 405 (2000) 77
Xian, Y., Zhang, W., Xue, J., Ying, X. and Jin, L., Direct measurement of nitric oxide release from the rat hippocampus, 415 (2000) 127
Xiang, B., *see* Li, W., 408 (2000) 39
Xiao, C., Whitney King, D., Palmer, D.A. and Wesolowski, D.J., Study of enhancement effects in the chemiluminescence method for Cr(III) in the ng l^{-1} range, 415 (2000) 209
Xiao, D., *see* Choi, M.M., 403 (2000) 57
Xiao, D., *see* Yang, R.H., 404 (2000) 205
Xiao, K.P., *see* Gadzekpo, V.P., 411 (2000) 163
Xiao, Y.K., Wei, H.Z., Zhou, Y.M., Wang, Y.H. and Liu, W.G., Investigation of characteristics of non-reductive thermal ion emission of various graphites in thermal ionization mass spectrometry, 420 (2000) 95
Xie, M.J., *see* Feng, Y.Q., 403 (2000) 187
Xie, Q., *see* Peng, H., 423 (2000) 221
Xie, Q., *see* Zhou, A., 419 (2000) 251
Ximenes, V.F., Campa, A., Baader, W.J. and Catalani, L.H., Facile chemiluminescent method for alkaline phosphatase determination, 402 (1999) 99

Xingguo, C., *see* Gang, S., 420 (2000) 123
Xiong, G., He, X. and Zhang, Z., Microwave-assisted extraction or saponification combined with microwave-assisted decomposition applied in pretreatment of soil or mussel samples for the determination of polychlorinated biphenyls, 413 (2000) 49
Xiu, D., *see* Dan, D., 420 (2000) 39
Xu, C., He, P. and Fang, Y., Electrochemical labeled DNA probe for the detection of sequence-specific DNA, 411 (2000) 31
Xu, C., *see* Hu, S., 412 (2000) 55
Xu, D. and Katsu, T., Lead-selective membrane electrode based on dibenzyl phosphate, 401 (1999) 111
Xu, F., *see* Shi, G., 413 (2000) 131
Xu, G. and Dong, S., Electrochemiluminescent determination of peroxydisulfate with $Cr(bpy)_3^{3+}$ in purely aqueous solution, 412 (2000) 235
Xu, H., *see* Li, J., 402 (1999) 311
Xu, H., *see* Zhang, J., 405 (2000) 31
Xu, J.g., *see* Chen, Q.-y., 406 (2000) 209
Xu, J.G., *see* Li, D.H., 401 (1999) 185
Xu, J.J. and Chen, H.Y., Amperometric glucose sensor based on glucose oxidase immobilized in electrochemically generated poly(ethacridine), 423 (2000) 101
Xu, M., Basile, F. and Voorhees, K.J., Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119
Xu, X.Q., *see* Zhang, Z.Q., 406 (2000) 303
Xue, J., *see* Xian, Y., 415 (2000) 127
Xue, J., Xian, Y., Ying, X., Chen, J., Wang, L. and Jin, L., Fabrication of an ultramicrosensor for measurement of extracellular myocardial superoxide, 405 (2000) 77

Y

Yagodina, O.V., Nikolskaya, E.B. and Shor, N.B., Gas-gap sensors for the determination of nitrogen oxides and nitrites, 409 (2000) 143
Yamada, A., *see* Matsubara, H., 405 (2000) 87
Yamada, H., *see* Katsuta, S., 416 (2000) 145
Yamada, M., *see* Hanaoka, S., 409 (2000) 65
Yamaguchi, M., *see* Iwata, T., 416 (2000) 69
Yamaguchi, M., *see* Yoshida, H., 413 (2000) 137
Yamamoto, K., Ohgaru, T., Torimura, M., Kinoshita, H., Kano, K. and Ikeda, T., Highly-sensitive flow injection determination of hydrogen peroxide with a peroxidase-immobilized electrode and its application to clinical chemistry, 406 (2000) 201
Yamamoto, K., *see* Mao, L., 415 (2000) 143
Yaman, M., Dilgin, Y. and Gucer, S., Speciation of lead in soils and relation with its concentration in fruits, 410 (2000) 119
Yamato, S., Kawakami, N., Shimada, K., Ono, M., Idei, N. and Itoh, Y., Preparation and characterization of immobilized acid phosphatase used for an enzyme reactor: evaluation in flow-injection analysis and pre-column liquid chromatography, 406 (2000) 191
Yamazaki, S.i., *see* Ito, S., 424 (2000) 57
Yan, A., *see* Ma, Q., 406 (2000) 247
Yan, F., Ozsoz, M. and Sadik, O.A., Electrochemical and conformational studies of microcystin–LR, 409 (2000) 247
Yan, Y., *see* Wu, Z., 412 (2000) 29
Yáñez-Sedeño, P., *see* Agüí, L., 401 (1999) 145
Yang, C., *see* Yu, J.S., 420 (2000) 45
Yang, C.S., *see* Chou, S.T., 419 (2000) 81
Yang, H., *see* Peters, J.L., 412 (2000) 1
Yang, H.-h., *see* Chen, Q.-y., 406 (2000) 209
Yang, H.H., *see* Li, D.H., 401 (1999) 185
Yang, J., *see* Lin, C., 403 (2000) 219
Yang, J., *see* Wang, M., 422 (2000) 151
Yang, K.-w., *see* Jiang, G.-b., 421 (2000) 67
Yang, L.l., *see* Zhang, D.-q., 405 (2000) 185
Yang, M. and Tomellini, S.A., An HPLC detection scheme for underivatized amino acids based on tryptophan fluorescence recovery, 409 (2000) 45
Yang, P., *see* Lu, Y., 417 (2000) 101
Yang, R.H., Wang, K.M., Xiao, D., Yang, X.H. and Li, H.M., A selective optical chemical sensor for the determination of Tween-60 based on fluorescence enhancement of tetraphenylporphyrin, 404 (2000) 205
Yang, W., *see* McSheehy, S., 421 (2000) 147
Yang, W., *see* Wang, H., 419 (2000) 169
Yang, W.C., Yu, A.M., Dai, Y.Q. and Chen, H.Y., Separation and determination of di- and tricarboxylic acids in fruits by capillary zone electrophoresis with amperometric detection, 415 (2000) 75
Yang, X., *see* Lu, X., 418 (2000) 205
Yang, X., *see* You, T., 401 (1999) 29
Yang, X., Wang, K. and Guo, C., A fluorescent optode for sodium ion based on the inner filter effect, 407 (2000) 45
Yang, X.H., *see* Yang, R.H., 404 (2000) 205
Yano, K., *see* Miyachi, H., 407 (2000) 1
Yano, K., *see* Rachkov, A., 405 (2000) 23
Yao, D., *see* Evmiridis, N.P., 410 (2000) 167
Yao, S., *see* Liang, C., 415 (2000) 135
Yao, S., *see* Peng, H., 423 (2000) 221
Yao, S., *see* Zhou, A., 419 (2000) 251
Ye, J., *see* Chen, G., 408 (2000) 249
Ye, J., *see* Chen, G., 423 (2000) 69
Ye, X., *see* Jin, W., 408 (2000) 257
Yebra, M.C. and Cespón, R.M., Indirect automatic determination of iodide by flame atomic absorption spectrometry, 405 (2000) 191
Yeoh, H.H., *see* Tatsuma, T., 408 (2000) 233
Ying, X., *see* Xian, Y., 415 (2000) 127
Ying, X., *see* Xue, J., 405 (2000) 77
Yoda, R., *see* Kanemitsu, M.(., 403 (2000) 125
Yokoyama, T., Tsuji, H. and Zenki, M., Capillary electrophoretic determination of coordination equilibrium constants of carboxylate ions with copper(II) complexed with several bis(1,10-phenanthroline) derivatives and bis(bipyridine), 409 (2000) 55
Yolcubal, I., Piatt, J.J., Pierce, S.A., Brusseau, M.L. and Maier, R.M., Fiber optic detection of in situ *lux* reporter gene activity in porous media: system design and performance, 422 (2000) 121
Yonehara, N., *see* Tomiyasu, T., 424 (2000) 127
Yordanov, N.D. and Lubenova, S., Effect of dielectric constants, sample container dimensions and frequency of magnetic field

modulation on the quantitative EPR response, 403 (2000) 305
Yoshida, H., Hidaka, K., Ishida, J., Yoshikuni, K., Nohta, H. and Yamaguchi, M., Highly selective and sensitive determination of tricyclic antidepressants in human plasma using high-performance liquid chromatography with post-column tris(2,2′-bipyridyl) ruthenium(III) chemiluminescence detection, 413 (2000) 137
Yoshikuni, K., *see* Yoshida, H., 413 (2000) 137
Yoshioka, M., *see* Darwish, I., 413 (2000) 79
Yoshiokab, M., *see* Darwish, I., 404 (2000) 179
Yotsuyanagi, T., *see* Hoshino, H., 407 (2000) 71
You, T., Yang, X. and Wang, E., End-column amperometric detection of aesculin and aesculetin by capillary electrophoresis, 401 (1999) 29
Youqin, S., *see* Qingwen, L., 409 (2000) 137
Ysambertt, F., *see* Márquez, N., 405 (2000) 267
Yu, A.M., *see* Yang, W.C., 415 (2000) 75
Yu, D., *see* Jin, W., 408 (2000) 257
Yu, J.C., *see* Liu, D., 416 (2000) 139
Yu, J.S., Yang, C. and Fang, H.Q., Variable thickness thin-layer cell for electrochemistry and in situ UV–VIS absorption, luminescence and surface-enhanced Raman spectroelectrochemistry, 420 (2000) 45
Yu, N.T., *see* Pei, J., 402 (1999) 145
Yu, R., *see* Wu, Z., 412 (2000) 29
Yu, R.Q., *see* Chen, Z.P., 423 (2000) 187
Yu, R.Q., *see* Tan, Y., 412 (2000) 195
Yu, R.Q., *see* Zhang, X.B., 419 (2000) 227
Yuan, D., *see* Ling, L.S., 403 (2000) 209
Yuan, Y., *see* Zhou, A., 419 (2000) 251
Yuan, Z., *see* Han, S., 405 (2000) 115
Yuasa, Y., *see* Watanabe, E., 424 (2000) 149
Yulizar, Y., Ohashi, A., Nagatani, H. and Watarai, H., Kinetic study of Ni(II) and Zn(II) complexation with a pyridylazo extractant by a centrifugal liquid membrane method, 419 (2000) 107
Yunkun, Z., *see* Gang, S., 420 (2000) 123

Z

Zagatto, E.A., *see* Almeida, C.M., 407 (2000) 213
Zagatto, E.A., *see* Carneiro, J.M., 416 (2000) 185
Zagatto, E.A.G., *see* Honorato, R.S., 416 (2000) 231
Zagatto, E.A.G., *see* Oliveira, C.C., 413 (2000) 41
Zaijun, L., Zhu, Z., Jan, T., Hsu, C.G. and Jiaomai, P., 4-Methoxy-azomethine-H as a reagent for the spectrophotometric determination of boron in plants and soils, 402 (1999) 253
Zaitsu, K., *see* Ohba, Y., 414 (2000) 95
Zaitsu, K., *see* Ragab, G.H., 403 (2000) 155
Zambonin, C.G., *see* Quinto, M., 420 (2000) 9
Zang, F., *see* Wang, A., 419 (2000) 235
Zanier-Szydlowski, N., *see* Estienne, F., 424 (2000) 185
Zarbl, E., Lämmerhofer, M., Hammerschmidt, F., Wuggenig, F., Hanbauer, M., Maier, N.M., Sajovic, L. and Lindner, W., Direct liquid chromatographic enantioseparation of chiral α- and β-aminophosphonic acids employing quinine-derived chiral anion exchangers: determination of enantiomeric excess and verification of absolute configuration, Zecevic, M., *see* Agatonovic-Kustrin, S., 418 (2000) 181
Zeinali, S., *see* Safavi, A., 409 (2000) 275
Zelić, M., *see* Djogić, R., 404 (2000) 159
Zelinger, Z., Střižík, M., Kubát, P. and Civiš, S., Quantitative analysis of trace mixtures of toluene and xylenes by CO_2 laser photoacoustic spectrometry, 422 (2000) 179
Zellmer, S., *see* Raith, K., 418 (2000) 167
Žemva, B., *see* Ponikvar, M., 418 (2000) 113
Zen, J.M., Chung, H.H. and Kumar, A.S., Determination of lead(II) on a copper/mercury-plated screen-printed electrode, 421 (2000) 189
Zen, J.M., *see* Shih, Y., 412 (2000) 63
Zeng, Y.E., *see* Han, H.Y., 402 (1999) 113
Zeng, Y.e., *see* Ling, L.S., 403 (2000) 209
Zeng, Z., *see* Guan, N., 418 (2000) 145
Zenki, M., *see* Yokoyama, T., 409 (2000) 55
Zhang, C., Haruyama, T., Kobatake, E. and Aizawa, M., Evaluation of substituted-1,10-phenanthroline complexes of osmium as mediator for glucose oxidase of *Aspergillus Niger*, 408 (2000) 225
Zhang, D.-q., Li, C.m., Yang, L.l. and Sun, H.w., Determination of cadmium in flour by atom trapping flame atomic absorption spectrometry using derivative signal processing, 405 (2000) 185
Zhang, G., *see* Lin, C., 403 (2000) 219
Zhang, G.F. and Chen, H.Y., Studies of micelle and trace non-polar organic solvent on a new chemiluminescence system and its application to flow injection analysis, 409 (2000) 75
Zhang, G.F. and Chen, H.Y., Studies of polyluminol modified electrode and its application in electrochemiluminescence analysis with flow system, 419 (2000) 25
Zhang, H., *see* Chen, G., 423 (2000) 69
Zhang, H.S., *see* Wang, H., 419 (2000) 169
Zhang, H.S., *see* Wang, H., 423 (2000) 77
Zhang, J. and Cass, A.E., Electrochemical analysis of immobilised chemical and genetic biotinylated alkaline phosphatase, 408 (2000) 241
Zhang, J., *see* Wang, B., 407 (2000) 111
Zhang, J., Xu, H. and Ren, J.L., Fluorimetric determination of dissolved aluminium in natural waters after liquid–liquid extraction into *n*-hexanol, 405 (2000) 31
Zhang, K., Cai, R., Chen, D. and Mao, L., Determination of hemoglobin based on its enzymatic activity for the oxidation of *o*-phenylenediamine with hydrogen peroxide, 413 (2000) 109
Zhang, L., Hu, Q., Chen, G. and Fang, Y., Simultaneous determination of the active ingredients in composite pseudoephedrine hydrochloride tablets by capillary electrophoresis, 424 (2000) 257
Zhang, L., *see* Hu, Q., 416 (2000) 15
Zhang, Q., Minami, H., Inoue, S. and Atsuya, I., Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277
Zhang, Q., Minami, H., Inoue, S. and Atsuya, I., Determination of ultra-trace amounts of cobalt in seawater by graphite furnace

atomic absorption spectrometry after pre-concentration with Ni/8-quinolinol/1-nitroso-2-naphthol complex, 407 (2000) 147
Zhang, S., Zhao, H. and John, R., Development of a generic microelectrode array biosensing system, 421 (2000) 175
Zhang, S.-s., *see* Jiao, K., 413 (2000) 71
Zhang, W., *see* Xian, Y., 415 (2000) 127
Zhang, X., *see* Rao, Y., 416 (2000) 227
Zhang, X.B., Guo, C.C., Jian, L.X., Shen, G.L. and Yu, R.Q., Fluoroborate ion sensitive PVC membrane electrode based on chloro[tetra(*m*-amino-phenyl)porphinato]-manganese as neutral carrier, 419 (2000) 227
Zhang, X.X., *see* Su, P., 418 (2000) 137
Zhang, Y., *see* Peng, H., 423 (2000) 221
Zhang, Y., *see* Zhou, A., 419 (2000) 251
Zhang, Y.Q., *see* Shi, X.Y., 424 (2000) 271
Zhang, Z., *see* Huang, Y., 419 (2000) 175
Zhang, Z., *see* Luan, T., 404 (2000) 329
Zhang, Z., *see* Luan, T., 424 (2000) 19
Zhang, Z., *see* Qin, W., 407 (2000) 81
Zhang, Z., *see* Xiong, G., 413 (2000) 49
Zhang, Z.M., *see* Wang, H., 419 (2000) 169
Zhang, Z.Q. and Xu, X.Q., Flow-injection catalytic spectrophotometric determination of oxalic acid using the redox reaction between Victoria blue B and dichromate, 406 (2000) 303
Zhao, B., *see* Chen, L., 417 (2000) 51
Zhao, H., *see* Zhang, S., 421 (2000) 175
Zhao, H.Z., *see* Sun, Y.G., 423 (2000) 247
Zhao, M., *see* Li, W., 418 (2000) 225
Zhao, M., *see* Luan, T., 404 (2000) 329
Zhen, H., *see* Li, D.H., 401 (1999) 185
Zheng, H., *see* Chen, Q.-y., 406 (2000) 209
Zherdev, A.V., *see* Starodub, N.F., 424 (2000) 37
Zhide, H., *see* Gang, S., 420 (2000) 123
Zhixin, L., *see* Ke, Z., 413 (2000) 115
Zhou, A., *see* Liang, C., 415 (2000) 135
Zhou, A., *see* Peng, H., 423 (2000) 221
Zhou, A., Xie, Q., Yuan, Y., Zhang, Y. and Yao, S., Evaluation of electromechanical coupling factor for a piezoelectric quartz crystal in liquid phase, 419 (2000) 251
Zhou, H., *see* Shi, G., 413 (2000) 131
Zhou, L.M., *see* Nie, M.Y., 408 (2000) 279
Zhou, M., *see* Chapman, J., 402 (1999) 47
Zhou, T., *see* Hu, Q., 416 (2000) 15
Zhou, X., *see* Hu, J., 423 (2000) 215
Zhou, X., *see* Liu, D., 416 (2000) 139
Zhou, Y.M., *see* Xiao, Y.K., 420 (2000) 95
Zhu, C., *see* Li, G., 421 (2000) 27
Zhu, D., *see* Fan, C., 423 (2000) 95
Zhu, D.Q., *see* Nie, M.Y., 408 (2000) 279
Zhu, G., *see* Wang, P., 424 (2000) 51
Zhu, J., *see* Fan, C., 423 (2000) 95
Zhu, Q.z., *see* Chen, Q.-y., 406 (2000) 209
Zhu, Q.Z., *see* Li, D.H., 401 (1999) 185
Zhu, Z., *see* Zaijun, L., 402 (1999) 253
Zhukova, V.A., *see* Dmitrienko, S.G., 405 (2000) 231
Zielińska, J., Makowski, M., Maj, K., Liwo, A. and Chmurzyński, L., Acid–base and hydrogen-bonding equilibria in aliphatic amine and carboxylic acid systems in non-aqueous solutions, 401 (1999) 317
Zivanovic, L.J., *see* Agatonovic-Kustrin, S., 418 (2000) 181
Zolotov, Y., *see* Dmitrienko, S.G., 405 (2000) 231
Zucheng, J., *see* Tianyou, P., 421 (2000) 75
Zuloaga, O., Etxebarria, N., Fernández, L.A. and Madariaga, J.M., MultiSimplex optimisation and comparison of different purge-and-trap extractions of volatile organic compounds in soil samples, 416 (2000) 43
Zuotao, Z., McCreedy, T. and Townshend, A., Flow-injection spectrophotometric determination of gold using 5-(4-sulphophenylazo)-8-aminoquinoline, 401 (1999) 237

ELSEVIER

Analytica Chimica Acta 430 (2001) 43–156

ANALYTICA
CHIMICA
ACTA

www.elsevier.com/locate/aca

Cumulative Subject Index
Analytica Chimica Acta
Volumes 401–424, 1999–2000

PII: S0003-2670(01)00816-9

A

AAS
Solid phase extraction of ultra trace copper(II) using octadecyl silica membrane disks modified by a naphthol-derivative Schiff's base, 408 (2000) 271
Speciation of lead in soils and relation with its concentration in fruits, 410 (2000) 119

Abraham's equation
Study of retention interactions of solute and stationary phase in the light of the solvation model theory, 405 (2000) 335

Absolute configurations
Direct liquid chromatographic enantioseparation of chiral α- and β-aminophosphonic acids employing quinine-derived chiral anion exchangers: determination of enantiomeric excess and verification of absolute configuration, 404 (2000) 169

Absorption
Radioluminescence detector for the flow injection determination of phosphorus as vanadomolybdophosphoric acid, 402 (1999) 267

Absorption spectrometry
Determination of heavy metals and their speciation in lake sediments by flame atomic absorption spectrometry after a four-stage sequential extraction procedure, 413 (2000) 33

Abstract factor analysis
Factor analysis applied to the study of retention mechanism of nitroanilines in normal phase high performance liquid chromatography, 402 (1999) 285
Caveat in abstract factor analysis-based pseudorank estimation, 411 (2000) 157

Accelerant
Accelerant classification by gas chromatography/mass spectrometry and multivariate pattern recognition, 422 (2000) 37

Accumulation from urine
Determination of chloro- and methylthiotriazine compounds in human urine: extraction with diethyl ether and C_{18} solid-phase extraction for gas chromatographic analysis with nitrogen-selective and electron capture detection, 424 (2000) 7

Acetaminophen
Simultaneous kinetic spectrophotometric determination of acetaminophen and phenobarbital by artificial neural networks and partial least squares, 419 (2000) 185

Acetylsalicylic acid
Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry, 409 (2000) 159

Acid phosphatase
Preparation and characterization of immobilized acid phosphatase used for an enzyme reactor: evaluation in flow-injection analysis and pre-column liquid chromatography, 406 (2000) 191
Determination of acid phosphatase activity in a double injection flow system with electrochemical detection, 406 (2000) 225
Kinetic determination of acid phosphatase activity by double injection flow analysis with electrochemical detection, 413 (2000) 103

Acid rains
Potentiometric characterisation of acid rains using corrected linear plots, 405 (2000) 173

Acid–base equilibria
Acid–base and hydrogen-bonding equilibria in aliphatic amine and carboxylic acid systems in non-aqueous solutions, 401 (1999) 317
Protolytic equilibria of dihydroxyanthraquinones in non-aqueous solutions, 402 (1999) 339
Acid–base equilibria in systems involving substituted pyridines in polar aprotic protophobic media and in the amphiprotic methanol, 418 (2000) 233

Acid–base properties
Modeling the effects of ionic strength on ionization parameters for a soil fulvic acid at low concentrations, 401 (1999) 243

Acidity
An automatic titrator based on a multicommutated unsegmented flow system. Its application to acid–base titrations, 407 (2000) 213

Acidity constants
Spectrophotometric determination of pK_a values based on a pH gradient flow-injection system, 408 (2000) 135

Acids
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221

Acridine red
Study of the interaction of nucleic acids with acridine red and CTMAB by a resonance light scattering technique and determination of nucleic acids at nanogram levels, 422 (2000) 151

Acridines
Radiostorage- and photostoragechemiluminescence: analytical prospects, 423 (2000) 239

Activated composite membranes
Facilitated transport of lead(II) and cadmium(II) through novel activated composite membranes containing di-(2-ethyl-hexyl)-phosphoric acid as carrier, 408 (2000) 65

Active oxidant species
Influence of oxidant-species scavengers on the chemiluminescence (CL) emission generated during the oxidation of pyrogallol by hydrogen peroxide, 401 (1999) 197

Active oxygen
Determination of riboflavin by the perturbation of active oxygen on a chemical oscillating reaction, 413 (2000) 115

Additional membranes
Improvement of urease based biosensor characteristics using additional layers of charged polymers, 403 (2000) 25

Adenosine 5′-triphosphate
Application of cationic liposomes containing surfactants to an enhancer in firefly bioluminescent assay of adenosine 5′-triphosphate, 424 (2000) 169

Adsorption on the inner wall of a knotted reactor
Interfacing flow injection analysis (sequential injection analysis) and electro-thermal atomic absorption spectrometry determination of trace-levels of Cr(VI) via on-line pre-concentration by adsorption in a knotted reactor and by liquid–liquid extraction, 422 (2000) 47

Adsorptive cathodic stripping voltammetry
Competitive ligand exchange/adsorptive cathodic stripping voltammetry (CLE/AdCSV) for kinetic studies of nickel speciation in aqueous environmental samples containing heterogeneous, macromolecular, organic complexants, 402 (1999) 195

Adsorptive stripping voltammetry
Adsorptive stripping voltammetric behaviour of UO_2(II) complexed with the Schiff base *N,N′*- ethylenebis(salicylidenimine) in aqueous 4-(2-hydroxyethyl)-1-piperazine ethanesulfonic acid medium, 408 (2000) 83
Designing experiments to optimise and validate the adsorptive stripping voltammetric determination of nimesulide, 413 (2000) 229

Adulteration of carbohydrate-rich foods
A continuous spectrophotometric system for the discrimination/determination of monosaccharides and oligosaccharides in foods, 404 (2000) 121

Advanced statistical evaluation procedure
Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327

Aesculetin (AT)
End-column amperometric detection of aesculin and aesculetin by capillary electrophoresis, 401 (1999) 29

Aesculin (AL)
End-column amperometric detection of aesculin and aesculetin by capillary electrophoresis, 401 (1999) 29

Affinity
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255

Affinity distribution
Modeling the effects of ionic strength on ionization parameters for a soil fulvic acid at low concentrations, 401 (1999) 243

Affinity mass sensor
Affinity mass sensors: determination of fructose, 403 (2000) 49
Affinity mass sensors: concept and general considerations, 407 (2000) 11

AFS
Development of analytical systems for the simultaneous determination of the speciation of arsenic [As(III), methylarsonic acid, dimethylarsinic acid, As(V)] and selenium [Se(IV), Se(VI)], 413 (2000) 13

Ag/AgCl
An integrated module for sensing pO_2, pCO_2, and pH, 405 (2000) 57

Aging
Determination of tissue α-tocopherol in senescence-accelerated mice by high-performance liquid chromatography with fluorimetric detection, 419 (2000) 81

β_2-Agonists
Gas chromatography-mass spectrometry analysis of β_2-agonists in bovine retina, 408 (2000) 285
Analytical methodology for the detection of β_2-agonists in urine by gas chromatography–mass spectrometry for application in doping control, 418 (2000) 79

Agricultural foodstuff
Flow-through fluoroimmunosensor for isoproturon determination in agricultural foodstuff. Evaluation of antibody immobilization on solid support, 417 (2000) 85

Air samples
Tailor-made derivatizing agents for carbonyl compounds using liquid chromatography, 410 (2000) 47

Air segmentation
Air segmented continuous flow analysis in microbore tubing, 401 (1999) 209

Air toxins
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111

Airborne particles
Control of interferences in the determination of Pt, Pd and Rh in airborne particulate matter by inductively coupled plasma mass spectrometry, 404 (2000) 285

Air-segmented continuous flow analysis
Experimental design modeling of carryover to optimize air-segmented continuous flow analysis, 408 (2000) 21

Albumin
Fluorimetric determination of albumin and globulin in human serum using tetra-substituted sulphonated aluminum phthalocyanine, 401 (1999) 185
Flow injection chemiluminometric determination of albumin, 403 (2000) 137

Alcohol vapor
Quantitative artificial neural network for electronic noses, 417 (2000) 101

Algae
Slurry-sampling with rapid atomization *versus* microwave digestion with conventional atomization for the determination of copper, manganese and nickel in algae matrix using transverse heated-electrothermal atomic absorption spectrometry, 404 (2000) 295
Identification of dimethylarsinoyl-riboside derivatives in seaweed by pneumatically assisted electrospray tandem mass spectrometry, 410 (2000) 71

Algorithms
A calibration method for handling the temporal drift of solid state gas-sensors, 407 (2000) 23

Aliphatic amines
Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^{T} 4001, 414 (2000) 181
N-hydroxysuccinimidyl fluorescein-*O*-acetate as a highly fluorescent derivatizing reagent for aliphatic amines in liquid chromatography, 423 (2000) 77

Aliquat 336
Theoretical and experimental study of palladium(II) extraction from hydrochloric acid solutions into Aliquat 336/PVC membranes, 413 (2000) 241

Alkali metal cation
Selective extraction of alkali metal cations with proton-ionizable dibenzo-16-crown-5 fluoroionophores, 420 (2000) 57

Alkaline phosphatase
4-Hydroxynaphthyl-1-phosphate as a substrate for alkaline phosphatase and its use in sandwich immunoassay, 402 (1999) 29
Facile chemiluminescent method for alkaline phosphatase determination, 402 (1999) 99
New electrochemical assay of alkaline phosphatase using ascorbic acid 2-phosphate and its application to enzyme immunoassay, 407 (2000) 119
Electrochemical analysis of immobilised chemical and genetic biotinylated alkaline phosphatase, 408 (2000) 241
Voltammetric monitoring of the interaction between streptavidin and biotinylated alkaline phosphatase through the enzymatic hydrolysis of 3-indoxyl phosphate, 417 (2000) 57
Highly sensitive electrochemical detection of alkaline phosphatase, 424 (2000) 57

Alkaline phosphatase immobilized on polyurethane foam
Visual determination of lead(II) by inhibition of alkaline phosphatase immobilized on polyurethane foam, 413 (2000) 95

Alkaloids
Amperometric detection of three purine alkaloids following their separation by micellar electrokinetic capillary chromatography, 419 (2000) 235

Alkyd paint resins
A comparison of pyrolysis-gas chromatography-mass spectrometry and Fourier transform infrared spectroscopy for the analysis of a series of modified alkyd paint resins, 422 (2000) 217

Alkyl nitrite
A new method for determining the concentration of atmospheric alcohols using the nitrite formation reaction, 402 (1999) 233

Alkylated benzenes
Corona discharge ion mobility spectrometry of aliphatic and aromatic hydrocarbons, 403 (2000) 235

Al_2O_3 sol–gel
A new tyrosinase biosensor based on tailoring the porosity of Al_2O_3 sol–gel to co-immobilize tyrosinase and the mediator, 407 (2000) 87

ALS
Resolution of multicomponent peaks by orthogonal projection approach, positive matrix factorization and alternating least squares, 411 (2000) 145

Alternating current voltammetry
Competitive enzyme immunosensor developed on a renewable carbon paste electrode support, 402 (1999) 119

Alternating least squares algorithm
Novel constrained PARAFAC algorithm for second-order linear calibration, 423 (2000) 187

Alternative lines
Expanding the working concentration range for the direct analysis of metallic alloys by on-line anodic electrodissolution and electrothermal atomic absorption spectrometry, 401 (1999) 307

Aluminium
Novel catalytic spectrophotometric procedure for the determination of trace-level aluminium, 412 (2000) 241
Use of adsorptive stripping voltammetry at the glassy carbon electrode for the simultaneous determination of magnesium(II) and aluminium(III). Application to some industrial samples, 417 (2000) 67
Multivariate calibration applied to a highly interfering chemical system. The simultaneous spectrophotometric determination of aluminium and iron in plants using xylenol orange and partial least-squares regression, 423 (2000) 31

Aluminium and Zinc
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223

Aluminum
Application of chromaticity characteristics for direct determination of trace aluminum with Eriochrome cyanine R by diffuse reflection spectroscopy, 408 (2000) 145
Speciation of aluminum in tea infusion by ion-exchange resins and flame AAS detection, 411 (2000) 81
Enhancement of the atomic absorption signal by silicate at electrothermal atomic absorption spectrometry, 415 (2000) 221
Multisite metal binding to fulvic acid determined using multiresponse fluorescence, 416 (2000) 211

Aluminum phthalocyanine
Fluorescence quenching oxygen sensor using an aluminum phthalocyanine–polystyrene film, 407 (2000) 41

Amberlite XAD-7
Speciation of aluminum in tea infusion by ion-exchange resins and flame AAS detection, 411 (2000) 81

Ametryn
Determination of chloro- and methylthiotriazine compounds in human urine: extraction with diethyl ether and C_{18} solid-phase extraction for gas chromatographic analysis with nitrogen-selective and electron capture detection, 424 (2000) 7

Amides
Combination of X-ray photoelectron and solid-state ^{13}C nuclear magnetic resonance spectroscopy in the structural characterisation of humic acids, 424 (2000) 243

Amiloride concentrations
Dual-stopped-flow spectrophotometric determination of amiloride hydrochloride in a multicommutated flow system, 407 (2000) 225

Amines
Speciation of low molecular weight ligands in natural fluids: protonation constants and association of open chain polyamines with the major components of seawater, 418 (2000) 43

Amino acid
Study of amino acids by means of liquid chromatography mass spectrometry: optimization of the particle–beam interface, 401 (1999) 55
Continuous monitoring of amino acids and related compounds with poly(3-methylthiophene)-coated cylindrical carbon fiber microelectrodes, 401 (1999) 145
Fluorescence derivatization of amino acids with 4-(5′,6′-dimethoxybenzothiazolyl)phenylisothiocyanate in liquid chromatography, 416 (2000) 69
Metal affinity liquid membrane. II. Facilitated transport of tryptophan, 417 (2000) 159

Amino acid enantiomer
Determination of critical micelle concentrations of anionic surfactants based on ligand exchange micellar electrokinetic chromatography, 403 (2000) 173

Amino acid sequence
Detection of 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) carbamoyl amino acids generated by post-column desulfuration in the simultaneous determination of the sequence and D/L-configuration of peptides using a fluorogenic Edman reagent, 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) isothiocyanate, 415 (2000) 57

α-Amino pyridine resin
An α-amino pyridine resin preconcentration method for iridium in environmental and geological samples, 403 (2000) 243

4-Aminobenzoic acid
Layer-by-layer assembly of multilayer films consisting of silicotungstate and a cationic redox polymer on 4-aminobenzoic acid modified glassy carbon electrode and their electrocatalytic effects, 417 (2000) 133

3-Aminophenylboronic acid modified mass sensor
Affinity mass sensors: determination of fructose, 403 (2000) 49

Aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel
Preconcentration, separation and determination of trace Hg(II) in environmental samples with aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel, 416 (2000) 191

4-Aminopyrazolone
Synthesis and analytical applications of 4-aminopyrazolone derivatives as chromogenic agents for the spectrophotometric determination of phenols, 403 (2000) 315

2-Aminopyridine
A 2-aminopyridine molecularly imprinted polymer surrogate microcolumn for selective solid phase extraction and determination of 4-aminopyridine, 414 (2000) 123

4-Aminopyridine
A 2-aminopyridine molecularly imprinted polymer surrogate microcolumn for selective solid phase extraction and determination of 4-aminopyridine, 414 (2000) 123

Amitriptyline
Determination of amitriptyline and nortriptyline in spiked plasma by capillary zone electrophoresis with β-cyclodextrin, 413 (2000) 125
Highly selective and sensitive determination of tricyclic antidepressants in human plasma using high-performance liquid chromatography with post-column tris(2,2′-bipyridyl) ruthenium(III) chemiluminescence detection, 413 (2000) 137

Ammonia
Sensor for amperometric determination of ammonia and ammonia-forming enzyme reactions, 403 (2000) 11

Ammonia determination
Pervaporation-flow injection determination of ammonia in the presence of surfactants, 416 (2000) 177

Ammonium selectivity
NH_4^+-sensitive chemically modified field effect transistors based on siloxane membranes for flow-cell applications, 401 (1999) 105

Amniotic fluid
Capillary electrophoretic determination of oxalate in amniotic fluid, 410 (2000) 1

Amperometic detection
End-column amperometric detection of aesculin and aesculetin by capillary electrophoresis, 401 (1999) 29

Amperometric
Determination of total sugars in lignocellulose hydrolysate by a mediated *Gluconobacter oxydans* biosensor, 420 (2000) 1

Amperometric biosensor
On-line assay of *S*-captopril using an amperometric biosensor/sequential injection system, 411 (2000) 51
Development of an interferent free amperometric biosensor for determination of L-lysine in food, 412 (2000) 111

Amperometric detection
Separation and determination of di- and tricarboxylic acids in fruits by capillary zone electrophoresis with amperometric detection, 415 (2000) 75
Capillary electrophoresis microchips with thick-film amperometric detectors: separation and detection of phenolic compounds, 416 (2000) 9
Determination of sulfur dioxide and ascorbic acid in beverages using a dual channel flow injection electrochemical detection system, 416 (2000) 105
Amperometric detection of three purine alkaloids following their separation by micellar electrokinetic capillary chromatography, 419 (2000) 235
Combination of flow injection with capillary electrophoresis. Part 7. Microchip capillary electrophoresis system with flow injection sample introduction and amperometric detection, 422 (2000) 71

Amperometric enzyme immunosensor
Amperometric enzyme immunosensor for the determination of the antigen of the pathogenic fungi *Trichophyton rubrum*, 411 (2000) 13

Amperometric enzyme sensor
Sensor for amperometric determination of ammonia and ammonia-forming enzyme reactions, 403 (2000) 11

Amperometric pH-sensing
Amperometric pH-sensing biosensors for urea, penicillin, and oxalacetate, 415 (2000) 151

Amperometry
4-Hydroxynaphthyl-1-phosphate as a substrate for alkaline phosphatase and its use in sandwich immunoassay, 402 (1999) 29
Amperometric detection for capillary electrophoresis at a sol–gel carbon composite electrode, 403 (2000) 179
A new tyrosinase biosensor based on tailoring the porosity of Al_2O_3 sol–gel to co-immobilize tyrosinase and the mediator, 407 (2000) 87
Supported liquid membranes for the determination of vanillin in food samples with amperometric detection, 410 (2000) 127
Amperometric detection of D-sorbitol with NAD^+-D-sorbitol dehydrogenase modified carbon paste electrode, 424 (2000) 45

Amphetamines
Exploratory analysis for the automated identification of amphetamines from vapour-phase FTIR spectra, 404 (2000) 303

Amplex™ Red reagent
Microplate-based fluorometric methods for the enzymatic determination of L-glutamate: application in measuring L-glutamate in food samples, 402 (1999) 47

Amplification
Co-immobilization of lactate oxidase and lactate dehydrogenase on conducting polyaniline films, 407 (2000) 97

α-Amylase
Flow injection spectrophotometric assay of α-amylase activity, 421 (2000) 19

Anaesthetic drug thiopentone sodium
Determination of thiopentone sodium in aqueous and biological media by cathodic stripping voltammetry, 412 (2000) 99

Analysis of animal fats
Determination of phenolic antioxidants in vegetal and animal fats without previous extraction by dilution with *n*-propanol and micellar liquid chromatography, 402 (1999) 81

Analysis of cosmetics
Determination of *p*-aminobenzoates and cinnamate in cosmetic matrix by supercritical fluid extraction and micellar electrokinetic capillary chromatography, 416 (2000) 157

Analysis of glucose
Copper oxide based flow-through detector for glucose determination, 405 (2000) 87

Analysis of vegetal fats
Determination of phenolic antioxidants in vegetal and animal fats without previous extraction by dilution with *n*-propanol and micellar liquid chromatography, 402 (1999) 81

Analytic method
Analytical method for monitoring airborne trimethylamine using solid phase micro-extraction and gas chromatography-flame ionization detection, 419 (2000) 73

Analytical applications
Spectrophotometric study of iron oxidation in the iron(II)/azide/tetrahydrofuran system and some analytical applications, 411 (2000) 217

Analytical curves
Expanding the working concentration range for the direct analysis of metallic alloys by on-line anodic electrodissolution and electrothermal atomic absorption spectrometry, 401 (1999) 307

Analytical method
A new method for determining the concentration of atmospheric alcohols using the nitrite formation reaction, 402 (1999) 233

α- and β-Aminophosphonic acids
Direct liquid chromatographic enantioseparation of chiral α- and β-aminophosphonic acids employing quinine-derived chiral anion exchangers: determination of enantiomeric excess and verification of absolute configuration, 404 (2000) 169

Anhydrotetracycline
Determination of tetracycline and its major degradation products by chemiluminescence, 405 (2000) 51

Anhydrous acetic acid
Study on the stability of Co(III), Mn(III) and Tl(III) ions in acetic acid solutions, 403 (2000) 333

Anhydrous tris(2,2′-bipyridyl)ruthenium(III) perchlorate
Preparation and preliminary evaluation of anhydrous tris(2,2′-bipyridyl)ruthenium(III) perchlorate as a temporally stable reagent for analytical chemiluminescence, 421 (2000) 1

Aniline
Array of conducting polymer sensors for the characterisation of wines, 411 (2000) 193
Development of a new atropine sulfate bulk acoustic wave sensor based on a molecularly imprinted electrosynthesized copolymer of aniline with *o*-phenylenediamine, 423 (2000) 221

Anion effects
Ion-pair formation in water and extraction into benzene of 18-crown-6–sodium ion complex with nitrated phenolate ions, 416 (2000) 145

Anion facilitated transport
Metal affinity liquid membrane. Facilitated transport of nitrite, 403 (2000) 101

Anion-exchange
Ion chromatography using a charged complex anion-exchange group, 409 (2000) 17

Anionic surfactant
Determination of critical micelle concentrations of anionic surfactants based on ligand exchange micellar electrokinetic chromatography, 403 (2000) 173
Studies of micelle and trace non-polar organic solvent on a new chemiluminescence system and its application to flow injection analysis, 409 (2000) 75

Anions
Conducting polymer and oligomer micro-electrodes for the potentiometric detection of anions in capillary electrophoresis, 401 (1999) 21
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21
Fullerene C_{60}-cryptand chromatographic stationary phase for separations of anions/cations and organic molecules, 416 (2000) 169

Anisotropic etching
An integrated module for sensing pO_2, pCO_2, and pH, 405 (2000) 57

ANN
Determination of enantiomeric composition of ibuprofen in solid state mixtures of the two by DRIFT spectroscopy, 417 (2000) 31
Quantitative artificial neural network for electronic noses, 417 (2000) 101
Prediction of drug transfer into human milk from theoretically derived descriptors, 418 (2000) 181

Anodic stripping voltammetry
On the estimate of blanks in differential pulse voltammetric techniques: application to detection limits evaluation as recommended by IUPAC, 403 (2000) 117
Determination of Ag(I), Hg(II), Cu(II), Pb(II), Cd(II) by stripping voltammetry in aqueous solutions using complexing polymers in conjunction with membrane filtration, 404 (2000) 231
Differential pulse anodic stripping voltammetry of copper in dichloromethane: application to the analysis of human hair, 405 (2000) 135
Trace determination of mercury by anodic stripping voltammetry at the rotating gold electrode, 424 (2000) 65

Anthracycline
Determination of daunorubicin in human urine by capillary zone electrophoresis with amperometric detection, 416 (2000) 15

9,10-Anthraquinone-2,6-disulphonate (AQ)
Flow-injection chemiluminescence determination of DNA based on a photochemical reaction, 402 (1999) 13

Anti- or pro-oxidant activity
Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion, 411 (2000) 209

Antibody immobilization
Flow-through fluoroimmunosensor for isoproturon determination in agricultural foodstuff. Evaluation of antibody immobilization on solid support, 417 (2000) 85
Piezoelectric immunosensor for detection of complement C_6, 423 (2000) 215

Antihistamines
Correlation between hydrophobicity and retention data of several antihistamines in reversed-phase liquid chromatography with aqueous-organic and micellar-organic mobile phases, 421 (2000) 45

Anti-Hofmeister-type selectivity
Ion chromatography using a charged complex anion-exchange group, 409 (2000) 17

Antimony(III)
Determination of antimony species with fluoride as modifier and flow injection hydride generation inductively-coupled plasma emission spectrometry, 417 (2000) 201

Antimony(V)
Determination of antimony species with fluoride as modifier and flow injection hydride generation inductively-coupled plasma emission spectrometry, 417 (2000) 201

Antimony-A
Determination of antimony species with fluoride as modifier and flow injection hydride generation inductively-coupled plasma emission spectrometry, 417 (2000) 201

Anti-progesterone antiserum
Effect of homologous and heterologous spacer arms of progesterone — horse radish peroxidase conjugates on the equilibrium constants for an immobilised anti-progesterone antiserum, 417 (2000) 95

Antitumor drug analysis
Voltammetric behaviour and determination of the anthracycline antitumor drug nogalamycin, 409 (2000) 105

Apatite mineral
Determination of uranium and thorium in apatite minerals by inductively coupled plasma atomic emission spectrometry with solvent extraction separation into diisobutyl ketone, 420 (2000) 65

APDC coprecipitation
Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry, 418 (2000) 11

Apoptosis
Electrochemical method for analyzing intracellular redox activity changes of the etoposide-induced apoptosis in HL-60 cells, 416 (2000) 221

Aquatic chemistry
Speciation of low molecular weight ligands in natural fluids: protonation constants and association of open chain polyamines with the major components of seawater, 418 (2000) 43

Aquatic humic substances
Characterisation of lake-aquatic humic matter isolated with two different sorbing solid techniques: tetramethylammonium hydroxide treatment and pyrolysis-gas chromatography/mass spectrometry, 424 (2000) 91

Aquatic organisms
Determination of ^{90}Sr in aquatic organisms by extraction chromatography: method validation, 414 (2000) 101

Aqueous micellar solutions
Room temperature phosphorescence characteristics of platinum(II) chelates with 8-quinolinol derivatives in aqueous micellar solutions, 407 (2000) 71

Aqueous solution
Electrochemiluminescent determination of peroxydisulfate with $Cr(bpy)_3^{3+}$ in purely aqueous solution, 412 (2000) 235

Arbutin
An electrochemical sensor based on a clay-coated screen-printed electrode for the determination of arbutin, 412 (2000) 63

Area-based model
Algorithms for time-dependent chromatographic peak areas. 1. Algorithms evaluated for fully resolved peaks, 422 (2000) 1

Armadale soil fulvic acid
Effect of metal/fulvic acid mole ratios on the binding of Ni(II), Pb(II), Cu(II), Cd(II), and Al(III) by two well-characterized fulvic acids in aqueous model solutions, 402 (1999) 211

Aromatic hydrocarbons
A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water, 422 (2000) 187

Array
Development of a generic microelectrode array biosensing system, 421 (2000) 175

Arsenic
Preconcentration and determination of mercury in high purity arsenic, 405 (2000) 297
Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25
Coupled techniques based on liquid chromatography and atomic fluorescence detection for arsenic speciation, 411 (2000) 71
Sequential injection analysis system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 412 (2000) 169
Development of analytical systems for the simultaneous determination of the speciation of arsenic [As(III), methylarsonic acid, dimethylarsinic acid, As(V)] and selenium [Se(IV), Se(VI)], 413 (2000) 13
Determination of arsenic species in seawater by flow injection hydride generation in situ collection followed by graphite furnace atomic absorption spectrometry. Stability of As(III), 418 (2000) 19

Arsenic determination
Atomic fluorescence determination of inorganic arsenic in soils after microwave-assisted distillation, 407 (2000) 155

Arsenic speciation
A shipboard method for arsenic speciation using semi-automated hydride generation atomic fluorescence spectroscopy, 409 (2000) 215

Arsenic(III)
A new system for the spectrophotometric determination of arsenic in environmental and biological samples, 408 (2000) 111

Arsenite
Coulometric microflow titrations with chemiluminescent and amperometric detection of the equivalence points — basic investigations and bromimetric titration of low concentration solutions of arsenite, 407 (2000) 203

Arsenosugars
Identification of dimethylarsinoyl-riboside derivatives in seaweed by pneumatically assisted electrospray tandem mass spectrometry, 410 (2000) 71

Arsine
Analysis of gaseous arsenic species and stability studies of arsine and trimethylarsine by gas chromatography-mass spectrometry, 410 (2000) 65

Artificial neural network
A disposable multielectrode biosensor for rapid simultaneous detection of the insecticides paraoxon and carbofuran at high resolution, 401 (1999) 95
Multi-channel piezoelectric quartz crystal sensor for organic vapours, 403 (2000) 39
Linear and non-linear multivariate calibration methods for multicomponent kinetic determinations in cases of severe non-linearity, 405 (2000) 285
Principal component analysis and artificial neural networks applied to the classification of Chinese pottery of neolithic age, 406 (2000) 247
Simultaneous on-line dissolution monitoring of multicomponent solid preparations containing vitamins B_1, B_2 and B_6 by a fiber-optic sensor system, 408 (2000) 39
Simulation of mass spectra of noncyclic alkanes and alkenes using artificial neural network, 415 (2000) 95

Radial basis function networks in host–guest interactions: instant and accurate formation constant calculations, 417 (2000) 221
Simultaneous kinetic spectrophotometric determination of acetaminophen and phenobarbital by artificial neural networks and partial least squares, 419 (2000) 185
Simultaneous determination of the concentration of methanol and relative humidity based on a single Nafion(Ag)-coated quartz crystal microbalance, 421 (2000) 83

Artificial seawater
Speciation of low molecular weight ligands in natural fluids: protonation constants and association of open chain polyamines with the major components of seawater, 418 (2000) 43

As(III)
Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry, 418 (2000) 11

As(V)
Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry, 418 (2000) 11

Ascorbic acid
An optical redox chemical sensor based on ferroin immobilised in a Nafion® membrane, 401 (1999) 137
A flow-through solid phase UV spectrophotometric biparameter sensor for the sequential determination of ascorbic acid and paracetamol, 404 (2000) 131
Flow injection analysis-amperometric determination of ascorbic and uric acids in urine using arrays of gold microelectrodes modified by electrodeposition of palladium, 404 (2000) 151
Amperometric determination of ascorbic acid based on electrocatalytic oxidation using a ruthenium(III) diphenyldithiocarbamate-modified carbon paste electrode, 405 (2000) 93
New electrochemical assay of alkaline phosphatase using ascorbic acid 2-phosphate and its application to enzyme immunoassay, 407 (2000) 119
Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry, 409 (2000) 159
Highly sensitive spectrofluorimetric determination of ascorbic acid based on its enhancement effect on a mimetic enzyme-catalyzed reaction, 413 (2000) 167
Determination of sulfur dioxide and ascorbic acid in beverages using a dual channel flow injection electrochemical detection system, 416 (2000) 105
Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1
Electrocatalytic oxidation of ascorbate at glassy carbon electrodes modified with electrodeposited films derived from dihydroxybenzaldehyde isomers, 420 (2000) 29
Sol–gel-derived, polishable, 1:12-phosphomolybdic acid-modified ceramic-carbon electrode and its electrocatalytic oxidation of ascorbic acid, 424 (2000) 51

Assay of inorganic Cr(VI).
Interfacing flow injection analysis (sequential injection analysis) and electro-thermal atomic absorption spectrometry determination of trace-levels of Cr(VI) via on-line pre-concentration by adsorption in a knotted reactor and by liquid–liquid extraction, 422 (2000) 47

Assay optimization
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121

Association rate constant
Affinity mass sensors: determination of fructose, 403 (2000) 49

Asymmetrical factorial design
Comparison of several criteria to decide on the significance of effects in a robustness test with an asymmetrical factorial design, 404 (2000) 257

Atmospheric aerosols
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111

Atmospheric alcohol
A new method for determining the concentration of atmospheric alcohols using the nitrite formation reaction, 402 (1999) 233

Atmospheric chemistry
A new method for determining the concentration of atmospheric alcohols using the nitrite formation reaction, 402 (1999) 233

Atmospheric particulate matter
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111

Atom trapping
Determination of cadmium in flour by atom trapping flame atomic absorption spectrometry using derivative signal processing, 405 (2000) 185

Atomic
Determination of heavy metals and their speciation in lake sediments by flame atomic absorption spectrometry after a four-stage sequential extraction procedure, 413 (2000) 33

Atomic absorption
Determination of nickel in fingernails and forearm skin (stratum corneum), 403 (2000) 265

Atomic absorption spectrometry
Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277
Sequential extractions for determination of cadmium distribution in coal fly ash, soil and sediment samples, 401 (1999) 283
Simultaneous determination of Cd and Pb in foodstuffs by electrothermal atomic absorption spectrometry, 405 (2000) 205
Determination of ultra-trace amounts of cobalt in seawater by graphite furnace atomic absorption spectrometry after pre-con-

centration with Ni/8-quinolinol/1-nitroso-2-naphthol complex, 407 (2000) 147

Atomic absorption spectroscopy
Synthetic zeolites as sorbent material for on-line preconcentration of copper traces and its determination using flame atomic absorption spectrometry, 403 (2000) 249

Atomic emission spectrometry
Highly sensitive beryllium detection with microwave plasma source atomic emission spectrometry, 422 (2000) 209

Atomic emission spectroscopy
Chemical characterisation of ancient pottery from south of Italy by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES). Statistical multivariate analysis of data, 410 (2000) 193

Atomic fluorescence
Preliminary evaluation of adsorbent-based mercury removal systems for gas condensate, 415 (2000) 21

Atomic fluorescence spectrometry
Atomic fluorescence determination of inorganic arsenic in soils after microwave-assisted distillation, 407 (2000) 155
A shipboard method for arsenic speciation using semi-automated hydride generation atomic fluorescence spectroscopy, 409 (2000) 215

ATP-degradative compounds
Characterization and meat freshness application of a serial three-enzyme reactor system measuring ATP-degradative compounds, 404 (2000) 75

Atrazine
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255
Determination of chloro- and methylthiotriazine compounds in human urine: extraction with diethyl ether and C_{18} solid-phase extraction for gas chromatographic analysis with nitrogen-selective and electron capture detection, 424 (2000) 7

Atropine sulfate
Development of a new atropine sulfate bulk acoustic wave sensor based on a molecularly imprinted electrosynthesized copolymer of aniline with *o*-phenylenediamine, 423 (2000) 221

Attomole
Exploring the limit of detection in biomolecular interaction analysis mass spectrometry (BIA/MS): detection of attomole amounts of native proteins present in complex biological mixtures, 423 (2000) 1

Automated calibration system
A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water, 422 (2000) 187

Automated multiple development
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

Automated speciation analyzer (ASA)
Determination of organomercury compounds with a miniaturised automated speciation analyser, 414 (2000) 141

Automation
A shipboard method for arsenic speciation using semi-automated hydride generation atomic fluorescence spectroscopy, 409 (2000) 215
Determination of octanol–water partition coefficients using a micro-volume liquid-liquid flow extraction system, 423 (2000) 137
Automated determination of Vinclozolin at the ppb level in aqueous samples by a combination of microporous membrane liquid–liquid extraction and adsorption chromatography, 424 (2000) 1

Automotive interior trim
Classification of complex gas mixtures from automotive leather using an electronic nose, 403 (2000) 31

Autoproteolysis
Reproducibility of a solid-phase trypsin microreactor for peptide mapping by capillary electrophoresis, 404 (2000) 29

4-Azochromotropic acid phenylfluorone
Sensitive and simple determination of protein by resonance Rayleigh scattering with 4-azochromotropic acid phenylfluorone, 408 (2000) 177

B

Baby foods
Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization, 412 (2000) 121

Bacteria
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119

Bacterial toxicity
A DNA piezoelectric biosensor assay coupled with a polymerase chain reaction for bacterial toxicity determination in environmental samples, 418 (2000) 1

Bases
Standardization of potentiometric sensors and acid–base behaviour of a series of bases in nitrobenzene, 403 (2000) 349
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221

Benomyl
Selective determination of carbaryl and benomyl by fluorescence polarization, 414 (2000) 25

Benzenepolycarboxylic acids
Evaluation of the terbium(III)-sensitized luminescence with benzenepolycarboxylic acids. Determination of terephthalic acid in drink samples, 407 (2000) 53

Benzhydrylamine-resin
First purification of heparan sulfate disaccharides with an amine resin used as solid support for peptide synthesis, 403 (2000) 205

Benzoic acids
Acid–base behaviour of substituted phenolic substances and resolution of acid strength in tetrahydrofuran, 403 (2000) 339

Benzophenone
Spectrophotometric determination of bismuth after extraction of tetrabutylammonium tetraiodobismuthate(III) with microcrystalline benzophenone, 419 (2000) 41

Benzo[a]pyrene
Immunochemical detection of polycyclic aromatic hydrocarbons and 1-hydroxypyrene in water and sediment samples, 419 (2000) 1

Benzylaminopurine
Determination of the first dissociation constant of 6-benzylaminopurine. A comparison of methods, 421 (2000) 221

Beryllium
Highly sensitive beryllium detection with microwave plasma source atomic emission spectrometry, 422 (2000) 209

Beta counter
Determination of ^{210}\{ Po\} and ^{210}\{ Pb\} in rainwater using measurement of ^{210}\{ Po\} and ^{210}\{ Bi\}, 422 (2000) 113

Beverages
Flow electrochemical determination of ascorbic acid in real samples using a glassy carbon electrode modified with a cellulose acetate film bearing 2,6-dichlorophenolindophenol, 409 (2000) 113
Fabrication and voltammetric study of lanthanum 2,6-dichlorophenolindophenol chemically modified screen printed electrodes.. Application for the determination of ascorbic acid, 423 (2000) 107

^{210}Bi
Determination of ^{210}\{ Po\} and ^{210}\{ Pb\} in rainwater using measurement of ^{210}\{ Po\} and ^{210}\{ Bi\}, 422 (2000) 113

BIA/MS
Exploring the limit of detection in biomolecular interaction analysis mass spectrometry (BIA/MS): detection of attomole amounts of native proteins present in complex biological mixtures, 423 (2000) 1

Biacetyl
Practical implementation of quenched phosphorescence detection in capillary electrophoresis, 417 (2000) 15

Biamperometry
Flow injection biamperometric determination of metronidazole with on-line photodegradation, 401 (1999) 229
Flow injection biamperometric determination of chloramphenicol and related nitro compounds by on-line chemical photodegradation, 404 (2000) 141
Flow injection biamperometric determination of chloramine-T in environmental, pharmaceutical and veterinary samples, 407 (2000) 187

Bias evaluation
Inter-laboratory studies in analytical chemistry, 423 (2000) 145

[1,1′-Bicyclohexyl]-1,1′-2,2′-tetrol
Cadmium(II)-selective membrane electrode based on a synthesized tetrol compound, 408 (2000) 75

Bidirectional electrostacking
On-line bidirectional electrostacking of chromium(III) and chromium(VI) for flame atomic absorption spectrometry determination, 421 (2000) 57

Binary and ternary complexes of titanium(IV), vanadium(V) and molybdenum(VI)
Sensitive reversed-phase liquid chromatographic determination of hydrogen peroxide and glucose based on ternary vanadium(V)-hydrogen peroxide-2-(5-bromo-2-pyridylazo)-5-diethylaminophenol system, 421 (2000) 35

Binary sampling
A flow system exploiting multicommutation for speciation of inorganic nitrogen in waters, 409 (2000) 227

Binary solvent mixtures
Potentiometric pK_a determination of standard substances in binary solvent systems, 405 (2000) 303

Binding
Cu(II) binding by a pH-fractionated fulvic acid, 402 (1999) 183

Binding constant
Radial basis function networks in host–guest interactions: instant and accurate formation constant calculations, 417 (2000) 221

Binding reaction
Utilization of the copper(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol as an absorption spectroscopic probe for nucleic acids assay, 402 (1999) 21
Application of the dibromohydroxyphenylfluorone–molybdenum(VI) complex to the sensitive spectrophotometric determination of protein, 403 (2000) 225
Spectrophotometric determination of nucleic acids using palladium(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol, 413 (2000) 87
Simple and sensitive determination of nucleic acids using palladium(II) complex with 2-(2-thiazolylazo)-5-dimethylaminobenzoic acid, 422 (2000) 159

Biodegradation
Fiber optic detection of in situ *lux* reporter gene activity in porous media: system design and performance, 422 (2000) 121

Bioelectrocatalysis
Highly sensitive electrochemical detection of alkaline phosphatase, 424 (2000) 57

Biogenic amines
Validation of bias in multianalyte determination methods. Application to RP-HPLC derivatizing methodologies, 406 (2000) 257

Biological and environmental samples
Determination of trace copper in biological and environmental samples by third derivative spectrophotometry after pre-concentration with the ion pair of nitroso-R and tetradecyldimethylbenzylammonium chloride on microcrystalline naphthalene, 408 (2000) 153

Biological fluids
Tungsten determination in rat and dog plasma samples by inductively coupled plasma emission spectrometry. Application to preclinical pharmacokinetic studies, 405 (2000) 221
Capillary electrophoretic determination of oxalate in amniotic fluid, 410 (2000) 1
Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method, 414 (2000) 15
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87

Biological leukemic marker
Competitive immunoassay method for 5-methyl-2′-deoxycytidine, 413 (2000) 79

Biological materials
Differential pulse polarographic determination of tenoxicam in pharmaceuticals and added to blood, 406 (2000) 183

Biological materials and sediments
The use of tungsten–rhodium permanent chemical modifier for cadmium determination in decomposed samples of biological materials and sediments by electrothermal atomic absorption spectrometry, 409 (2000) 267

Biological reference interval
Validation of a competitive ELISA for the determination of serum keratan sulphate, 424 (2000) 161

Biological samples
A new system for the spectrophotometric determination of arsenic in environmental and biological samples, 408 (2000) 111

Bioluminescence
Fiber optic detection of in situ *lux* reporter gene activity in porous media: system design and performance, 422 (2000) 121

Bioluminescent enzyme immunoassay
Novel bioluminescent assay of pyruvate phosphate dikinase using firefly luciferase–luciferin reaction and its application to bioluminescent enzyme immunoassay, 421 (2000) 113

Biomarker
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119
Validation of a competitive ELISA for the determination of serum keratan sulphate, 424 (2000) 161

Bio-mimic sensor
Molecular imprinting polymer coated BAW bio-mimic sensor for direct determination of epinephrine, 415 (2000) 135

Biosensor
A carbon paste electrode modified by entrapped toluidine blue-O for amperometric determination of L-lactate, 401 (1999) 155
Peroxidase enzyme electrodes as nitric oxide biosensors, 403 (2000) 1
Comparative investigation of electrochemical cholinesterase biosensors for pesticide determination, 404 (2000) 55
Polyelectrolyte stabilized oxidase based biosensors: effect of diethylaminoethyl-dextran on the stabilization of glucose and lactate oxidases into porous conductive carbon, 404 (2000) 67
Sol–gel-derived thick-film conductometric biosensor for urea determination in serum, 404 (2000) 195
Voltammetric measurement of microorganism populations, 405 (2000) 115
A new tyrosinase biosensor based on tailoring the porosity of Al_2O_3 sol–gel to co-immobilize tyrosinase and the mediator, 407 (2000) 87
Amperometric enzyme electrode for the determination of hydrogen peroxide based on sol–gel/hydrogel composite film, 407 (2000) 111
Reagentless enzyme electrode for malate based on modified polymeric membranes, 408 (2000) 217
Evaluation of substituted-1,10-phenanthroline complexes of osmium as mediator for glucose oxidase of *Aspergillus Niger*, 408 (2000) 225
Pseudo-equilibrium approach to the design and use of enzyme-based amperometric biosensors evaluated using a sensor for hydrogen peroxide, 409 (2000) 123
Evaluation of different fluorocarbon oils for their internal oxygen supply in glucose microsensors operated under oxygen-deficit conditions, 411 (2000) 187
Biosensor for detection of hypoxanthine based on xanthine oxidase immobilized on chemically modified carbon paste electrode, 412 (2000) 55
Development of a flow-injection liposome immunoanalysis system for fumonisin B1, 414 (2000) 61
Amperometric pH-sensing biosensors for urea, penicillin, and oxalacetate, 415 (2000) 151
Bioanalytical flow-injection system for control of hemodialysis adequacy, 418 (2000) 213
Determination of total sugars in lignocellulose hydrolysate by a mediated *Gluconobacter oxydans* biosensor, 420 (2000) 1
Development of a generic microelectrode array biosensing system, 421 (2000) 175
Fiber optic detection of in situ *lux* reporter gene activity in porous media: system design and performance, 422 (2000) 121

A reagentless nitric oxide biosensor based on hemoglobin–DNA films, 423 (2000) 95
Amperometric glucose sensor based on glucose oxidase immobilized in electrochemically generated poly(ethacridine), 423 (2000) 101

Biotin hydrazide
Voltammetric monitoring of the interaction between streptavidin and biotinylated alkaline phosphatase through the enzymatic hydrolysis of 3-indoxyl phosphate, 417 (2000) 57

Biotin–streptavidin
Voltammetric monitoring of the interaction between streptavidin and biotinylated alkaline phosphatase through the enzymatic hydrolysis of 3-indoxyl phosphate, 417 (2000) 57

Bis(2,4,6-trichlorophenyl) oxalate
Synthesis, characterisation and preliminary analytical evaluation of three oxamide reagents for peroxyoxalate chemiluminescence, 403 (2000) 145

Bis(acetylacetone)ethylenediimine
Differential pulse anodic stripping voltammetry of copper in dichloromethane: application to the analysis of human hair, 405 (2000) 135
Flow injection extraction spectrophotometric determination of nickel using bis(acetylacetone)ethylenediimine, 408 (2000) 123

1,2-Bis(3-chlorophenyl)ethylene diamine
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155

Bis(dialkyldithiophosphates)
Polymeric membrane silver-ion selective electrodes based on bis-(dialkyldithiophosphates), 416 (2000) 139

Bis(2-ethylhexyl)sebacate
Determination of complex formation constants of 18 neutral alkali and alkaline earth metal ionophores in poly(vinyl chloride) sensing membranes plasticized with bis(2-ethylhexyl)sebacate and *o*-nitrophenyloctylether, 421 (2000) 207

Bismuth
Determination of bismuth in pharmaceutical products using liquid–liquid extraction in a flow injection system, 408 (2000) 129
Spectrophotometric determination of bismuth after extraction of tetrabutylammonium tetraiodobismuthate(III) with microcrystalline benzophenone, 419 (2000) 41

Bismuth antimony telluride
Precision attainable in the determination of silver by flame atomic absorption spectrometry. Analysis of thermoelectric silver-doped tellurides, 408 (2000) 183

Bisulfide
Quantifying elemental sulfur (S^0), bisulfide (HS^-) and polysulfides (S_x^{2-}) using a voltammetric method, 415 (2000) 175

Black system
Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC, 412 (2000) 195

Blank signal
On the estimate of blanks in differential pulse voltammetric techniques: application to detection limits evaluation as recommended by IUPAC, 403 (2000) 117

Blood chemistry analyzer
Experimental design modeling of carryover to optimize air-segmented continuous flow analysis, 408 (2000) 21

Blood gas
An integrated module for sensing pO_2, pCO_2, and pH, 405 (2000) 57

Blood plasma
Capillary electrophoretic determination of oxalate in amniotic fluid, 410 (2000) 1

Blood serum
A single solution for non-linear calibration in flow injection spectrophotometry. Kinetic determination of total protein in blood serum, 401 (1999) 215

Blood-brain barrier
Determination and pharmacokinetic study of unbound cefoxitin in rat blood and brain with on-line microdialysis and microbore liquid chromatography, 412 (2000) 13

Body fluids
Application of the dibromohydroxyphenylfluorone–molybdenum(VI) complex to the sensitive spectrophotometric determination of protein, 403 (2000) 225

Bonded phase
Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25
Open tubular capillary electrochromatography in fused-silica capillaries chemically bonded with macrocyclic dioxopolyamine, 418 (2000) 145

Bonded silica gel
Preparation and characterization of an L-tyrosine-derivatized β-cyclodextrin-bonded silica stationary phase for liquid chromatography, 403 (2000) 187

Boron
4-Methoxy-azomethine-H as a reagent for the spectrophotometric determination of boron in plants and soils, 402 (1999) 253
Investigation of characteristics of non-reductive thermal ion emission of various graphites in thermal ionization mass spectrometry, 420 (2000) 95

Branched chain alkanes
Corona discharge ion mobility spectrometry of aliphatic and aromatic hydrocarbons, 403 (2000) 235

Brij® 58
Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection, 412 (2000) 149

Bromate
Kinetic–spectophotometric determination of hydrazine by the inhibition of the bromate–hydrochloric acid reaction, 419 (2000) 101

Bromide ion-selective electrode
A bromide ion-selective polymeric membrane electrode based on a benzo-derivative xanthenium bromide salt, 418 (2000) 197

2-(5-Bromo-2-pyridylazo)-5-diethylaminophenol
Utilization of the copper(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol as an absorption spectroscopic probe for nucleic acids assay, 402 (1999) 21
Spectrophotometric determination of nucleic acids using palladium(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol, 413 (2000) 87
Sensitive reversed-phase liquid chromatographic determination of hydrogen peroxide and glucose based on ternary vanadium(V)-hydrogen peroxide-2-(5-bromo-2-pyridylazo)-5-diethylaminophenol system, 421 (2000) 35

2-(5-bromo-2-pyridylazo)-5-[*N*-propyl-*N*-(3-sulfopropyl)amino]phenol (PAPS)
Separation and determination of niobium(V) and tantalum(V) as 2-(5-bromo-2-pyridylazo)-5-[*N*-propyl-*N*-(3-sulfopropyl)amino]-phenol citrate ternary complexes in geological samples using ion interaction high-performance liquid chromatography, 409 (2000) 35

5-Br-PADAP
Kinetic study of Ni(II) and Zn(II) complexation with a pyridylazo extractant by a centrifugal liquid membrane method, 419 (2000) 107
On-line pre-concentration system for vanadium determination in drinking water using flow injection-inductively coupled plasma atomic emission spectrometry, 420 (2000) 73

BTEX
Static headspace, solid-phase microextraction and headspace solid-phase microextraction for BTEX determination in aqueous samples by gas chromatography, 415 (2000) 9

BTEX compounds
Evaluation of the reliability of diffusive sampling in environmental monitoring, 408 (2000) 117

Bulk acoustic wave
Molecular imprinting polymer coated BAW bio-mimic sensor for direct determination of epinephrine, 415 (2000) 135

Bulk acoustic wave sensor
Development of a new atropine sulfate bulk acoustic wave sensor based on a molecularly imprinted electrosynthesized copolymer of aniline with *o*-phenylenediamine, 423 (2000) 221

Butylated hydroxyanisole
Voltammetric determination of butylated hydroxyanisole, butylated hydroxytoluene, propyl gallate and *tert*-butylhydroquinone by use of chemometric approaches, 412 (2000) 185

Butylated hydroxytoluene
Voltammetric determination of butylated hydroxyanisole, butylated hydroxytoluene, propyl gallate and *tert*-butylhydroquinone by use of chemometric approaches, 412 (2000) 185

Butylbenzylphthalate
Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification, 407 (2000) 165

Butyltin
Microporous membrane liquid–liquid extraction technique combined with gas chromatography mass spectrometry for the determination of organotin compounds, 404 (2000) 319
Speciation analysis of butyltin compounds in Chinese seawater by capillary gas chromatography with flame photometric detection using in-situ hydride derivatization followed by headspace solid-phase microextraction, 421 (2000) 67

C

C_{60}
Fullerene C_{60}-cryptand chromatographic stationary phase for separations of anions/cations and organic molecules, 416 (2000) 169

^{13}C MAS NMR
Combination of X-ray photoelectron and solid-state ^{13}C nuclear magnetic resonance spectroscopy in the structural characterisation of humic acids, 424 (2000) 243

Cadmium
Sequential extractions for determination of cadmium distribution in coal fly ash, soil and sediment samples, 401 (1999) 283
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223
Determination of cadmium in flour by atom trapping flame atomic absorption spectrometry using derivative signal processing, 405 (2000) 185
Simultaneous determination of Cd and Pb in foodstuffs by electrothermal atomic absorption spectrometry, 405 (2000) 205
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 255
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 261
Determination of lead (II) and cadmium (II) in hard and soft wheat by derivative potentiometric stripping analysis, 409 (2000) 93
The use of tungsten–rhodium permanent chemical modifier for cadmium determination in decomposed samples of biological

materials and sediments by electrothermal atomic absorption spectrometry, 409 (2000) 267
Complexing capacity of low-level radioactive waste leachates for ^{60}Co and ^{109}Cd using an ion-exchange technique, 410 (2000) 107
The retention of metal species by different solid sorbents. Mechanisms for heavy metal speciation by sequential three column uptake, 411 (2000) 223
Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization, 412 (2000) 121

Cadmium ion-selective electrode
Cadmium(II)-selective membrane electrode based on a synthesized tetrol compound, 408 (2000) 75

Caffeine
Amperometric detection of three purine alkaloids following their separation by micellar electrokinetic capillary chromatography, 419 (2000) 235

Caffeine analysis
Monosegmented micro-volume liquid–liquid flow-extraction system based on intermittent pumping and spectroscopic detection, 415 (2000) 1

Caged compounds
New method for adding reagents: an application of caged molecules to analytical chemistry, 405 (2000) 17

Ca-ion sensor
Ion-selective field effect transistor (ISFET)-based calcium ion sensor with photocured polyurethane membrane suitable for ionised calcium determination in milk, 408 (2000) 57

Calcium
Direct, selective flow injection spectrophotometric determination of calcium in wines using methylthymol blue and an on-line cascade dilution system, 402 (1999) 259
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with ETH1001 as neutral carrier, 404 (2000) 101
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with tetraoctylammonium chloride as cationic additive, 404 (2000) 111
Flow-injection analysis–fluorescence detection for the in vivo on-line determination of calcium in blood with microdialysis sampling, 419 (2000) 175
New longwave absorbing chromogenic calix[4]arene for calcium determination in aqueous environment, 421 (2000) 199

Calibration
A calibration method for handling the temporal drift of solid state gas-sensors, 407 (2000) 23
Performance characteristics for flow injection immunoassay using monoclonal antibodies against s-triazine and 2,4-D herbicides, 412 (2000) 19
Quantitative determination of content in binary powder mixtures using diffuse reflectance near infrared spectrometry and multivariate analysis, 419 (2000) 45

Calibration parameter
Calibration of pH glass electrodes by direct strong acid/strong base titrations under dilute conditions, 405 (2000) 167

Calibrationless determination
Coulometric microflow titrations with chemiluminescent and amperometric detection of the equivalence points — basic investigations and bromimetric titration of low concentration solutions of arsenite, 407 (2000) 203
Coulometric microflow titrations with chemiluminescent and amperometric equivalence point detection. Bromimetric titration of low concentrations of hydrazine and ammonium, 409 (2000) 83

Calixarene
New longwave absorbing chromogenic calix[4]arene for calcium determination in aqueous environment, 421 (2000) 199

Calixarene derivative
Calixarene derivative as the neutral carrier in silver ion-selective electrode and liquid membrane transport, 417 (2000) 51

Canonical analysis
Optimization of the experimental parameters in the determination of rifamycin SV by adsorptive stripping voltammetry, 405 (2000) 123

Capillary electrochromatography
Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25

Capillary electrophoresis
Chip-based nanovials for tryptic digest and capillary electrophoresis, 401 (1999) 11
Conducting polymer and oligomer micro-electrodes for the potentiometric detection of anions in capillary electrophoresis, 401 (1999) 21
End-column amperometric detection of aesculin and aesculetin by capillary electrophoresis, 401 (1999) 29
Capillary electrophoretic separation of positional isomers of hydroxynaphthalenecarboxylic acids through the formation of inclusion complexes with β-cyclodextrin, 402 (1999) 53
Amperometric detection for capillary electrophoresis at a sol–gel carbon composite electrode, 403 (2000) 179
On-line monitoring of kraft pulping liquors with a valveless flow injection–capillary electrophoresis system, 404 (2000) 19
Reproducibility of a solid-phase trypsin microreactor for peptide mapping by capillary electrophoresis, 404 (2000) 29
Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327
Determination of melatonin and pyridoxine in pharmaceutical preparations for health-caring purposes by capillary electrophoresis with electrochemical detection, 408 (2000) 249
Comparison of silica and porous graphitic carbon as solid-phase extraction materials for the analysis of cationic herbicides in water by liquid chromatography and capillary electrophoresis, 408 (2000) 263

Capillary electrophoretic determination of coordination equilibrium constants of carboxylate ions with copper(II) complexed with several bis(1,10-phenanthroline) derivatives and bis(bipyridine), 409 (2000) 55
Capillary electrophoretic determination of oxalate in amniotic fluid, 410 (2000) 1
Determination of mercury compounds by capillary electrophoresis inductively coupled plasma mass spectrometry with microconcentric nebulization, 413 (2000) 197
Chemiluminescence detection in capillary electrophoresis, 414 (2000) 1
Short-end injection technique in capillary electrophoresis for dissolution testing of tablets, 415 (2000) 67
Separation and determination of di- and tricarboxylic acids in fruits by capillary zone electrophoresis with amperometric detection, 415 (2000) 75
Electrophoretic behaviour of zwitterionic compounds in capillary electrophoresis. Prediction of mobility of several quinolones, 415 (2000) 83
Capillary electrophoresis microchips with thick-film amperometric detectors: separation and detection of phenolic compounds, 416 (2000) 9
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21
Study of method validation criteria in a capillary electrophoresis method for the separation of non-steroidal anti-inflammatory drugs, 416 (2000) 29
On the potential of forward-scattering degenerate four-wave mixing detection in capillary electrophoresis, 416 (2000) 151
Practical implementation of quenched phosphorescence detection in capillary electrophoresis, 417 (2000) 15
Thermally reversible hydrogel modified capillary electrophoretic immunoassay of estradiol with laser-induced fluorescence detection, 418 (2000) 137
New derivative of β-cyclodextrin as chiral selectors for the capillary electrophoretic separation of chiral drugs, 421 (2000) 27
Determination of the first dissociation constant of 6-benzylaminopurine. A comparison of methods, 421 (2000) 221
Combination of flow injection with capillary electrophoresis. Part 7. Microchip capillary electrophoresis system with flow injection sample introduction and amperometric detection, 422 (2000) 71
Determination of rutin and quercetin in plants by capillary electrophoresis with electrochemical detection, 423 (2000) 69
Simultaneous determination of the active ingredients in composite pseudoephedrine hydrochloride tablets by capillary electrophoresis, 424 (2000) 257

Capillary electrophoretic analysis
Quantitative capillary electrophoretic analysis for calcium and magnesium in sodium–matrix waters, 410 (2000) 11

Capillary extraction
Monosegmented micro-volume liquid–liquid flow-extraction system based on intermittent pumping and spectroscopic detection, 415 (2000) 1

Capillary flow injection
Air segmented continuous flow analysis in microbore tubing, 401 (1999) 209

Capillary gas chromatography
Gas chromatographic enantiomer separation on long-chain alkylated β-cyclodextrin chiral stationary phases, 408 (2000) 279

Capillary zone electrophoresis
Tricine buffer for metallothionein isoform separation by capillary zone electrophoresis, 402 (1999) 59
Determination of amitriptyline and nortriptyline in spiked plasma by capillary zone electrophoresis with β-cyclodextrin, 413 (2000) 125
Determination of daunorubicin in human urine by capillary zone electrophoresis with amperometric detection, 416 (2000) 15
Method development and validation for the simultaneous determination of fluoxetine and fluvoxamine in pharmaceutical preparations by capillary electrophoresis, 417 (2000) 169

Carbamate
Detection of pesticides from liquid matrices by ion mobility spectrometry, 404 (2000) 7

Carbamate pesticides
Screening GC-MS data for carbamate pesticides with temperature-constrained–cascade correlation neural networks, 408 (2000) 1

Carbaryl
Selective determination of carbaryl and benomyl by fluorescence polarization, 414 (2000) 25

Carbo similarity index
A QSERR study on enantioselective separation of enantiomeric sulphoxides, 419 (2000) 93

Carbon
Comparison of silica and porous graphitic carbon as solid-phase extraction materials for the analysis of cationic herbicides in water by liquid chromatography and capillary electrophoresis, 408 (2000) 263

Carbon electrodes
Determination of Ag(I), Hg(II), Cu(II), Pb(II), Cd(II) by stripping voltammetry in aqueous solutions using complexing polymers in conjunction with membrane filtration, 404 (2000) 231

Carbon fibre electrode
Simultaneous determination of phenol isomers in binary mixtures by differential pulse voltammetry using carbon fibre electrode and neural network with pruning as a multivariate calibration tool, 420 (2000) 109

Carbon paste
Evaluation of different fluorocarbon oils for their internal oxygen supply in glucose microsensors operated under oxygen-deficit conditions, 411 (2000) 187

Carbon paste electrode
Competitive enzyme immunosensor developed on a renewable carbon paste electrode support, 402 (1999) 119

Carbonyl compounds
A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221

Carbonyls
Tailor-made derivatizing agents for carbonyl compounds using liquid chromatography, 410 (2000) 47

Carboxyl groups
Combination of X-ray photoelectron and solid-state ^{13}C nuclear magnetic resonance spectroscopy in the structural characterisation of humic acids, 424 (2000) 243

Carboxylic acid
Capillary electrophoretic determination of coordination equilibrium constants of carboxylate ions with copper(II) complexed with several bis(1,10-phenanthroline) derivatives and bis(bipyridine), 409 (2000) 55
Separation and determination of di- and tricarboxylic acids in fruits by capillary zone electrophoresis with amperometric detection, 415 (2000) 75
Sheath-flow Fourier transform infrared spectrometry for the simultaneous determination of citric, malic and tartaric acids in soft drinks, 417 (2000) 41

Carry-over
The analytical characterisation of sub-minute measurement duty cycles in flow injection analysis mass spectrometry, by their carry-over, 403 (2000) 287
Experimental design modeling of carryover to optimize air-segmented continuous flow analysis, 408 (2000) 21

Catalytic
Highly selective and sensitive kinetic spectrophotometric determination of vanadium(IV) in the presence of vanadium(V), 409 (2000) 283

Catalytic determination
Flow-injection catalytic spectrophotometric determination of oxalic acid using the redox reaction between Victoria blue B and dichromate, 406 (2000) 303

Catalytic spectrophotometry
Novel catalytic spectrophotometric procedure for the determination of trace-level aluminium, 412 (2000) 241

Catecholamine
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155
Open tubular capillary electrochromatography in fused-silica capillaries chemically bonded with macrocyclic dioxopolyamine, 418 (2000) 145

Cathodic stripping voltammetry
Comparison of digestion methods for the determination of selenium in fish tissue by cathodic stripping voltammetry, 408 (2000) 97
Voltammetric behaviour and determination of the anthracycline antitumor drug nogalamycin, 409 (2000) 105
Determination of thiopentone sodium in aqueous and biological media by cathodic stripping voltammetry, 412 (2000) 99
Determination of selenium by catalytic cathodic stripping voltammetry, 418 (2000) 33

Cationic additive
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with tetraoctylammonium chloride as cationic additive, 404 (2000) 111

Cationic herbicides
Comparison of silica and porous graphitic carbon as solid-phase extraction materials for the analysis of cationic herbicides in water by liquid chromatography and capillary electrophoresis, 408 (2000) 263

Cations
Ion chromatography with indirect photometric detection of common mono- and divalent cations using an unmodified silica gel column and tyramine/oxalic acid/18-crown-6 as eluent, 405 (2000) 277
Fullerene C_{60}-cryptand chromatographic stationary phase for separations of anions/cations and organic molecules, 416 (2000) 169

Cd
Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89

CE Mechanism
New method for the investigation of CE system via convolutive voltammetry combined with digital simulation, 414 (2000) 173

Cefoxitin
Determination and pharmacokinetic study of unbound cefoxitin in rat blood and brain with on-line microdialysis and microbore liquid chromatography, 412 (2000) 13

Cell adhesion
Cytotoxicity testing of model compounds through cell adhesion to a pattern of collagen matrix, 420 (2000) 103

Cell cultivation medium
Spectrophotometric determination of phosphate and silicate by sequential injection using molybdenum blue chemistry, 417 (2000) 191

Cellulose
Application of chromaticity characteristics for direct determination of trace aluminum with Eriochrome cyanine R by diffuse reflection spectroscopy, 408 (2000) 145
Application of NIR reflectance spectroscopy for the identification of pharmaceutical excipients, 420 (2000) 155

Cellulose acetate membrane
Highly-sensitive flow injection determination of hydrogen peroxide with a peroxidase-immobilized electrode and its application to clinical chemistry, 406 (2000) 201

Cellulose pyrolysis
Quantitative thermogravimetric-mass spectrometric analysis for monitoring the effects of fire retardants on cellulose pyrolysis, 409 (2000) 203

Centrifugal liquid membrane method
Kinetic study of Ni(II) and Zn(II) complexation with a pyridylazo extractant by a centrifugal liquid membrane method, 419 (2000) 107

Ceramides
Liquid chromatography–electrospray mass spectrometry and tandem mass spectrometry of ceramides, 403 (2000) 295
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

Cerium (IV)
Chemiluminometric behaviour of erythromycin and related compounds, 410 (2000) 153
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87
Determination of ofloxacin using a chemiluminescence flow-injection method, 416 (2000) 227
Chemiluminescent determination of Ce(IV) using Cypridina luciferin analog, 422 (2000) 81

Certification of reference materials
Inter-laboratory studies in analytical chemistry, 423 (2000) 145

Certified reference materials
Determination of mercury in environmental and biological samples using pyrolysis atomic absorption spectrometry with gold amalgamation, 405 (2000) 179

Chalcogenide glass sensors
A flow injection system based on chalcogenide glass sensors for the determination of heavy metals, 403 (2000) 273

Characterization
Characterization and meat freshness application of a serial three-enzyme reactor system measuring ATP-degradative compounds, 404 (2000) 75

Charge coupled device
Simultaneous kinetic determination of cobalt, nickel and iron by coupling stopped-flow techniques and charge coupled device detection, 423 (2000) 277

Charge transfer complexes
Study on the stability of Co(III), Mn(III) and Tl(III) ions in acetic acid solutions, 403 (2000) 333

Charged carrier
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with ETH1001 as neutral carrier, 404 (2000) 101
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with tetraoctylammonium chloride as cationic additive, 404 (2000) 111

Charged complex anion-exchange group (CCAG)
Ion chromatography using a charged complex anion-exchange group, 409 (2000) 17

Charged droplets
On the mechanisms by which the charged droplets produced by electrospray lead to gas phase ions, 406 (2000) 11

Charged polymers
Improvement of urease based biosensor characteristics using additional layers of charged polymers, 403 (2000) 25

Charged residue
Mechanisms of electrospray ionization of singly and multiply charged salt clusters, 406 (2000) 67

Charged residue model
Charged residue versus ion evaporation for formation of alkali metal halide cluster ions in ESI, 406 (2000) 53

Chelation ion chromatography
Chelation ion chromatography of metal ions using high performance substrates dynamically modified with heterocyclic carboxylic acids, 401 (1999) 65

Chelex-100
Speciation of aluminum in tea infusion by ion-exchange resins and flame AAS detection, 411 (2000) 81

Chelex-100 resin
In situ measurement of trace metals in lakewater using the dialysis and DGT techniques, 418 (2000) 53

Chemical analyses
Determination of fluoride in $M(SbF_6)_x$ compounds, 418 (2000) 113

Chemical composition
Principal component analysis and artificial neural networks applied to the classification of Chinese pottery of neolithic age, 406 (2000) 247

Chemical de-oxygenator
Room temperature phosphorescence characteristics of platinum(II) chelates with 8-quinolinol derivatives in aqueous micellar solutions, 407 (2000) 71

Chemical modification
Interference of various salts on the determination of selenium by graphite furnace atomic absorption spectrometry: effect of sea water, 402 (1999) 327

Chemical modifier
Enhancement of the atomic absorption signal by silicate at electrothermal atomic absorption spectrometry, 415 (2000) 221

Chemical oscillating reaction
Determination of riboflavin by the perturbation of active oxygen on a chemical oscillating reaction, 413 (2000) 115

Chemical oxygen demand (COD)
Chemical oxygen demand determination in environmental waters by mixed-acid digestion and single sweep polarography, 420 (2000) 39

Chemical sensor array
A pH-sensitive nanotip array imaging sensor, 419 (2000) 215

Chemical sensors
Selectivity of chemical sensors based on micro-cantilevers coated with thin polymer films, 422 (2000) 89

Chemical warfare (CW) degradation products
Separation and identification of some chemical warfare degradation products using electrospray high resolution ion mobility spectrometry with mass selected detection, 404 (2000) 273

Chemically modified electrode
Sol–gel-derived, polishable, 1:12-phosphomolybdic acid-modified ceramic-carbon electrode and its electrocatalytic oxidation of ascorbic acid, 424 (2000) 51

Chemically modified field effect transistor (CHEMFET)
NH_4^+-sensitive chemically modified field effect transistors based on siloxane membranes for flow-cell applications, 401 (1999) 105
Nitrate-selective chemically modified field effect transistors for flow-cell applications, 416 (2000) 97

Chemiluminescence
Influence of oxidant-species scavengers on the chemiluminescence (CL) emission generated during the oxidation of pyrogallol by hydrogen peroxide, 401 (1999) 197
Facile chemiluminescent method for alkaline phosphatase determination, 402 (1999) 99
Pulse injection analysis with chemiluminescence detection: determination of cinnamic acid using the $Ru(bipy)_3^{2+}$-$KMnO_4$ system, 402 (1999) 113
Chemiluminescent determination of lucigenin using thioureid derivatives, 403 (2000) 125
Lophine derivatives and analogues as new phenolic enhancers for the luminol–hydrogen peroxide–horseradish peroxidase chemiluminescence system, 403 (2000) 131
Flow injection chemiluminometric determination of albumin, 403 (2000) 137
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155
Tris(2,2-bipyridyl)ruthenium (II) chemiluminescence in a microflow injection system for codeine determination, 405 (2000) 43
Determination of tetracycline and its major degradation products by chemiluminescence, 405 (2000) 51
Plant tissue-based chemiluminescence flow biosensor for urea, 407 (2000) 81
Chemiluminescence behavior of the decomposition of hydrogen peroxide catalyzed by copper(II)–amino acid complexes and its application to the determination of tryptophan and phenylalanine, 409 (2000) 65
Studies of micelle and trace non-polar organic solvent on a new chemiluminescence system and its application to flow injection analysis, 409 (2000) 75
Chemiluminometric behaviour of erythromycin and related compounds, 410 (2000) 153
Effect of complexones and tensides on selectivity of nitrogen dioxide determination in air with a chemiluminescence aerosol detector, 410 (2000) 159
Analytical applications of chemiluminogenic reactions, 413 (2000) 175
Chemiluminescence detection in capillary electrophoresis, 414 (2000) 1
Study of enhancement effects in the chemiluminescence method for Cr(III) in the ng l^{-1} range, 415 (2000) 209
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87
Determination of ofloxacin using a chemiluminescence flow-injection method, 416 (2000) 227
Preparation and preliminary evaluation of anhydrous tris(2,2′-bipyridyl)ruthenium(III) perchlorate as a temporally stable reagent for analytical chemiluminescence, 421 (2000) 1
Chemiluminescent determination of Ce(IV) using Cypridina luciferin analog, 422 (2000) 81
Radiostorage- and photostoragechemiluminescence: analytical prospects, 423 (2000) 239

Chemiluminescence detection
Flow-injection chemiluminescence determination of DNA based on a photochemical reaction, 402 (1999) 13
Coulometric microflow titrations with chemiluminescent and amperometric detection of the equivalence points — basic investigations and bromimetric titration of low concentration solutions of arsenite, 407 (2000) 203
Coulometric microflow titrations with chemiluminescent and amperometric equivalence point detection. Bromimetric titration of low concentrations of hydrazine and ammonium, 409 (2000) 83
Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method, 414 (2000) 15

Chemometric methods
Estimation of the heteroscedastic noise in large data arrays, 412 (2000) 177
Using chemometric methods and NIR spectrophotometry in the textile industry, 420 (2000) 163

Chemometrics
Improved algorithm for clustering tendency, 408 (2000) 13
Caveat in abstract factor analysis-based pseudorank estimation, 411 (2000) 157
Voltammetric determination of butylated hydroxyanisole, butylated hydroxytoluene, propyl gallate and *tert*-butylhydroquinone by use of chemometric approaches, 412 (2000) 185
Principles and applications of wavelet transformation to chemometrics, 420 (2000) 169

Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51
Multivariate calibration with Raman spectroscopic data: a case study, 424 (2000) 185

Chemometry
Chemometric methods in energy dispersive X-ray fluorescence, 420 (2000) 197

Chemosensitive film
Optical sensing schemes for Prussian Blue/Prussian White film system, 424 (2000) 27

Chicken
Development of the enzyme reactor system with an amperometric detection and application to estimation of the incipient stage of spoilage of chicken, 411 (2000) 37

Chimeric RNA–DNA oligonucleotide
Application of chimeric RNA–DNA oligonucleotides to the detection of pathogenic microorganisms using surface plasmon resonance, 407 (2000) 1

Chinese pottery of neolithic age
Principal component analysis and artificial neural networks applied to the classification of Chinese pottery of neolithic age, 406 (2000) 247

Chip
Chip-based nanovials for tryptic digest and capillary electrophoresis, 401 (1999) 11

Chiral discrimination
Quartz crystal microbalance for L-leucine sensing based on growth of L-leucine crystals immobilized on a monolayer of 11-mercaptoundecanoic acid, 413 (2000) 223

Chiral drugs
New derivative of β-cyclodextrin as chiral selectors for the capillary electrophoretic separation of chiral drugs, 421 (2000) 27

Chiral separation
Detection of 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) carbamoyl amino acids generated by post-column desulfuration in the simultaneous determination of the sequence and D/L-configuration of peptides using a fluorogenic Edman reagent, 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) isothiocyanate, 415 (2000) 57

Chiral stationary phases
Gas chromatographic enantiomer separation on long-chain alkylated β-cyclodextrin chiral stationary phases, 408 (2000) 279
A QSERR study on enantioselective separation of enantiomeric sulphoxides, 419 (2000) 93

Chiral sulphoxides
A QSERR study on enantioselective separation of enantiomeric sulphoxides, 419 (2000) 93

Chloramine-T
Flow injection biamperometric determination of chloramine-T in environmental, pharmaceutical and veterinary samples, 407 (2000) 187

Chloramphenicol
Flow injection biamperometric determination of chloramphenicol and related nitro compounds by on-line chemical photodegradation, 404 (2000) 141

Chlorine
An improved *N*,*N*′-diethyl-*p*-phenylenediamine (DPD) method for the determination of free chlorine based on multiple wavelength detection, 407 (2000) 127
Investigation of characteristics of non-reductive thermal ion emission of various graphites in thermal ionization mass spectrometry, 420 (2000) 95

Chlorine determination
Rapid determination of free active chlorine in water by diffuse reflectance spectroscopy after reaction with polyurethane foams, 405 (2000) 231

Chlorobenzene
Scheme for collinear ionization in supersonic jet/multiphoton ionization/time-of-flight mass spectrometry, 412 (2000) 213

Chlorodealkylated atrazine metabolites
Determination of chloro- and methylthiotriazine compounds in human urine: extraction with diethyl ether and C_{18} solid-phase extraction for gas chromatographic analysis with nitrogen-selective and electron capture detection, 424 (2000) 7

Chlorophyll *a*
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137

Chlorophyll *b*
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137

Chlorophyll *c*
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137

Chlorophyll degradation
Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC, 412 (2000) 195

Chloroquine
Radiostorage- and photostoragechemiluminescence: analytical prospects, 423 (2000) 239

Chlorothiazide
Determination of liposomes drug retention capacity using differential pulse polarography: the case of chlorothiazide, 409 (2000) 99

Chloro[tetra(*m*-amino-phenyl)porphinato]-manganese
Fluoroborate ion sensitive PVC membrane electrode based on chloro[tetra(*m*-amino-phenyl)porphinato]-manganese as neutral carrier, 419 (2000) 227

Chlorpyrifos-methyl
Gas chromatographic method and whole body dosimetry for assessing dermal exposure of greenhouse applicators to chlorpyrifos-methyl and fenitrothion, 423 (2000) 127

Cholesterol
Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol–gel film, 414 (2000) 43

Cholesterol oxidase
Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol–gel film, 414 (2000) 43

Cholesterol-3-sulfate
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

Choline oxidase
Selective inhibition-based biosensing system for the determination of pesticides in environmental samples using analytical pervaporation coupled with enzymatic derivatisation, 408 (2000) 209

Cholinesterase
Comparative investigation of electrochemical cholinesterase biosensors for pesticide determination, 404 (2000) 55

Chromaticity characteristics
Application of chromaticity characteristics for direct determination of trace aluminum with Eriochrome cyanine R by diffuse reflection spectroscopy, 408 (2000) 145

Chromatographic peak
Algorithms for time-dependent chromatographic peak areas. 1. Algorithms evaluated for fully resolved peaks, 422 (2000) 1
Algorithms for time-dependent chromatographic peak areas. II. Resolution of overlapped chromatograms for two- and three-component samples, 422 (2000) 11

Chromatography
First purification of heparan sulfate disaccharides with an amine resin used as solid support for peptide synthesis, 403 (2000) 205
Chromatographic mobility of metals on paper impregnated with model compounds related to lignin structure and on wood slices, 406 (2000) 279
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147
Fullerene C_{60}-cryptand chromatographic stationary phase for separations of anions/cations and organic molecules, 416 (2000) 169
Retention properties of mesoporous silica-based materials, 422 (2000) 231

Chromium
Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277
Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25

Chromium(VI)
Voltammetric determination of traces of Cr(VI) in the presence of Cr(III) and humic acid, 414 (2000) 165

Chromogenic agent
Synthesis and analytical applications of 4-aminopyrazolone derivatives as chromogenic agents for the spectrophotometric determination of phenols, 403 (2000) 315

Chromoionophore
An optimized optrode for continuous potassium monitoring in whole blood, 401 (1999) 129

Chromophores
New longwave absorbing chromogenic calix[4]arene for calcium determination in aqueous environment, 421 (2000) 199

Chromoreactand
Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^{T} 4001, 414 (2000) 181

CI
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119

Cinnamate
Determination of *p*-aminobenzoates and cinnamate in cosmetic matrix by supercritical fluid extraction and micellar electrokinetic capillary chromatography, 416 (2000) 157

Cinnamic acid
Pulse injection analysis with chemiluminescence detection: determination of cinnamic acid using the $Ru(bipy)_3^{2+}$-$KMnO_4$ system, 402 (1999) 113

Circular dichroism spectroscopy
Circular dichroism spectra of cyclodextrins–ketoprofen inclusion complexes. Determination of enantiomeric purity, 407 (2000) 233

Citrus
Isolation and identification of phenolic compounds in *Citrus sinensis*, 417 (2000) 231

City waste incineration ash
Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223

Classical model
Detection limits in classical multivariate calibration models, 423 (2000) 41

Classification
Screening GC-MS data for carbamate pesticides with temperature-constrained–cascade correlation neural networks, 408 (2000) 1

Clavulanic acid
Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method, 414 (2000) 15

Clay
An electrochemical sensor based on a clay-coated screen-printed electrode for the determination of arbutin, 412 (2000) 63

Cleaning efficiency
Evaluation of cleaning efficiency with a radioactive tracer and development of a microwave digestion method for semiconductor processes, 407 (2000) 291

Clinical analysis
Flow injection biamperometric determination of chloramine-T in environmental, pharmaceutical and veterinary samples, 407 (2000) 187

Cluster
Improved algorithm for clustering tendency, 408 (2000) 13

Cluster analysis
Methods of multivariate data analysis applied to the investigation of fen soils, 420 (2000) 205

Cluster ions
Charged residue versus ion evaporation for formation of alkali metal halide cluster ions in ESI, 406 (2000) 53

Clustering analysis
Chemical characterisation of ancient pottery from south of Italy by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES). Statistical multivariate analysis of data, 410 (2000) 193

Co determination
Effect of acid digestion method on cobalt determination in plant materials, 408 (2000) 89

Coal fly ash
Sequential extractions for determination of cadmium distribution in coal fly ash, soil and sediment samples, 401 (1999) 283

Coastal seawater
Intercomparison of voltammetric techniques to determine the chemical speciation of dissolved copper in a coastal seawater sample, 405 (2000) 99

Cobalt
Determination of ultra-trace amounts of cobalt in seawater by graphite furnace atomic absorption spectrometry after pre-concentration with Ni/8-quinolinol/1-nitroso-2-naphthol complex, 407 (2000) 147
Complexing capacity of low-level radioactive waste leachates for ^{60}Co and ^{109}Cd using an ion-exchange technique, 410 (2000) 107
Analysis by X-ray photoelectron spectroscopy of ruthenium stabilised polynuclear hexacyanometallate film electrodes, 410 (2000) 143

Cobalt oxide
Response of nanosized cobalt oxide electrodes as pH sensors, 409 (2000) 137

Codeine
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55

Co-immobilization
Co-immobilization of lactate oxidase and lactate dehydrogenase on conducting polyaniline films, 407 (2000) 97

Cold vapour atomic absorption spectrometry
Selective preconcentration of phenyl-mercury by living *Escherichia coli* and its determination by cold vapour atomic absorption spectrometry, 423 (2000) 255

Collaborative trial
Inter-laboratory studies in analytical chemistry, 423 (2000) 145

Collagen
Cytotoxicity testing through cell adhesion to a pattern of collagen matrix, 415 (2000) 201
Cytotoxicity testing of model compounds through cell adhesion to a pattern of collagen matrix, 420 (2000) 103

Collinear ionization
Scheme for collinear ionization in supersonic jet/multiphoton ionization/time-of-flight mass spectrometry, 412 (2000) 213

Co-luminescence effect
Enhanced fluorescence of the terbium–gadolinium–nucleic acids system and the determination of nucleic acids, 403 (2000) 219

Column length
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147

Combinatorial chemistry
The analytical characterisation of sub-minute measurement duty cycles in flow injection analysis mass spectrometry, by their carry-over, 403 (2000) 287

Commercial pesticides
Gas chromatographic determination of the energy of interaction between some commercial pesticides and a non-ionic surfactant, 411 (2000) 239

Commercial soup cubes
Determination of some heterocyclic aromatic amines in soup cubes by ion-pair chromatography with coulometric electrode array detection, 417 (2000) 77

Compact disc
Disc-based immunoassay microarrays, 411 (2000) 1

Comparison
Short-end injection technique in capillary electrophoresis for dissolution testing of tablets, 415 (2000) 67

Competitive equilibration methods
Determination of the metal complexing capacity of aqueous solutions containing ligands by titration in the presence of complexing resins, 405 (2000) 309

Competitive immunoassay
Competitive immunoassay method for 5-methyl-2′-deoxycytidine, 413 (2000) 79
Immunosensor for the determination of the herbicide simazine based on an ion-selective field-effect transistor, 424 (2000) 37

Complement C_6
Piezoelectric immunosensor for detection of complement C_6, 423 (2000) 215

Complex formation
Complex formation of alkali metal ions with 18-crown-6 and its derivatives in 1,2-dichloroethane, 403 (2000) 325

Complex formation constants
Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327

Complexation
Voltammetric study of uranyl–selenium interactions, 404 (2000) 159
Potentiometric study of copper(II) and nickel(II) complexation by a cross-linked poly(acrylic acid) gel, 407 (2000) 337
Electrochemical and conformational studies of microcystin–LR, 409 (2000) 247
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91

Complexing agent
Quantitative capillary electrophoretic analysis for calcium and magnesium in sodium–matrix waters, 410 (2000) 11

Complexing capacity
Complexing capacity of low-level radioactive waste leachates for ^{60}Co and ^{109}Cd using an ion-exchange technique, 410 (2000) 107

Complexing polymers
Determination of Ag(I), Hg(II), Cu(II), Pb(II), Cd(II) by stripping voltammetry in aqueous solutions using complexing polymers in conjunction with membrane filtration, 404 (2000) 231

Complexing properties
Study of complexing properties of the α-metallothionein domain with cadmium and/or zinc, using differential pulse polarography, 424 (2000) 77

Complexing resins
Determination of the metal complexing capacity of aqueous solutions containing ligands by titration in the presence of complexing resins, 405 (2000) 309

Composite microsensor
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175

Composite pseudoephedrine hydrochloride tablets
Simultaneous determination of the active ingredients in composite pseudoephedrine hydrochloride tablets by capillary electrophoresis, 424 (2000) 257

Computer aided learning
The use of the Internet for teaching Chemistry, 420 (2000) 239

Conductimetric biosensor
A laponite clay-poly(pyrrole–pyridinium) matrix for the fabrication of conductimetric microbiosensors, 401 (1999) 117

Conductimetric titrations
Conductimetric analysis of the interaction of Cu(II) ions and a humic-like natural polyelectrolyte (Laurel, *Laurus nobilis*) mixture, 401 (1999) 251

Conducting polymer
Conducting polymer and oligomer micro-electrodes for the potentiometric detection of anions in capillary electrophoresis, 401 (1999) 21
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with ETH1001 as neutral carrier, 404 (2000) 101
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with tetraoctylammonium chloride as cationic additive, 404 (2000) 111
Potentiometric selectivity of p-doped polymer films, 406 (2000) 159
Array of conducting polymer sensors for the characterisation of wines, 411 (2000) 193

Conductometric
Sol–gel-derived thick-film conductometric biosensor for urea determination in serum, 404 (2000) 195

Continuous flow
Continuous tandem on-line separation inductively coupled plasma optical emission spectrometry selective determination of germanium in zinc electrolytic solutions, 402 (1999) 319

Continuous flow analysis
Air segmented continuous flow analysis in microbore tubing, 401 (1999) 209

Continuous monitoring
An optimized optrode for continuous potassium monitoring in whole blood, 401 (1999) 129

Continuous system
A continuous spectrophotometric system for the discrimination/determination of monosaccharides and oligosaccharides in foods, 404 (2000) 121

Controlled porosity cellulose acetate film
Flow electrochemical determination of ascorbic acid in real samples using a glassy carbon electrode modified with a cellulose acetate film bearing 2,6-dichlorophenolindophenol, 409 (2000) 113

Convective Interaction Media
Application of Convective Interaction Media disks with immobilised glucose oxidase for on-line glucose measurements, 407 (2000) 105

Conventional heating
Flow injection-hydride generation atomic absorption spectrometric determination of Se(VI) and Se(IV): utility of a conventionally heated water bath for the on-line reduction of Se(VI), 408 (2000) 191

Convolution–deconvolution
New method for the investigation of CE system via convolutive voltammetry combined with digital simulation, 414 (2000) 173

Cool plasma
Comparison of the application of higher mass resolution and cool plasma conditions to avoid spectral interferences in Cr(III)/Cr(VI) speciation by means of high-performance liquid chromatography – inductively coupled plasma mass spectrometry, 419 (2000) 55

Copper
Cu(II) binding by a pH-fractionated fulvic acid, 402 (1999) 183
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223
Synthetic zeolites as sorbent material for on-line preconcentration of copper traces and its determination using flame atomic absorption spectrometry, 403 (2000) 249
An on-line continuous flow system for copper enrichment and determination by flame atomic absorption spectroscopy, 403 (2000) 259
Slurry-sampling with rapid atomization *versus* microwave digestion with conventional atomization for the determination of copper, manganese and nickel in algae matrix using transverse heated-electrothermal atomic absorption spectrometry, 404 (2000) 295
Differential pulse anodic stripping voltammetry of copper in dichloromethane: application to the analysis of human hair, 405 (2000) 135
Determination of trace copper in biological and environmental samples by third derivative spectrophotometry after pre-concentration with the ion pair of nitroso-R and tetradecyldimethylbenzylammonium chloride on microcrystalline naphthalene, 408 (2000) 153
Capillary electrophoretic determination of coordination equilibrium constants of carboxylate ions with copper(II) complexed with several bis(1,10-phenanthroline) derivatives and bis(bipyridine), 409 (2000) 55
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91
The retention of metal species by different solid sorbents. Mechanisms for heavy metal speciation by sequential three column uptake, 411 (2000) 223
Determination of total copper in white wine by stripping potentiometry utilising medium exchange, 413 (2000) 25
Multisite metal binding to fulvic acid determined using multiresponse fluorescence, 416 (2000) 211

Copper complexation
Copper complexing capacities of freshwaters by adsorptive cathodic stripping voltammetry, 412 (2000) 77

Copper oxide beads
Copper oxide based flow-through detector for glucose determination, 405 (2000) 87

Copper speciation
Intercomparison of voltammetric techniques to determine the chemical speciation of dissolved copper in a coastal seawater sample, 405 (2000) 99

Copper(II)
Utilization of the copper(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol as an absorption spectroscopic probe for nucleic acids assay, 402 (1999) 21
Potentiometric study of copper(II) and nickel(II) complexation by a cross-linked poly(acrylic acid) gel, 407 (2000) 337
Solid phase extraction of ultra trace copper(II) using octadecyl silica membrane disks modified by a naphthol-derivative Schiff's base, 408 (2000) 271

Copper(II) determination
A new spectrophotometric reagent for copper: 3,3′-(1,3-propanediyldiimine)bis-[3-methyl-2-butanone]dioxime, 408 (2000) 163

Copper(II)–L-tryptophan complex
An HPLC detection scheme for underivatized amino acids based on tryptophan fluorescence recovery, 409 (2000) 45

Corona-discharge ion mobility spectrometry
Corona discharge ion mobility spectrometry of aliphatic and aromatic hydrocarbons, 403 (2000) 235

Corrected linear plots
Potentiometric characterisation of acid rains using corrected linear plots, 405 (2000) 173

Corrosion
Extraction, solubility and stability of metal complexes using stainless steel supercritical fluid extraction system, 417 (2000) 177

Corticosterone
Validation of a radioimmunoassay for the determination of total corticosterone in rat plasma, 413 (2000) 63

Cosmetic bleaching products
An electrochemical sensor based on a clay-coated screen-printed electrode for the determination of arbutin, 412 (2000) 63

CoTAPC/GOD/Nafion biosensor
Liquid chromatography — electrochemical detector for the determination of glucose in rat brain combined with in vivo microdialysis, 413 (2000) 131

Coulometric backtitration
Coulometric microflow titrations with chemiluminescent and amperometric equivalence point detection. Bromimetric titration of low concentrations of hydrazine and ammonium, 409 (2000) 83

Coulometric electrode array detection
Determination of some heterocyclic aromatic amines in soup cubes by ion-pair chromatography with coulometric electrode array detection, 417 (2000) 77

Coulometric flow titration
Coulometric microflow titrations with chemiluminescent and amperometric detection of the equivalence points — basic investigations and bromimetric titration of low concentration solutions of arsenite, 407 (2000) 203
Coulometric microflow titrations with chemiluminescent and amperometric equivalence point detection. Bromimetric titration

of low concentrations of hydrazine and ammonium, 409 (2000) 83

Coulometric titration
Coulometric titration study of the redox behavior and precise determination of hexachloroiridate(IV) ion and its monoaquochloro complex with electrogenerated bi-intermediates, 415 (2000) 185

Coulometry
Coulometric micro-titrator with a ruthenium dioxide pH-electrode, 412 (2000) 69

Counterpropagation neural networks
Prediction of three-dimensional molecular structures using information from infrared spectra, 420 (2000) 145

Coupled techniques
Coupled techniques based on liquid chromatography and atomic fluorescence detection for arsenic speciation, 411 (2000) 71

Cr
Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89

Cr speciation
Comparison of the application of higher mass resolution and cool plasma conditions to avoid spectral interferences in Cr(III)/Cr(VI) speciation by means of high-performance liquid chromatography – inductively coupled plasma mass spectrometry, 419 (2000) 55

$Cr(bpy)_3^{3+}$
Electrochemiluminescent determination of peroxydisulfate with $Cr(bpy)_3^{3+}$ in purely aqueous solution, 412 (2000) 235

Cr(III)
On-line bidirectional electrostacking of chromium(III) and chromium(VI) for flame atomic absorption spectrometry determination, 421 (2000) 57

Cr(III) determination
Study of enhancement effects in the chemiluminescence method for Cr(III) in the ng l^{-1} range, 415 (2000) 209

Cr(VI)
On-line bidirectional electrostacking of chromium(III) and chromium(VI) for flame atomic absorption spectrometry determination, 421 (2000) 57

Critical effects
Comparison of several criteria to decide on the significance of effects in a robustness test with an asymmetrical factorial design, 404 (2000) 257

Critical micelle concentration
Determination of critical micelle concentrations of anionic surfactants based on ligand exchange micellar electrokinetic chromatography, 403 (2000) 173

Critical thickness
Determination of trace elements in organic matrices by grazing-emission X-ray fluorescence spectrometry, 401 (1999) 293

18-Crown-6
Complex formation of alkali metal ions with 18-crown-6 and its derivatives in 1,2-dichloroethane, 403 (2000) 325
Ion chromatography with indirect photometric detection of common mono- and divalent cations using an unmodified silica gel column and tyramine/oxalic acid/18-crown-6 as eluent, 405 (2000) 277

Crown ether
Lead ion-selective membrane electrode based on 1,10-dibenzyl-1,10-diaza-18-crown-6, 414 (2000) 189
Ion-pair formation in water and extraction into benzene of 18-crown-6–sodium ion complex with nitrated phenolate ions, 416 (2000) 145

Cryptand
Fullerene C_{60}-cryptand chromatographic stationary phase for separations of anions/cations and organic molecules, 416 (2000) 169

CSV
Copper complexing capacities of freshwaters by adsorptive cathodic stripping voltammetry, 412 (2000) 77

Cu(II) ions
Conductimetric analysis of the interaction of Cu(II) ions and a humic-like natural polyelectrolyte (Laurel, *Laurus nobilis*) mixture, 401 (1999) 251

Cu/Pt-PPy
Fabrication of an ultramicrosensor for measurement of extracellular myocardial superoxide, 405 (2000) 77

Cucumber mosaic virus
Application of *p*-phenylenediamine as an electrochemical substrate in peroxidase-mediated voltammetric enzyme immunoassay, 413 (2000) 71

$CuPtCl_6$
Xanthine and hypoxanthine sensors based on xanthine oxidase immobilized on a $CuPtCl_6$ chemically modified electrode and liquid chromatography electrochemical detection, 414 (2000) 205

$CuPtCl_6$ polymer
Electrocatalytic detection of biological nitric oxide at an ultramicroelectrode modified with an electrodeposited $CuPtCl_6$ film, 402 (1999) 145

Curve fitting
Estimating reaction rate constants: comparison between traditional curve fitting and curve resolution, 419 (2000) 197

Curve resolution
Estimating reaction rate constants: comparison between traditional curve fitting and curve resolution, 419 (2000) 197

Curved calibration
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221

Curve-fitting algorithms
Algorithms for time-dependent chromatographic peak areas. 1. Algorithms evaluated for fully resolved peaks, 422 (2000) 1

Cyanide
Determination of cyanide by cathodic stripping voltammetry at a rotating silver disk electrode, 405 (2000) 145
Differential-pulse voltammetric determination of low μgl^{-1} cyanide levels using EDTA, Cu(II) and a hanging mercury drop electrode, 410 (2000) 135

Cyanide speciation
Determination of metal-cyanide complexes by ion-interaction chromatography with fluorimetric detection, 403 (2000) 197

3′,5′-cyclic nucleotide phosphodiesterase
Assay of cyclic nucleotide phosphodiesterase activity in rat brain by high-performance liquid chromatography using (3,4-dimethoxyphenyl)glyoxal as a fluorescence derivatizing reagent, 414 (2000) 95

Cyclic voltammetry
Cyclic voltammetric simultaneous determination of oxidizable amino acids using multivariate calibration methods, 405 (2000) 153
Adsorptive stripping voltammetric behaviour of UO_2(II) complexed with the Schiff base *N,N′*- ethylenebis(salicylidenimine) in aqueous 4-(2-hydroxyethyl)-1-piperazine ethanesulfonic acid medium, 408 (2000) 83
Electrochemical method for analyzing intracellular redox activity changes of the etoposide-induced apoptosis in HL-60 cells, 416 (2000) 221

β-Cyclodextrin
Capillary electrophoretic separation of positional isomers of hydroxynaphthalenecarboxylic acids through the formation of inclusion complexes with β-cyclodextrin, 402 (1999) 53
Preparation and characterization of an L-tyrosine-derivatized β-cyclodextrin-bonded silica stationary phase for liquid chromatography, 403 (2000) 187
Determination of amitriptyline and nortriptyline in spiked plasma by capillary zone electrophoresis with β-cyclodextrin, 413 (2000) 125
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1

Cyclodextrin
Circular dichroism spectra of cyclodextrins–ketoprofen inclusion complexes. Determination of enantiomeric purity, 407 (2000) 233
Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327
Radial basis function networks in host–guest interactions: instant and accurate formation constant calculations, 417 (2000) 221
Visualization of cyclodextrins via complexation with iodine in microcolumn liquid chromatography, 418 (2000) 175
New derivative of β-cyclodextrin as chiral selectors for the capillary electrophoretic separation of chiral drugs, 421 (2000) 27

Cyclodextrin chiral GC columns
Determination of salsolinol enantiomers by gas chromatography-mass spectrometry with cyclodextrin chiral columns, 420 (2000) 81

β-Cyclodextrin derivative
New derivative of β-cyclodextrin as chiral selectors for the capillary electrophoretic separation of chiral drugs, 421 (2000) 27

Cyclodextrin derivative
Gas chromatographic enantiomer separation on long-chain alkylated β-cyclodextrin chiral stationary phases, 408 (2000) 279
Synergistic effects of mixed GC stationary phase consisting of two different cyclodextrin derivatives, 424 (2000) 271

Cyclodextrin modified-micellar electrokinetic chromatography
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1

Cylindrical carbon fiber microelectrodes
Continuous monitoring of amino acids and related compounds with poly(3-methylthiophene)-coated cylindrical carbon fiber microelectrodes, 401 (1999) 145

Cypridina luciferin analog
Chemiluminescent determination of Ce(IV) using Cypridina luciferin analog, 422 (2000) 81

Cysteine mobile phase
Field sampling, preconcentration and determination of mercury species in river waters, 419 (2000) 137

Cytotoxicity testing
Cytotoxicity testing through cell adhesion to a pattern of collagen matrix, 415 (2000) 201
Cytotoxicity testing of model compounds through cell adhesion to a pattern of collagen matrix, 420 (2000) 103

D

Daidzein
Determination of rutin and quercetin in plants by capillary electrophoresis with electrochemical detection, 423 (2000) 69

Daily intake
Levels of polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and dibenzofurans in commercial yoghurt samples in Spain. Comparison with different dairy products, 402 (1999) 241

D-amino acid containing peptide
Detection of 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) carbamoyl amino acids generated by post-column desulfuration in the simultaneous determination of the sequence and D/L-configuration of peptides using a fluorogenic Edman reagent, 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) isothiocyanate, 415 (2000) 57

Dansyl
Selective extraction of alkali metal cations with proton-ionizable dibenzo-16-crown-5 fluoroionophores, 420 (2000) 57

Dansyl amino acids
Preparation and characterization of an L-tyrosine-derivatized β-cyclodextrin-bonded silica stationary phase for liquid chromatography, 403 (2000) 187

Dansylacetamidooxyamine (DNSAOA)
A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221

Dansylamino acid
Preparation and enantiomer separation behavior of selectively methylated β-cyclodextrin-bonded stationary phases for high performance chromatography, 410 (2000) 37

Data
Comments on the two-dimensional smoothing of data, 415 (2000) 117

Data acquisition
Data acquisition of transient signals in inductively coupled plasma mass spectrometry, 407 (2000) 301

Data pre-treatment
Caveat in abstract factor analysis-based pseudorank estimation, 411 (2000) 157

Data treatment
The influence of data treatment on the interpretation of experimental results in voltammetry, 401 (1999) 163

Database
Exhaustive set of non-isomorphic sub-graphs and its application to chemical structure elucidation using a IR spectroscopy database, 409 (2000) 181

Daunorubicin
Determination of daunorubicin in human urine by capillary zone electrophoresis with amperometric detection, 416 (2000) 15

[DCPI]$_3$-La-SPE
Fabrication and voltammetric study of lanthanum 2,6-dichlorophenolindophenol chemically modified screen printed electrodes. Application for the determination of ascorbic acid, 423 (2000) 107

DEAE cellulose
Characterisation of lake-aquatic humic matter isolated with two different sorbing solid techniques: tetramethylammonium hydroxide treatment and pyrolysis-gas chromatography/mass spectrometry, 424 (2000) 91

Debye–Hückel
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55

Decomposition
Determination of fluoride in $M(SbF_6)_x$ compounds, 418 (2000) 113

Deconvolution voltammetry
Processing discrete data for deconvolution voltammetry based on the Fourier least-square method, 404 (2000) 249

Degradation
Liquid chromatography and exchange reaction of a synthetic thiurams mixture, 402 (1999) 87

Degradation products
Studies of the major degradation products of a higher alkyl polyacrylate using pyrolysis gas chromatography–mass spectrometry, 402 (1999) 311

Dehydroascorbic acid
New electrochemical assay of alkaline phosphatase using ascorbic acid 2-phosphate and its application to enzyme immunoassay, 407 (2000) 119

Dehydroepiandrosterone sulfate
Chemiluminescent determination of lucigenin using thioureid derivatives, 403 (2000) 125

2′-deoxycytidine
Enzyme-linked immunosorbent assay for 2-deoxycytidine, 404 (2000) 179

Derivative methods
Calibration of pH glass electrodes by direct strong acid/strong base titrations under dilute conditions, 405 (2000) 167

Derivative potentiometric stripping analysis
Determination of lead (II) and cadmium (II) in hard and soft wheat by derivative potentiometric stripping analysis, 409 (2000) 93

Derivative signal processing
Determination of cadmium in flour by atom trapping flame atomic absorption spectrometry using derivative signal processing, 405 (2000) 185

Derivative spectrophotometry
Determination of trace copper in biological and environmental samples by third derivative spectrophotometry after pre-concentration with the ion pair of nitroso-R and tetradecyldimethylbenzylammonium chloride on microcrystalline naphthalene, 408 (2000) 153

Derivatization
Tailor-made derivatizing agents for carbonyl compounds using liquid chromatography, 410 (2000) 47

A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221

Descriptors
Size-exclusion chromatographic descriptors of humic substances, 407 (2000) 193

Detection
Detection of pesticides from liquid matrices by ion mobility spectrometry, 404 (2000) 7
A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode, 408 (2000) 257

Detection in water and vegetable juices
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121

Detection limit
Determination of trace elements in organic matrices by grazing-emission X-ray fluorescence spectrometry, 401 (1999) 293
On the estimate of blanks in differential pulse voltammetric techniques: application to detection limits evaluation as recommended by IUPAC, 403 (2000) 117
Detection limits in classical multivariate calibration models, 423 (2000) 41

Determination
Determination of total cyanide in soils by micro-distillation, 406 (2000) 283
Novel catalytic spectrophotometric procedure for the determination of trace-level aluminium, 412 (2000) 241
Determination of hemoglobin based on its enzymatic activity for the oxidation of *o*-phenylenediamine with hydrogen peroxide, 413 (2000) 109

Deviations from trilinear model
Novel constrained PARAFAC algorithm for second-order linear calibration, 423 (2000) 187

Dextromethorphan
Simultaneous determination of the active ingredients in composite pseudoephedrine hydrochloride tablets by capillary electrophoresis, 424 (2000) 257

β-D-galactosidase
A new enzymatic spectrophotometric assay for the determination of lactulose in milk, 406 (2000) 217

D-Glucose
Highly-sensitive flow injection determination of hydrogen peroxide with a peroxidase-immobilized electrode and its application to clinical chemistry, 406 (2000) 201

DGT
In situ measurement of trace metals in lakewater using the dialysis and DGT techniques, 418 (2000) 53

Di-(2-ethylhexyl)dithiophosphoric acid
Determination of structural and electrical parameters for activated composite membranes containing di-(2-ethylhexyl)dithiophosphoric acid as carrier, 403 (2000) 91

Di-(2-ethyl-hexyl)phosphoric acid
Facilitated transport of lead(II) and cadmium(II) through novel activated composite membranes containing di-(2-ethyl-hexyl)-phosphoric acid as carrier, 408 (2000) 65

Di-(ethylhexyl)phthalate
Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification, 407 (2000) 165

Diagnostics
Disc-based immunoassay microarrays, 411 (2000) 1

Dialkyl mercury
Preliminary evaluation of adsorbent-based mercury removal systems for gas condensate, 415 (2000) 21

Dialkylorganophosphorus acidic extractants
Estimation of properties of dialkylorganophosphorus acidic extractants in two-phase liquid systems, 405 (2000) 321

Dialysate
Bioanalytical flow-injection system for control of hemodialysis adequacy, 418 (2000) 213

Dialysis membrane
Development of a generic microelectrode array biosensing system, 421 (2000) 175

Diamine
Development of the enzyme reactor system with an amperometric detection and application to estimation of the incipient stage of spoilage of chicken, 411 (2000) 37

5,6-Diamino-1,3-naphthalene disulfonic acid (DANDS)
Spectrofluorimetric determination of nitrite with 5,6-diamino-1,3-naphthalene disulfonic acid, 419 (2000) 169

Diastereomeric complexes in solution
Fourier transform infrared spectroscopic characterization of complexes of carbamoylated quinidine chiral selector and *N*-derivatized leucine enantiomers in solution. Evidence for stereoselective intermolecular interactions, 401 (1999) 3

Dibenzo-16-crown-5
Selective extraction of alkali metal cations with proton-ionizable dibenzo-16-crown-5 fluoroionophores, 420 (2000) 57

Dibenzyl phosphate
Lead-selective membrane electrode based on dibenzyl phosphate, 401 (1999) 111

Dibenzylamine
Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats, 414 (2000) 133

Dibromohydroxyphenylfluorone
Application of the dibromohydroxyphenylfluorone–molybdenum(VI) complex to the sensitive spectrophotometric determination of protein, 403 (2000) 225

1,2-Dichloroethane
Complex formation of alkali metal ions with 18-crown-6 and its derivatives in 1,2-dichloroethane, 403 (2000) 325

Dichloromethane
Differential pulse anodic stripping voltammetry of copper in dichloromethane: application to the analysis of human hair, 405 (2000) 135

2,6-Dichlorophenolindophenol
Flow electrochemical determination of ascorbic acid in real samples using a glassy carbon electrode modified with a cellulose acetate film bearing 2,6-dichlorophenolindophenol, 409 (2000) 113

Dichromate
Chemical oxygen demand determination in environmental waters by mixed-acid digestion and single sweep polarography, 420 (2000) 39

Diclorvos
Selective inhibition-based biosensing system for the determination of pesticides in environmental samples using analytical pervaporation coupled with enzymatic derivatisation, 408 (2000) 209

Dielectric constant
Effect of dielectric constants, sample container dimensions and frequency of magnetic field modulation on the quantitative EPR response, 403 (2000) 305

Different kinetic method
Simultaneous kinetic spectrophotometric determination of acetaminophen and phenobarbital by artificial neural networks and partial least squares, 419 (2000) 185

Differential mobility analyzer
Mechanisms of electrospray ionization of singly and multiply charged salt clusters, 406 (2000) 67

Differential potentiometric cell
Comparison of spectrophotometric and potentiometric detection for the determination of water using Karl Fischer method under flow injection analysis conditions, 420 (2000) 133

Differential pulse adsorptive stripping voltammetry
Optimization of the experimental parameters in the determination of rifamycin SV by adsorptive stripping voltammetry, 405 (2000) 123

Differential pulse anodic stripping voltammetry
Simultaneous determination of copper, lead, cadmium and zinc using differential pulse anodic stripping voltammetry in a flow system, 411 (2000) 201
Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies, 421 (2000) 103

Differential pulse polarography
Differential pulse polarographic determination of tenoxicam in pharmaceuticals and added to blood, 406 (2000) 183
Determination of liposomes drug retention capacity using differential pulse polarography: the case of chlorothiazide, 409 (2000) 99
Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies, 421 (2000) 103

Differential pulse voltammetry
On the estimate of blanks in differential pulse voltammetric techniques: application to detection limits evaluation as recommended by IUPAC, 403 (2000) 117
Differential-pulse voltammetric determination of low $\mu g l^{-1}$ cyanide levels using EDTA, Cu(II) and a hanging mercury drop electrode, 410 (2000) 135
Simultaneous determination of phenol isomers in binary mixtures by differential pulse voltammetry using carbon fibre electrode and neural network with pruning as a multivariate calibration tool, 420 (2000) 109

Differential pulsed elution
A 2-aminopyridine molecularly imprinted polymer surrogate microcolumn for selective solid phase extraction and determination of 4-aminopyridine, 414 (2000) 123

Differentiation
Differentiation of products derived from Iberian breed swine by electronic olfactometry (electronic nose), 424 (2000) 279

Diffuse reflectance spectroscopy
Rapid determination of free active chlorine in water by diffuse reflectance spectroscopy after reaction with polyurethane foams, 405 (2000) 231

Diffuse reflection spectroscopy
Application of chromaticity characteristics for direct determination of trace aluminum with Eriochrome cyanine R by diffuse reflection spectroscopy, 408 (2000) 145

Diffusive sampling
Evaluation of the reliability of diffusive sampling in environmental monitoring, 408 (2000) 117

Digestion
Comparison of digestion methods for the determination of selenium in fish tissue by cathodic stripping voltammetry, 408 (2000) 97

Digital simulation
New method for the investigation of CE system via convolutive voltammetry combined with digital simulation, 414 (2000) 173

Dihydroxyanthraquinones
Protolytic equilibria of dihydroxyanthraquinones in non-aqueous solutions, 402 (1999) 339

Diisobutyl ketone
Determination of uranium and thorium in apatite minerals by inductively coupled plasma atomic emission spectrometry with

solvent extraction separation into diisobutyl ketone, 420 (2000) 65

4-(5′,6′-Dimethoxybenzothiazolyl)phenylisothiocyanate
Fluorescence derivatization of amino acids with 4-(5′,6′-dimethoxybenzothiazolyl)phenylisothiocyanate in liquid chromatography, 416 (2000) 69

(3,4-Dimethoxyphenyl)glyoxal
Assay of cyclic nucleotide phosphodiesterase activity in rat brain by high-performance liquid chromatography using (3,4-dimethoxyphenyl)glyoxal as a fluorescence derivatizing reagent, 414 (2000) 95

Dimethyl terephthalate
Evaluation of the terbium(III)-sensitized luminescence with benzenepolycarboxylic acids. Determination of terephthalic acid in drink samples, 407 (2000) 53

Dioctylphthalate
Polymeric membrane electrodes for selective determination of the central nervous system acting drugs fluphenazine hydrochloride and nortriptyline hydrochloride, 418 (2000) 93

Diphenyl-ether herbicide
Determination of diphenyl-ether herbicides and metabolites in natural waters using high-performance liquid chromatography with diode array tandem mass spectrometric detection, 414 (2000) 79

Diphenylmercury
Development of new SPME fibers by sol–gel technology for SPME-HPLC determination of organometals, 402 (1999) 67

Direct electron transfer
Characterization of the direct electron transfer and bioelectrocatalysis of horseradish peroxidase in DNA film at pyrolytic graphite electrode, 412 (2000) 89

Direct immunosensor
Effect of organic solvents on immunoassays of environmental pollutants studied using a piezoelectric biosensor, 412 (2000) 37

Direct sample injection
Determination of phenolic antioxidants in vegetal and animal fats without previous extraction by dilution with *n*-propanol and micellar liquid chromatography, 402 (1999) 81

Disaccharides
First purification of heparan sulfate disaccharides with an amine resin used as solid support for peptide synthesis, 403 (2000) 205

Discrimination
Size-exclusion chromatographic descriptors of humic substances, 407 (2000) 193

Discrimination of monossacharides and oligosaccharides
A continuous spectrophotometric system for the discrimination/determination of monosaccharides and oligosaccharides in foods, 404 (2000) 121

Disposable biosensors
Disposable interference-free glucose biosensor based on an electropolymerised poly(pyrrole) permselective film, 420 (2000) 9

Disposable multibiosensor
A disposable multielectrode biosensor for rapid simultaneous detection of the insecticides paraoxon and carbofuran at high resolution, 401 (1999) 95

Dissaccharides
Evaporative light scattering detector: a new tool for screening purposes, 402 (1999) 1

Dissociation constant
Acid–base behaviour of substituted phenolic substances and resolution of acid strength in tetrahydrofuran, 403 (2000) 339
Standardization of potentiometric sensors and acid–base behaviour of a series of bases in nitrobenzene, 403 (2000) 349
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55
Determination of the first dissociation constant of 6-benzylaminopurine. A comparison of methods, 421 (2000) 221
General equation for determining the dissociation constants of polyprotic acids and bases from additive properties. Part III. Calculation of errors, 424 (2000) 139

Dissociation kinetics
Competitive ligand exchange/adsorptive cathodic stripping voltammetry (CLE/AdCSV) for kinetic studies of nickel speciation in aqueous environmental samples containing heterogeneous, macromolecular, organic complexants, 402 (1999) 195

Dissociation rate coefficients
Effect of metal/fulvic acid mole ratios on the binding of Ni(II), Pb(II), Cu(II), Cd(II), and Al(III) by two well-characterized fulvic acids in aqueous model solutions, 402 (1999) 211

Dissociation rate constant
Affinity mass sensors: determination of fructose, 403 (2000) 49

Dissolution monitoring
Simultaneous on-line dissolution monitoring of multicomponent solid preparations containing vitamins B_1, B_2 and B_6 by a fiber-optic sensor system, 408 (2000) 39

Dissolution testing
Short-end injection technique in capillary electrophoresis for dissolution testing of tablets, 415 (2000) 67

Dissolved aluminium
Fluorimetric determination of dissolved aluminium in natural waters after liquid–liquid extraction into *n*-hexanol, 405 (2000) 31

Distillation
Determination of methylmercury in sediments by steam distillation/aqueous-phase ethylation and atomic fluorescence spectrometry, 419 (2000) 145

Distribution constants of ion pairs
Ion-pair formation in water and extraction into benzene of 18-crown-6–sodium ion complex with nitrated phenolate ions, 416 (2000) 145

Distribution ratio
Separation of rhenium by an extraction chromatographic resin for determination by inductively coupled plasma-mass spectrometry, 405 (2000) 227

Distribution, dimerization and dissociation constants
Estimation of properties of dialkylorganophosphorus acidic extractants in two-phase liquid systems, 405 (2000) 321

Dithizone
Selective pre-concentration and solid phase extraction of mercury(II) from natural water by silica gel-loaded dithizone phases, 415 (2000) 33

Divalent magnesium ion
Effect of magnesium ion in the analysis of carboxylated compounds by electrospray-mass spectrometry, 422 (2000) 101

DMTr-Cl
Microwave-assisted spectrophotometric estimation of polymer-supported functional groups using a universal reagent, 405 (2000) 247

DNA
Flow-injection chemiluminescence determination of DNA based on a photochemical reaction, 402 (1999) 13
A novel method for determination of DNA by use of molecular 'Light Switch' complex of $Ru(bipy)_2(dppx)^{2+}$, 403 (2000) 209
Electrochemical labeled DNA probe for the detection of sequence-specific DNA, 411 (2000) 31
Characterization of the direct electron transfer and bioelectrocatalysis of horseradish peroxidase in DNA film at pyrolytic graphite electrode, 412 (2000) 89
Novel hybridization indicator methylene blue for the electrochemical detection of short DNA sequences related to the hepatitis B virus, 422 (2000) 139

DNA adducts
On the coupling of fluorescence line-narrowing spectroscopy and poly(ethylene)imine-cellulose thin-layer chromatography, 405 (2000) 1

DNA biosensors
Novel hybridization indicator methylene blue for the electrochemical detection of short DNA sequences related to the hepatitis B virus, 422 (2000) 139

DNA piezoelectric biosensor
A DNA piezoelectric biosensor assay coupled with a polymerase chain reaction for bacterial toxicity determination in environmental samples, 418 (2000) 1

DNA recognition
New label-free DNA recognition based on doping nucleic-acid probes within conducting polymer films, 402 (1999) 7

DNA sensing
Application of chimeric RNA–DNA oligonucleotides to the detection of pathogenic microorganisms using surface plasmon resonance, 407 (2000) 1

DNPA
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175

DNPV
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175

Dole's charged residue mechanism
Electrospray ionization of large multiply charged species proceeds via Dole's charged residue mechanism, 406 (2000) 93

DOM
Cu(II) binding by a pH-fractionated fulvic acid, 402 (1999) 183

Donnan equilibrium
Determination of the chemical speciation of trace metals in aqueous systems by the Wageningen Donnan Membrane Technique, 417 (2000) 149

Dopamine
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155
Quantitative aspects of brain microdialysis, 412 (2000) 1

Doping
New label-free DNA recognition based on doping nucleic-acid probes within conducting polymer films, 402 (1999) 7

Doping analysis
Analytical methodology for the detection of β_2-agonists in urine by gas chromatography–mass spectrometry for application in doping control, 418 (2000) 79

Dosage form
Specific spectrofluorometric quantification of D-penicillamine in bulk and dosage forms after derivatization with 4-fluoro-7-nitrobenzo-2-oxa-1,3-diazole, 408 (2000) 169
Designing experiments to optimise and validate the adsorptive stripping voltammetric determination of nimesulide, 413 (2000) 229

Double-injection
Determination of acid phosphatase activity in a double injection flow system with electrochemical detection, 406 (2000) 225

Double-injection valve
Kinetic determination of acid phosphatase activity by double injection flow analysis with electrochemical detection, 413 (2000) 103

D-Penicillamine
Specific spectrofluorometric quantification of D-penicillamine in bulk and dosage forms after derivatization with 4-fluoro-7-nitrobenzo-2-oxa-1,3-diazole, 408 (2000) 169

Drift
A calibration method for handling the temporal drift of solid state gas-sensors, 407 (2000) 23

DRIFT spectroscopy
Determination of enantiomeric composition of ibuprofen in solid state mixtures of the two by DRIFT spectroscopy, 417 (2000) 31

Drink samples
Evaluation of the terbium(III)-sensitized luminescence with benzenepolycarboxylic acids. Determination of terephthalic acid in drink samples, 407 (2000) 53

Drinking water
On-line pre-concentration system for vanadium determination in drinking water using flow injection-inductively coupled plasma atomic emission spectrometry, 420 (2000) 73

Drug
A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode, 408 (2000) 257

Drug analysis
Determination of liposomes drug retention capacity using differential pulse polarography: the case of chlorothiazide, 409 (2000) 99
Piroxicam and tenoxicam selective membrane sensors, 414 (2000) 215

Drug encapsulation
Determination of liposomes drug retention capacity using differential pulse polarography: the case of chlorothiazide, 409 (2000) 99

Drugs of abuse
Exploratory analysis for the automated identification of amphetamines from vapour-phase FTIR spectra, 404 (2000) 303

Dual-stopped-flow strategy
Dual-stopped-flow spectrophotometric determination of amiloride hydrochloride in a multicommutated flow system, 407 (2000) 225

3D-WHIM descriptors
A QSERR study on enantioselective separation of enantiomeric sulphoxides, 419 (2000) 93

Dynamic modification
Chelation ion chromatography of metal ions using high performance substrates dynamically modified with heterocyclic carboxylic acids, 401 (1999) 65

Dynamic surface tension
Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection, 412 (2000) 149

E

EDTA
Effect of complexones and tensides on selectivity of nitrogen dioxide determination in air with a chemiluminescence aerosol detector, 410 (2000) 159

EDXRF
Simulation of the development automatization control system for rare earth extraction process. Combination of ESRECE simulation software and EDXRF analysis technique, 417 (2000) 111

Effect of diluents
Estimation of properties of dialkylorganophosphorus acidic extractants in two-phase liquid systems, 405 (2000) 321

Efficiency of analytical functions
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221

Egg
Sonoelectrochemically enhanced nitrite detection, 404 (2000) 241

Electroanalysis
Simultaneous determination of phenol isomers in binary mixtures by differential pulse voltammetry using carbon fibre electrode and neural network with pruning as a multivariate calibration tool, 420 (2000) 109

Electrocatalysis
Electrocatalytic detection of biological nitric oxide at an ultramicroelectrode modified with an electrodeposited $CuPtCl_6$ film, 402 (1999) 145

Electrocatalytic oxidation
Copper oxide based flow-through detector for glucose determination, 405 (2000) 87
Amperometric determination of ascorbic acid based on electrocatalytic oxidation using a ruthenium(III) diphenyldithiocarbamate-modified carbon paste electrode, 405 (2000) 93
Electrocatalytic oxidation of ascorbate at glassy carbon electrodes modified with electrodeposited films derived from dihydroxybenzaldehyde isomers, 420 (2000) 29
Sol–gel-derived, polishable, 1:12-phosphomolybdic acid-modified ceramic-carbon electrode and its electrocatalytic oxidation of ascorbic acid, 424 (2000) 51

Electrocatalytical reduction
Layer-by-layer assembly of multilayer films consisting of silicotungstate and a cationic redox polymer on 4-aminobenzoic acid modified glassy carbon electrode and their electrocatalytic effects, 417 (2000) 133

Electrochemical
Sonoelectrochemically enhanced nitrite detection, 404 (2000) 241

Electrochemical characterisation
Electrochemical study of human foetal liver metallothionein: influence of the additions of cadmium and zinc, 406 (2000) 171

Electrochemical deposition
Analysis by X-ray photoelectron spectroscopy of ruthenium stabilised polynuclear hexacyanometallate film electrodes, 410 (2000) 143

Electrochemical detection
Continuous monitoring of amino acids and related compounds with poly(3-methylthiophene)-coated cylindrical carbon fiber microelectrodes, 401 (1999) 145
Highly-sensitive flow injection determination of hydrogen peroxide with a peroxidase-immobilized electrode and its application to clinical chemistry, 406 (2000) 201
New electrochemical assay of alkaline phosphatase using ascorbic acid 2-phosphate and its application to enzyme immunoassay, 407 (2000) 119
Determination of melatonin and pyridoxine in pharmaceutical preparations for health-caring purposes by capillary electrophoresis with electrochemical detection, 408 (2000) 249
A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode, 408 (2000) 257
Sulfide measurements by flow injection analysis and ion chromatography with electrochemical detection, 409 (2000) 27
Determination of daunorubicin in human urine by capillary zone electrophoresis with amperometric detection, 416 (2000) 15
Determination of phenol in water by pervaporation–flow injection analysis, 419 (2000) 9
Determination of rutin and quercetin in plants by capillary electrophoresis with electrochemical detection, 423 (2000) 69

Electrochemical determination of ascorbic acid
Flow electrochemical determination of ascorbic acid in real samples using a glassy carbon electrode modified with a cellulose acetate film bearing 2,6-dichlorophenolindophenol, 409 (2000) 113
Fabrication and voltammetric study of lanthanum 2,6-dichlorophenolindophenol chemically modified screen printed electrodes.. Application for the determination of ascorbic acid, 423 (2000) 107

Electrochemical enzyme immunoassay
Application of *p*-phenylenediamine as an electrochemical substrate in peroxidase-mediated voltammetric enzyme immunoassay, 413 (2000) 71

Electrochemical immunoassay
A disposable Protein A-based immunosensor for flow-injection assay with electrochemical detection, 404 (2000) 187
Flow injection electrochemical enzyme immunoassay based on the use of gold bands, 409 (2000) 149

Electrochemical labeled probe
Electrochemical labeled DNA probe for the detection of sequence-specific DNA, 411 (2000) 31

Electrochemical pre-treatment
Competitive enzyme immunosensor developed on a renewable carbon paste electrode support, 402 (1999) 119

Electrochemiluminescence
Measurement of fatty amine ethoxylate surfactants using electrochemiluminescence, 402 (1999) 105
Electrochemiluminescent determination of peroxydisulfate with $Cr(bpy)_3^{3+}$ in purely aqueous solution, 412 (2000) 235
Studies of polyluminol modified electrode and its application in electrochemiluminescence analysis with flow system, 419 (2000) 25
Flow injection analysis of pyrogallol with enhanced electrochemiluminescent detection, 423 (2000) 247

Electrochemistry
Measurement of fatty amine ethoxylate surfactants using electrochemiluminescence, 402 (1999) 105
Electroanalytical measurements using the scanning electrochemical microscope, 406 (2000) 119
Electrochemical and conformational studies of microcystin–LR, 409 (2000) 247
A reagentless nitric oxide biosensor based on hemoglobin–DNA films, 423 (2000) 95
Study of complexing properties of the α-metallothionein domain with cadmium and/or zinc, using differential pulse polarography, 424 (2000) 77

Electrode
In situ determination of sulfide profiles in sediment porewaters with a miniaturized Ag/Ag_2S electrode, 401 (1999) 257
Amperometric detection for capillary electrophoresis at a sol–gel carbon composite electrode, 403 (2000) 179
A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode, 408 (2000) 257

Electrodeposited metal electrodes
Simultaneous determination of retinal, retinol and retinoic acid (all-*trans* and 13-*cis*) in cosmetics and pharmaceuticals at electrodeposited metal electrodes, 415 (2000) 193

Electrogenerated chemiluminescence
Measurement of fatty amine ethoxylate surfactants using electrochemiluminescence, 402 (1999) 105
Study on the radiative $^5\{D\}_4 \rightarrow {}^7\{F\}_j$ relaxation dynamics of Tb(III) in electrochemically excited self-assembled dimeric heterodinuclear Tb(III)–Ln(III)′ chelates, 403 (2000) 161

Electroless plating
Copper oxide based flow-through detector for glucose determination, 405 (2000) 87

Electrolytic dissolution
On-line electrolytic dissolution of alloys in flow injection analysis. Determination of iron, tungsten, molybdenum, vanadium and chromium in tool steels by inductively coupled plasma atomic emission spectrometry, 405 (2000) 213

Electromechanical coupling factor
Evaluation of electromechanical coupling factor for a piezoelectric quartz crystal in liquid phase, 419 (2000) 251

Electron capture detector
A new method for determining the concentration of atmospheric alcohols using the nitrite formation reaction, 402 (1999) 233

Electronic nose
Classification of complex gas mixtures from automotive leather using an electronic nose, 403 (2000) 31

Array of conducting polymer sensors for the characterisation of wines, 411 (2000) 193

Electronic olfactometry
Differentiation of products derived from Iberian breed swine by electronic olfactometry (electronic nose), 424 (2000) 279

Electronic spectra
Study on the stability of Co(III), Mn(III) and Tl(III) ions in acetic acid solutions, 403 (2000) 333

Electronic tongue
A hybrid electronic tongue, 406 (2000) 147

Electroosmotic flow
Tris(2,2-bipyridyl)ruthenium (II) chemiluminescence in a micro-flow injection system for codeine determination, 405 (2000) 43

Electrophoresis
A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode, 408 (2000) 257

Electrophoretic mobility
Determination of the first dissociation constant of 6-benzylamino-purine. A comparison of methods, 421 (2000) 221

Electrospray
Liquid chromatography–electrospray mass spectrometry and tandem mass spectrometry of ceramides, 403 (2000) 295
Electrospray diagnostics performed by using sucrose and proteins in the gas-phase electrophoretic mobility molecular analyzer (GEMMA), 406 (2000) 3
On the mechanisms by which the charged droplets produced by electrospray lead to gas phase ions, 406 (2000) 11
Mechanisms of electrospray ionization of singly and multiply charged salt clusters, 406 (2000) 67
A continuum model for ion evaporation from a drop: effect of curvature and charge on ion solvation energy, 406 (2000) 105

Electrospray ionization
Separation and identification of some chemical warfare degradation products using electrospray high resolution ion mobility spectrometry with mass selected detection, 404 (2000) 273
Challenges in achieving a fundamental model for ESI, 406 (2000) 37
Charged residue versus ion evaporation for formation of alkali metal halide cluster ions in ESI, 406 (2000) 53
Electrospray ionization of large multiply charged species proceeds via Dole's charged residue mechanism, 406 (2000) 93
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91

Electrospray ionization mass spectrometry
Effect of magnesium ion in the analysis of carboxylated compounds by electrospray-mass spectrometry, 422 (2000) 101

Electrospray mass spectrometry
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

Electrothermal atomic absorption spectrometry
Expanding the working concentration range for the direct analysis of metallic alloys by on-line anodic electrodissolution and electrothermal atomic absorption spectrometry, 401 (1999) 307
The use of tungsten–rhodium permanent chemical modifier for cadmium determination in decomposed samples of biological materials and sediments by electrothermal atomic absorption spectrometry, 409 (2000) 267
Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization, 412 (2000) 121
Enhancement of the atomic absorption signal by silicate at electrothermal atomic absorption spectrometry, 415 (2000) 221
Determination of selenium in human blood specimens by electrothermal atomic absorption, 419 (2000) 121
Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223

Elemental analysis
Determination of Mn and Si in iron ore by laser-induced plasma spectroscopy, 413 (2000) 187
Highly sensitive beryllium detection with microwave plasma source atomic emission spectrometry, 422 (2000) 209

Elemental composition
Chemical characterisation of ancient pottery from south of Italy by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES). Statistical multivariate analysis of data, 410 (2000) 193

Elemental profiles
Multi-element profiling of human deciduous teeth by laser ablation-inductively coupled plasma-mass spectrometry, 401 (1999) 299

ELISA
Monoclonal antibody capture fluorometric enzyme linked immunosorbent assay for detection of porcine growth hormone in plasma, 402 (1999) 37
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255
Immunochemical detection of polycyclic aromatic hydrocarbons and 1-hydroxypyrene in water and sediment samples, 419 (2000) 1
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121
Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance, 421 (2000) 135
Development of an enzyme immunoassay for the detection of plant growth regulator inabenfide in rice, 424 (2000) 149
Validation of a competitive ELISA for the determination of serum keratan sulphate, 424 (2000) 161

ELSD
Evaporative light scattering detector: a new tool for screening purposes, 402 (1999) 1

EMG model
Algorithms for time-dependent chromatographic peak areas. II. Resolution of overlapped chromatograms for two- and three-component samples, 422 (2000) 11

Enantiomer separation
Direct liquid chromatographic enantioseparation of chiral α- and β-aminophosphonic acids employing quinine-derived chiral anion exchangers: determination of enantiomeric excess and verification of absolute configuration, 404 (2000) 169
Gas chromatographic enantiomer separation on long-chain alkylated β-cyclodextrin chiral stationary phases, 408 (2000) 279
Preparation and enantiomer separation behavior of selectively methylated β-cyclodextrin-bonded stationary phases for high performance chromatography, 410 (2000) 37
New derivative of β-cyclodextrin as chiral selectors for the capillary electrophoretic separation of chiral drugs, 421 (2000) 27

Enantiomeric determination
Determination of salsolinol enantiomers by gas chromatography-mass spectrometry with cyclodextrin chiral columns, 420 (2000) 81

Enantiomeric excess
Direct liquid chromatographic enantioseparation of chiral α- and β-aminophosphonic acids employing quinine-derived chiral anion exchangers: determination of enantiomeric excess and verification of absolute configuration, 404 (2000) 169

Enantiomeric separation
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1

Enantiomers
Circular dichroism spectra of cyclodextrins–ketoprofen inclusion complexes. Determination of enantiomeric purity, 407 (2000) 233
Determination of enantiomeric composition of ibuprofen in solid state mixtures of the two by DRIFT spectroscopy, 417 (2000) 31

End-column
End-column amperometric detection of aesculin and aesculetin by capillary electrophoresis, 401 (1999) 29

Endothelial cell
Cytotoxicity testing of model compounds through cell adhesion to a pattern of collagen matrix, 420 (2000) 103

Energy dispersive X-ray fluorescence
Chemometric methods in energy dispersive X-ray fluorescence, 420 (2000) 197

ENFET
Improvement of urease based biosensor characteristics using additional layers of charged polymers, 403 (2000) 25

Enhancement
Flow injection analysis of pyrogallol with enhanced electrochemiluminescent detection, 423 (2000) 247

Enhancement effect
Highly sensitive spectrofluorimetric determination of ascorbic acid based on its enhancement effect on a mimetic enzyme-catalyzed reaction, 413 (2000) 167

Enose
Quantitative artificial neural network for electronic noses, 417 (2000) 101

Environment
Selective preconcentration of phenyl-mercury by living *Escherichia coli* and its determination by cold vapour atomic absorption spectrometry, 423 (2000) 255

Environmental
Voltammetric measurement of microorganism populations, 405 (2000) 115
A new system for the spectrophotometric determination of arsenic in environmental and biological samples, 408 (2000) 111

Environmental and geological samples
An α-amino pyridine resin preconcentration method for iridium in environmental and geological samples, 403 (2000) 243

Environmental aqueous samples
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223

Environmental monitoring
A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water, 422 (2000) 187

Environmental sample
A new spectrophotometric reagent for copper: 3,3′-(1,3-propanediyldiimine)bis-[3-methyl-2-butanone]dioxime, 408 (2000) 163
Preconcentration, separation and determination of trace Hg(II) in environmental samples with aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel, 416 (2000) 191

Environmental/biological samples
Determination of mercury in environmental and biological samples using pyrolysis atomic absorption spectrometry with gold amalgamation, 405 (2000) 179

Enzymatic analysis
New ways of enzymatic two-substrate determinations in flow injection systems, 421 (2000) 7

Enzymatic derivatisation
Selective inhibition-based biosensing system for the determination of pesticides in environmental samples using analytical pervaporation coupled with enzymatic derivatisation, 408 (2000) 209

Enzymatic spectrophotometric method
A new enzymatic spectrophotometric assay for the determination of lactulose in milk, 406 (2000) 217

Enzyme
Determination of hemoglobin based on its enzymatic activity for the oxidation of *o*-phenylenediamine with hydrogen peroxide, 413 (2000) 109

Enzyme electrode
Peroxidase enzyme electrodes as nitric oxide biosensors, 403 (2000) 1
Xanthine and hypoxanthine sensors based on xanthine oxidase immobilized on a $CuPtCl_6$ chemically modified electrode and liquid chromatography electrochemical detection, 414 (2000) 205

Enzyme immunoassay
New electrochemical assay of alkaline phosphatase using ascorbic acid 2-phosphate and its application to enzyme immunoassay, 407 (2000) 119
Determination of polychlorinated biphenyl compounds in electrical insulating oils by enzyme immunoassay, 422 (2000) 167
Highly sensitive electrochemical detection of alkaline phosphatase, 424 (2000) 57

Enzyme inhibition
Flow injection method for the determination of thyroxine by inhibition of glutamate dehydrogenase, 411 (2000) 45

Enzyme reactor
Application of Convective Interaction Media disks with immobilised glucose oxidase for on-line glucose measurements, 407 (2000) 105
Development of the enzyme reactor system with an amperometric detection and application to estimation of the incipient stage of spoilage of chicken, 411 (2000) 37

Enzyme-linked immunosorbent assay (ELISA)
Enzyme-linked immunosorbent assay for 2-deoxycytidine, 404 (2000) 179

Epianhydrotetracycline
Determination of tetracycline and its major degradation products by chemiluminescence, 405 (2000) 51

Epinephrine
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155
Molecular imprinting polymer coated BAW bio-mimic sensor for direct determination of epinephrine, 415 (2000) 135

Epitetracycline
Determination of tetracycline and its major degradation products by chemiluminescence, 405 (2000) 51

EPR response
Effect of dielectric constants, sample container dimensions and frequency of magnetic field modulation on the quantitative EPR response, 403 (2000) 305

EQCM
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175
Electrochemical quartz microbalance with working mercury electrode for quantitative studies of monolayer adsorption, 419 (2000) 243

Equilibrium
Cu(II) binding by a pH-fractionated fulvic acid, 402 (1999) 183

Equilibrium constant
Capillary electrophoretic determination of coordination equilibrium constants of carboxylate ions with copper(II) complexed with several bis(1,10-phenanthroline) derivatives and bis(bipyridine), 409 (2000) 55

Equilibrium studies
Equilibria with the thallium(III)triethylenetetraminehexaacetate anion $[Tl(ttha)]^{3-}$ in aqueous solution, 406 (2000) 317

Eriochrome cyanine R
Application of chromaticity characteristics for direct determination of trace aluminum with Eriochrome cyanine R by diffuse reflection spectroscopy, 408 (2000) 145

Error estimates
Comparison of several criteria to decide on the significance of effects in a robustness test with an asymmetrical factorial design, 404 (2000) 257

Erythromycin
Chemiluminometric behaviour of erythromycin and related compounds, 410 (2000) 153

Erythrosin B
Fiber optic oxygen sensor based on phosphorescence quenching of erythrosin B trapped in silica-gel glasses, 408 (2000) 33

ES MS/MS
Identification of dimethylarsinoyl-riboside derivatives in seaweed by pneumatically assisted electrospray tandem mass spectrometry, 410 (2000) 71
Speciation analysis of selenium in garlic by two-dimensional high-performance liquid chromatography with parallel inductively coupled plasma mass spectrometric and electrospray tandem mass spectrometric detection, 421 (2000) 147

Escherichia coli
Selective preconcentration of phenyl-mercury by living *Escherichia coli* and its determination by cold vapour atomic absorption spectrometry, 423 (2000) 255

ESI-MS
Electrospray diagnostics performed by using sucrose and proteins in the gas-phase electrophoretic mobility molecular analyzer (GEMMA), 406 (2000) 3
Speciation of organoarsenic compounds by polypyrrole-coated capillary in-tube solid phase microextraction coupled with liquid chromatography/electrospray ionization mass spectrometry, 424 (2000) 211

ESRECE
Simulation of the development automatization control system for rare earth extraction process. Combination of ESRECE simulation software and EDXRF analysis technique, 417 (2000) 111

Estimation
Microwave-assisted spectrophotometric estimation of polymer-supported functional groups using a universal reagent, 405 (2000) 247

Estimation efficiency
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147

Estimation error
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147

Estimation precision
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147

β-Estradiol
Fluorescence detection of β-estradiol using a molecularly imprinted polymer, 405 (2000) 23

ETA-LEAFS
Ultratrace determination of thulium by laser-excited atomic fluorescence spectrometry with atomization in a rhenium lined tube furnace, 411 (2000) 57

ETH1001
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with ETH1001 as neutral carrier, 404 (2000) 101

Ethanol
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255
Enzymatic determination of ethanol and glycerol by flow injection parallel multi-site detection, 416 (2000) 205

Ethidium bromide
Multivariate extension of the continuous variation and mole-ratio methods for the study of the interaction of intercalators with polynucleotides, 424 (2000) 105

Ethoxylate surfacants
Measurement of fatty amine ethoxylate surfactants using electrochemiluminescence, 402 (1999) 105

ETH^{T} 4001
Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^{T} 4001, 414 (2000) 181

Ethylmorphine
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55

ETV-ICP-MS
Rapid determination of technetium-99 by electrothermal vaporization-inductively coupled plasma-mass spectrometry with sodium chlorate and nitric acid as modifiers, 413 (2000) 207

Excitation–emission fluorescence
Determination of triphenyltin in sea-water by excitation–emission matrix fluorescence and multivariate curve resolution, 409 (2000) 237

Experimental design
Optimization of the experimental parameters in the determination of rifamycin SV by adsorptive stripping voltammetry, 405 (2000) 123
Trimethyltin chloride determination by hydride generation — gas phase molecular absorption spectrometry. A sequential application of experimental designs, 409 (2000) 171
Designing experiments to optimise and validate the adsorptive stripping voltammetric determination of nimesulide, 413 (2000) 229

Expert estimation
Optimisation of the optical scheme of a dual-beam thermal lens spectrometer using expert estimation, 418 (2000) 101

Extracted error
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

Extraction
Extraction, solubility and stability of metal complexes using stainless steel supercritical fluid extraction system, 417 (2000) 177
Spectrophotometric determination of bismuth after extraction of tetrabutylammonium tetraiodobismuthate(III) with microcrystalline benzophenone, 419 (2000) 41
Multicomponent sequential injection analysis determination of nitro-phenols in waters by on-line liquid-liquid extraction and preconcentration, 421 (2000) 155
Determination of polychlorinated biphenyl compounds in electrical insulating oils by enzyme immunoassay, 422 (2000) 167

Extraction chromatographic resin
Separation of rhenium by an extraction chromatographic resin for determination by inductively coupled plasma-mass spectrometry, 405 (2000) 227

Extraction chromatography
Determination of ^{90}Sr in aquatic organisms by extraction chromatography: method validation, 414 (2000) 101

Extraction kinetics
Kinetic study of Ni(II) and Zn(II) complexation with a pyridylazo extractant by a centrifugal liquid membrane method, 419 (2000) 107

F

FAB-MS
The identification and characterization of silicate complexes in calcium chloride solution using fast atom bombardment mass spectrometry, 411 (2000) 109

Facilitated transport
Determination of structural and electrical parameters for activated composite membranes containing di-(2-ethylhexyl)dithiophosphoric acid as carrier, 403 (2000) 91
Facilitated transport of lead(II) and cadmium(II) through novel activated composite membranes containing di-(2-ethyl-hexyl)-phosphoric acid as carrier, 408 (2000) 65

Factor analysis
Multivariate extension of the continuous variation and mole-ratio methods for the study of the interaction of intercalators with polynucleotides, 424 (2000) 105

Factor selection
Genetic algorithms applied to the selection of factors in principal component regression, 420 (2000) 217

Factorial design
Determination of heparin using flow injection analysis with spectrophotometric detection, 401 (1999) 223
Experimental design modeling of carryover to optimize air-segmented continuous flow analysis, 408 (2000) 21

FAME
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119

Fat
Development of a simulation program for the analysis of oils and fats by subcritical fluid chromatography, 401 (1999) 73
Automatic determination of fat in milk by use of a flow injection system with a piezoelectric detector, 406 (2000) 309

Fatty acid
Development of a simulation program for the analysis of oils and fats by subcritical fluid chromatography, 401 (1999) 73
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119

FDH
A new enzymatic spectrophotometric assay for the determination of lactulose in milk, 406 (2000) 217

Fe(II)
Determination of Fe(II) and total iron in natural waters with 3-(2-pyridyl)-5,6-diphenyl-1,2,4-triazine (PDT), 406 (2000) 289

Fe(II) oxidation
Spectrophotometric study of iron oxidation in the iron(II)/azide/tetrahydrofuran system and some analytical applications, 411 (2000) 217

Fen soils
Methods of multivariate data analysis applied to the investigation of fen soils, 420 (2000) 205

Fermentation processes
Application of Convective Interaction Media disks with immobilised glucose oxidase for on-line glucose measurements, 407 (2000) 105

Fermented milk
A hybrid electronic tongue, 406 (2000) 147

Ferroin
An optical redox chemical sensor based on ferroin immobilised in a Nafion® membrane, 401 (1999) 137

α-Fetoprotein
Novel bioluminescent assay of pyruvate phosphate dikinase using firefly luciferase–luciferin reaction and its application to bioluminescent enzyme immunoassay, 421 (2000) 113

FIA
Determination of heparin using flow injection analysis with spectrophotometric detection, 401 (1999) 223
Data acquisition of transient signals in inductively coupled plasma mass spectrometry, 407 (2000) 301
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221
Overcoming oxygen quenching in fluorescence spectrometry with a highly efficient in-line degassing device interfaced with a flow cell, 422 (2000) 131

FIA/SIA on-line ion-exchange
Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223

FIA–ECD
Determination of acid phosphatase activity in a double injection flow system with electrochemical detection, 406 (2000) 225

FIA–ED
Kinetic determination of acid phosphatase activity by double injection flow analysis with electrochemical detection, 413 (2000) 103

FIAlab 3500
Interfacing flow injection analysis (sequential injection analysis) and electro-thermal atomic absorption spectrometry determination of trace-levels of Cr(VI) via on-line pre-concentration by adsorption in a knotted reactor and by liquid–liquid extraction, 422 (2000) 47

Fiber-optic sensors
A fluorescence-based imaging-fiber electrode chemical sensor for hydrogen peroxide, 404 (2000) 213
Simultaneous on-line dissolution monitoring of multicomponent solid preparations containing vitamins B_1, B_2 and B_6 by a fiber-optic sensor system, 408 (2000) 39

Fiber-optics
Fiber optic oxygen sensor based on phosphorescence quenching of erythrosin B trapped in silica-gel glasses, 408 (2000) 33

FI–EC
Determination of sulfur dioxide and ascorbic acid in beverages using a dual channel flow injection electrochemical detection system, 416 (2000) 105

FILIA
Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis, 414 (2000) 51
Development of a flow-injection liposome immunoanalysis system for fumonisin B1, 414 (2000) 61

Fire debris
Accelerant classification by gas chromatography/mass spectrometry and multivariate pattern recognition, 422 (2000) 37

Fire retardant
Quantitative thermogravimetric-mass spectrometric analysis for monitoring the effects of fire retardants on cellulose pyrolysis, 409 (2000) 203

Firefly bioluminescence
Application of cationic liposomes containing surfactants to an enhancer in firefly bioluminescent assay of adenosine 5′-triphosphate, 424 (2000) 169

Firefly luciferase–luciferin reaction
Novel bioluminescent assay of pyruvate phosphate dikinase using firefly luciferase–luciferin reaction and its application to bioluminescent enzyme immunoassay, 421 (2000) 113

Fish
Comparison of digestion methods for the determination of selenium in fish tissue by cathodic stripping voltammetry, 408 (2000) 97

Flame atomic absorption spectrometry
Determination of cadmium in flour by atom trapping flame atomic absorption spectrometry using derivative signal processing, 405 (2000) 185
Indirect automatic determination of iodide by flame atomic absorption spectrometry, 405 (2000) 191
Precision attainable in the determination of silver by flame atomic absorption spectrometry. Analysis of thermoelectric silver-doped tellurides, 408 (2000) 183
On-line bidirectional electrostacking of chromium(III) and chromium(VI) for flame atomic absorption spectrometry determination, 421 (2000) 57

Flame atomic absorption spectroscopy
An on-line continuous flow system for copper enrichment and determination by flame atomic absorption spectroscopy, 403 (2000) 259

Flavin
Studies of polyluminol modified electrode and its application in electrochemiluminescence analysis with flow system, 419 (2000) 25

Flavones
Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion, 411 (2000) 209

Flavonol
Flavonol fluorescent flow-through sensing based on a molecular imprinted polymer, 405 (2000) 67

Flour
Determination of cadmium in flour by atom trapping flame atomic absorption spectrometry using derivative signal processing, 405 (2000) 185

Flow analysis
A disposable Protein A-based immunosensor for flow-injection assay with electrochemical detection, 404 (2000) 187
Highly sensitive flow analysis determination of orthophosphate using solid phase enrichment of phosphomolybdenum blue without need for organic solvents in elution, 410 (2000) 177
Spectrophotometric determination of total nitrogen in plant materials using a flow-injection system with an $AgCl_{(s)}$ reactor, 416 (2000) 185
Overcoming oxygen quenching in fluorescence spectrometry with a highly efficient in-line degassing device interfaced with a flow cell, 422 (2000) 131

Flow cell
Microinjection-microspectroscopy of single oil droplets in water: an application to liquid/liquid extraction under solution-flow conditions, 418 (2000) 129

Flow immunoassays
Flow injection electrochemical enzyme immunoassay based on the use of gold bands, 409 (2000) 149

Flow injection
Flow-injection spectrophotometric determination of gold using 5-(4-sulphophenylazo)-8-aminoquinoline, 401 (1999) 237
Direct, selective flow injection spectrophotometric determination of calcium in wines using methylthymol blue and an on-line cascade dilution system, 402 (1999) 259
Radioluminescence detector for the flow injection determination of phosphorus as vanadomolybdophosphoric acid, 402 (1999) 267
Application of natural computation techniques to optimal design of flow injection systems, 402 (1999) 275
Flow injection chemiluminometric determination of albumin, 403 (2000) 137
Synthetic zeolites as sorbent material for on-line preconcentration of copper traces and its determination using flame atomic absorption spectrometry, 403 (2000) 249
A flow injection system based on chalcogenide glass sensors for the determination of heavy metals, 403 (2000) 273
The analytical characterisation of sub-minute measurement duty cycles in flow injection analysis mass spectrometry, by their carry-over, 403 (2000) 287
Indirect automatic determination of iodide by flame atomic absorption spectrometry, 405 (2000) 191
Plant tissue-based chemiluminescence flow biosensor for urea, 407 (2000) 81

Determination of bismuth in pharmaceutical products using liquid–liquid extraction in a flow injection system, 408 (2000) 129
Flow injection-hydride generation atomic absorption spectrometric determination of Se(VI) and Se(IV): utility of a conventionally heated water bath for the on-line reduction of Se(VI), 408 (2000) 191
Studies of micelle and trace non-polar organic solvent on a new chemiluminescence system and its application to flow injection analysis, 409 (2000) 75
Flow injection method for the determination of thyroxine by inhibition of glutamate dehydrogenase, 411 (2000) 45
Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection, 412 (2000) 149
Solid-phase sodium bismuthate as an oxidant in flow injection analysis: determination of manganese in effluent streams, 413 (2000) 57
Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method, 414 (2000) 15
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87
Determination of sulfur dioxide and ascorbic acid in beverages using a dual channel flow injection electrochemical detection system, 416 (2000) 105
Pervaporation-flow injection determination of ammonia in the presence of surfactants, 416 (2000) 177
Determination of ofloxacin using a chemiluminescence flow-injection method, 416 (2000) 227
Performance enhancement in flow reversal flow injection using on-capillary detection, 417 (2000) 185
Determination of phenol in water by pervaporation–flow injection analysis, 419 (2000) 9
Determination of lead by hydride generation inductively coupled plasma mass spectrometry, 419 (2000) 65
On-line pre-concentration system for vanadium determination in drinking water using flow injection-inductively coupled plasma atomic emission spectrometry, 420 (2000) 73
Determination of Pd(II) by application of an on-line microwave oven and artificial neural networks in flow injection analysis, 420 (2000) 123
Flow injection spectrophotometric assay of α-amylase activity, 421 (2000) 19
On-line bidirectional electrostacking of chromium(III) and chromium(VI) for flame atomic absorption spectrometry determination, 421 (2000) 57
Combination of flow injection with capillary electrophoresis. Part 7. Microchip capillary electrophoresis system with flow injection sample introduction and amperometric detection, 422 (2000) 71
Determination of the $^{234}U/^{238}U$ ratio in water samples by inductively coupled plasma mass spectrometry, 422 (2000) 203
Flow injection analysis of water vapour based on a fluorosensor, 423 (2000) 229
Flow injection analysis of pyrogallol with enhanced electrochemiluminescent detection, 423 (2000) 247

Flow injection analysis

Determination of glucose in soft drinks using its enzymatic oxidation and the detection of formed hydrogen peroxide with a dinuclear iron(III) complex, 401 (1999) 83
Flow injection biamperometric determination of metronidazole with on-line photodegradation, 401 (1999) 229
Flow-injection chemiluminescence determination of DNA based on a photochemical reaction, 402 (1999) 13
Synthesis, characterisation and preliminary analytical evaluation of three oxamide reagents for peroxyoxalate chemiluminescence, 403 (2000) 145
On-line monitoring of kraft pulping liquors with a valveless flow injection–capillary electrophoresis system, 404 (2000) 19
Flow injection biamperometric determination of chloramphenicol and related nitro compounds by on-line chemical photodegradation, 404 (2000) 141
Flow injection analysis-amperometric determination of ascorbic and uric acids in urine using arrays of gold microelectrodes modified by electrodeposition of palladium, 404 (2000) 151
On-line electrolytic dissolution of alloys in flow injection analysis. Determination of iron, tungsten, molybdenum, vanadium and chromium in tool steels by inductively coupled plasma atomic emission spectrometry, 405 (2000) 213
Preparation and characterization of immobilized acid phosphatase used for an enzyme reactor: evaluation in flow-injection analysis and pre-column liquid chromatography, 406 (2000) 191
Highly-sensitive flow injection determination of hydrogen peroxide with a peroxidase-immobilized electrode and its application to clinical chemistry, 406 (2000) 201
Flow-injection catalytic spectrophotometric determination of oxalic acid using the redox reaction between Victoria blue B and dichromate, 406 (2000) 303
Flow injection biamperometric determination of chloramine-T in environmental, pharmaceutical and veterinary samples, 407 (2000) 187
Simultaneous on-line dissolution monitoring of multicomponent solid preparations containing vitamins B_1, B_2 and B_6 by a fiber-optic sensor system, 408 (2000) 39
Spectrophotometric determination of pK_a values based on a pH gradient flow-injection system, 408 (2000) 135
Sulfide measurements by flow injection analysis and ion chromatography with electrochemical detection, 409 (2000) 27
Flow electrochemical determination of ascorbic acid in real samples using a glassy carbon electrode modified with a cellulose acetate film bearing 2,6-dichlorophenolindophenol, 409 (2000) 113
Simultaneous determination of copper, lead, cadmium and zinc using differential pulse anodic stripping voltammetry in a flow system, 411 (2000) 201
Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis, 414 (2000) 51
Flow-injection fluorometric quantification of succinate in foodstuffs based on the use of an immobilized enzyme reactor, 416 (2000) 197
Bioanalytical flow-injection system for control of hemodialysis adequacy, 418 (2000) 213

Comparison of spectrophotometric and potentiometric detection for the determination of water using Karl Fischer method under flow injection analysis conditions, 420 (2000) 133
Calibration and detailed analysis of second-order flow injection analysis data with rank overlap, 422 (2000) 21

Flow injection immunoassay
Performance characteristics for flow injection immunoassay using monoclonal antibodies against s-triazine and 2,4-D herbicides, 412 (2000) 19

Flow injection parallel analysis
Determination of olive oil 2-thiobarbituric acid reactive substances by parallel flow injection, 417 (2000) 119

Flow injection spectrophotometry
A single solution for non-linear calibration in flow injection spectrophotometry. Kinetic determination of total protein in blood serum, 401 (1999) 215
A flow system exploiting multicommutation for speciation of inorganic nitrogen in waters, 409 (2000) 227

Flow injection system
New ways of enzymatic two-substrate determinations in flow injection systems, 421 (2000) 7

Flow reversal
Performance enhancement in flow reversal flow injection using on-capillary detection, 417 (2000) 185

Flow system
Automatic determination of fat in milk by use of a flow injection system with a piezoelectric detector, 406 (2000) 309
Voltammetric determination of traces of Cr(VI) in the presence of Cr(III) and humic acid, 414 (2000) 165
Studies of polyluminol modified electrode and its application in electrochemiluminescence analysis with flow system, 419 (2000) 25

Flow system: Extraction
Flow injection extraction spectrophotometric determination of nickel using bis(acetylacetone)ethylenediimine, 408 (2000) 123

Flow-batch system
Prior assay as an approach to flow titrations. Spectrophotometric determination of iron in alloys and ores, 416 (2000) 231

Flow-cell system
NH_4^+-sensitive chemically modified field effect transistors based on siloxane membranes for flow-cell applications, 401 (1999) 105
Nitrate-selective chemically modified field effect transistors for flow-cell applications, 416 (2000) 97

Flowing systems
Continuous monitoring of amino acids and related compounds with poly(3-methylthiophene)-coated cylindrical carbon fiber microelectrodes, 401 (1999) 145

Flow-injection liposome immunoanalysis
Development of a flow-injection liposome immunoanalysis system for fumonisin B1, 414 (2000) 61

Flow-through detector
Copper oxide based flow-through detector for glucose determination, 405 (2000) 87

Flow-through fluoroimmunosensor
Flow-through fluoroimmunosensor for isoproturon determination in agricultural foodstuff. Evaluation of antibody immobilization on solid support, 417 (2000) 85

Flow-through optode
Development of a new bulk optode membrane for the determination of mercury(II), 414 (2000) 195

Flow-through sensor
A flow-through solid phase UV spectrophotometric biparameter sensor for the sequential determination of ascorbic acid and paracetamol, 404 (2000) 131

Flufenamic acid
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87

Fluorescein isothiocyanate
Cytotoxicity testing through cell adhesion to a pattern of collagen matrix, 415 (2000) 201
Cytotoxicity testing of model compounds through cell adhesion to a pattern of collagen matrix, 420 (2000) 103

Fluorescein-5(6)-carboxamido-caproic acid ester
Direct determination of glucose in serum by fluorimetry using a labeled enzyme, 414 (2000) 33

Fluorescence
Fluorimetric determination of albumin and globulin in human serum using tetra-substituted sulphonated aluminum phthalocyanine, 401 (1999) 185
Workplace monitoring of gas phase hydrogen peroxide by means of fluorescence spectroscopy, 401 (1999) 191
Microplate-based fluorometric methods for the enzymatic determination of L-glutamate: application in measuring L-glutamate in food samples, 402 (1999) 47
A fluorescence-based imaging-fiber electrode chemical sensor for hydrogen peroxide, 404 (2000) 213
In situ fluorimetric determination of pesticides on vegetables, 405 (2000) 9
New method for adding reagents: an application of caged molecules to analytical chemistry, 405 (2000) 17
A fluorescent optode for sodium ion based on the inner filter effect, 407 (2000) 45
Determination of five polycyclic aromatic hydrocarbons in aqueous micellar media by fluorescence at room temperature, 413 (2000) 159
Direct determination of glucose in serum by fluorimetry using a labeled enzyme, 414 (2000) 33
Flow-injection analysis–fluorescence detection for the in vivo on-line determination of calcium in blood with microdialysis sampling, 419 (2000) 175

Flow injection analysis of water vapour based on a fluorosensor, 423 (2000) 229

Fluorescence derivatization
Fluorescence derivatization of amino acids with 4-(5′,6′-dimethoxybenzothiazolyl)phenylisothiocyanate in liquid chromatography, 416 (2000) 69

Fluorescence detection
Analysis of biogenic thiols in natural water samples by high-performance liquid chromatographic separation and fluorescence detection with ammonium 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD-F), 408 (2000) 299
Assay of cyclic nucleotide phosphodiesterase activity in rat brain by high-performance liquid chromatography using (3,4-dimethoxyphenyl)glyoxal as a fluorescence derivatizing reagent, 414 (2000) 95
N-hydroxysuccinimidyl fluorescein-*O*-acetate as a highly fluorescent derivatizing reagent for aliphatic amines in liquid chromatography, 423 (2000) 77

Fluorescence enhancement
A selective optical chemical sensor for the determination of Tween-60 based on fluorescence enhancement of tetraphenylporphyrin, 404 (2000) 205

Fluorescence imaging
A pH-sensitive nanotip array imaging sensor, 419 (2000) 215

Fluorescence line narrowing
On the coupling of fluorescence line-narrowing spectroscopy and poly(ethylene)imine-cellulose thin-layer chromatography, 405 (2000) 1

Fluorescence microscopy
Cytotoxicity testing through cell adhesion to a pattern of collagen matrix, 415 (2000) 201

Fluorescence polarization
Selective determination of carbaryl and benomyl by fluorescence polarization, 414 (2000) 25

Fluorescence probe
Enhanced fluorescence of the terbium–gadolinium–nucleic acids system and the determination of nucleic acids, 403 (2000) 219

Fluorescence quenching by oxygen
Fluorescence quenching oxygen sensor using an aluminum phthalocyanine–polystyrene film, 407 (2000) 41

Fluorescence spectroscopy
A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221
Evaluation and characteristics of a Pb(II) ion-selective electrode based on aquatic humic substances, 418 (2000) 205

Fluorescent detection
Fluorescence detection of β-estradiol using a molecularly imprinted polymer, 405 (2000) 23

Fluorescent ionophores
Selective extraction of alkali metal cations with proton-ionizable dibenzo-16-crown-5 fluoroionophores, 420 (2000) 57

Fluoride
Determination of fluoride in $M(SbF_6)_x$ compounds, 418 (2000) 113

Fluorimetric detection
Determination of tissue α-tocopherol in senescence-accelerated mice by high-performance liquid chromatography with fluorimetric detection, 419 (2000) 81

Fluorimetric determination
Fluorimetric determination of albumin and globulin in human serum using tetra-substituted sulphonated aluminum phthalocyanine, 401 (1999) 185
Fluorimetric determination of dissolved aluminium in natural waters after liquid–liquid extraction into *n*-hexanol, 405 (2000) 31
Fluorimetric method for the determination of trace levels of mercury in sea water using 6-mercaptopurine, 419 (2000) 33

Fluorimetry
Determination of metal-cyanide complexes by ion-interaction chromatography with fluorimetric detection, 403 (2000) 197
A novel method for determination of DNA by use of molecular 'Light Switch' complex of $Ru(bipy)_2(dppx)^{2+}$, 403 (2000) 209
Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1
Fluorimetric determination of isoniazid by oxidation with cerium(IV) in a multicommutated flow system, 419 (2000) 17
Overcoming oxygen quenching in fluorescence spectrometry with a highly efficient in-line degassing device interfaced with a flow cell, 422 (2000) 131

Fluorination assisted electrothermal vaporization
Direct analysis of titanium dioxide solid powder by fluorination assisted electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 421 (2000) 75

Fluoroborate PVC membrane electrode
Fluoroborate ion sensitive PVC membrane electrode based on chloro[tetra(*m*-amino-phenyl)porphinato]-manganese as neutral carrier, 419 (2000) 227

Fluorocarbon
Evaluation of different fluorocarbon oils for their internal oxygen supply in glucose microsensors operated under oxygen-deficit conditions, 411 (2000) 187

Fluorogenic Edman reagent
Detection of 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) carbamoyl amino acids generated by post-column desulfuration in the simultaneous determination of the sequence and D/L-configuration of peptides using a fluorogenic Edman reagent, 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) isothiocyanate, 415 (2000) 57

Fluorometry
Specific spectrofluorometric quantification of D-penicillamine in bulk and dosage forms after derivatization with 4-fluoro-7-nitrobenzo-2-oxa-1,3-diazole, 408 (2000) 169

Flow-injection fluorometric quantification of succinate in foodstuffs based on the use of an immobilized enzyme reactor, 416 (2000) 197

4-Fluoro-7-nitrobenzo-2-oxa-1,3-dizole (NBD-F)
Specific spectrofluorometric quantification of D-penicillamine in bulk and dosage forms after derivatization with 4-fluoro-7-nitrobenzo-2-oxa-1,3-diazole, 408 (2000) 169

Fluoropolymer
Optical oxygen detection based on luminescence change of metalloporphyrins immobilized in poly(isobutylmethacrylate-co-trifluoroethylmethacrylate) film, 421 (2000) 167

Fluoxetine
Method development and validation for the simultaneous determination of fluoxetine and fluvoxamine in pharmaceutical preparations by capillary electrophoresis, 417 (2000) 169

Fluphenazine HCl
Polymeric membrane electrodes for selective determination of the central nervous system acting drugs fluphenazine hydrochloride and nortriptyline hydrochloride, 418 (2000) 93

Fluvoxamine
Method development and validation for the simultaneous determination of fluoxetine and fluvoxamine in pharmaceutical preparations by capillary electrophoresis, 417 (2000) 169

Fog-water
A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221

Food
Microplate-based fluorometric methods for the enzymatic determination of L-glutamate: application in measuring L-glutamate in food samples, 402 (1999) 47
Voltammetric measurement of microorganism populations, 405 (2000) 115
Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1

Food analysis
Flow-injection catalytic spectrophotometric determination of oxalic acid using the redox reaction between Victoria blue B and dichromate, 406 (2000) 303
Flow injection spectrophotometric assay of α-amylase activity, 421 (2000) 19

Foodstuffs
Simultaneous determination of Cd and Pb in foodstuffs by electrothermal atomic absorption spectrometry, 405 (2000) 205

Forward degenerate four-wave mixing
On the potential of forward-scattering degenerate four-wave mixing detection in capillary electrophoresis, 416 (2000) 151

Fourier least-square method
Processing discrete data for deconvolution voltammetry based on the Fourier least-square method, 404 (2000) 249

Fourier transform infrared (FT-IR) spectrometer
A comparison of pyrolysis-gas chromatography-mass spectrometry and Fourier transform infrared spectroscopy for the analysis of a series of modified alkyd paint resins, 422 (2000) 217

Fourier transform infrared spectroscopy
Sheath-flow Fourier transform infrared spectrometry for the simultaneous determination of citric, malic and tartaric acids in soft drinks, 417 (2000) 41
Sequential injection Fourier transform infrared spectroscopy for the simultaneous determination of organic acids and sugars in soft drinks employing automated solid phase extraction, 422 (2000) 63

Fractionation
Cu(II) binding by a pH-fractionated fulvic acid, 402 (1999) 183

Free radicals
Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion, 411 (2000) 209

Freshwater
Copper complexing capacities of freshwaters by adsorptive cathodic stripping voltammetry, 412 (2000) 77
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21

Fructose
Affinity mass sensors: determination of fructose, 403 (2000) 49

Fruit
Speciation of lead in soils and relation with its concentration in fruits, 410 (2000) 119

Fruit juice
Separation and determination of di- and tricarboxylic acids in fruits by capillary zone electrophoresis with amperometric detection, 415 (2000) 75

FT-IR spectroscopy
Fourier transform infrared spectroscopic characterization of complexes of carbamoylated quinidine chiral selector and *N*-derivatized leucine enantiomers in solution. Evidence for stereoselective intermolecular interactions, 401 (1999) 3

Fullerene
[60]Fullerene-mediated amperometric biosensors, 409 (2000) 131

Fulvic acid
Modeling the effects of ionic strength on ionization parameters for a soil fulvic acid at low concentrations, 401 (1999) 243
Cu(II) binding by a pH-fractionated fulvic acid, 402 (1999) 183
Multisite metal binding to fulvic acid determined using multiresponse fluorescence, 416 (2000) 211
A study of Nafion-coated and uncoated thin mercury film-rotating disk electrodes for cadmium and lead speciation in model solutions of fulvic acid, 423 (2000) 115

Fulvic acid complexes of Ni(II), Pb(II), Cu(II), Cd(II), Al(III)
Effect of metal/fulvic acid mole ratios on the binding of Ni(II), Pb(II), Cu(II), Cd(II), and Al(III) by two well-characterized fulvic acids in aqueous model solutions, 402 (1999) 211

Fumonisin B1
Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis, 414 (2000) 51
Development of a flow-injection liposome immunoanalysis system for fumonisin B1, 414 (2000) 61

Fused silica capillary
Development of a sequential injection system in the capillary format for determinations of the IpaC protein, 409 (2000) 3
Performance enhancement in flow reversal flow injection using on-capillary detection, 417 (2000) 185

Fusion
Determination of oxygen-to-metal atomic ratio in mixed oxide fuel by non-dispersive infrared spectrophotometry after fusion in an inert gas atmosphere, 402 (1999) 297

G

GA
Prediction of drug transfer into human milk from theoretically derived descriptors, 418 (2000) 181

Galanin segments
Structure identification of synthetic human galanin using tandem mass spectrometry and in situ fast atom bombardment mapping, 402 (1999) 303

Gallocyanine
Novel catalytic spectrophotometric procedure for the determination of trace-level aluminium, 412 (2000) 241

Garlic
Speciation analysis of selenium in garlic by two-dimensional high-performance liquid chromatography with parallel inductively coupled plasma mass spectrometric and electrospray tandem mass spectrometric detection, 421 (2000) 147

Gas chromatograph
Determination of organomercury compounds with a miniaturised automated speciation analyser, 414 (2000) 141

Gas chromatographic method
Gas chromatographic method and whole body dosimetry for assessing dermal exposure of greenhouse applicators to chlorpyrifos-methyl and fenitrothion, 423 (2000) 127

Gas chromatography
Monitoring of pyrethroid metabolites in human urine using solid-phase extraction followed by gas chromatography-tandem mass spectrometry, 401 (1999) 45
A new method for determining the concentration of atmospheric alcohols using the nitrite formation reaction, 402 (1999) 233
Studies of the major degradation products of a higher alkyl polyacrylate using pyrolysis gas chromatography–mass spectrometry, 402 (1999) 311
Rapid detection of tetramethylenedisulfotetramine in human blood by solid-phase microextraction/gas chromatography, 404 (2000) 329
Gas chromatography-mass spectrometry analysis of β_2-agonists in bovine retina, 408 (2000) 285
Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats, 414 (2000) 133
Static headspace, solid-phase microextraction and headspace solid-phase microextraction for BTEX determination in aqueous samples by gas chromatography, 415 (2000) 9
Preliminary evaluation of adsorbent-based mercury removal systems for gas condensate, 415 (2000) 21
Determination of the speciation of organolead compounds in airborne particulate matter by gas chromatography–inductively coupled plasma mass spectrometry, 423 (2000) 21
Synergistic effects of mixed GC stationary phase consisting of two different cyclodextrin derivatives, 424 (2000) 271

Gas chromatography-mass spectrometry
Microporous membrane liquid–liquid extraction technique combined with gas chromatography mass spectrometry for the determination of organotin compounds, 404 (2000) 319
Determination of linear alkylbenzenesulfonates in sediments using pressurized liquid extraction and ion-pair derivatization gas chromatography-mass spectrometry, 408 (2000) 291
Analysis of gaseous arsenic species and stability studies of arsine and trimethylarsine by gas chromatography-mass spectrometry, 410 (2000) 65
Analytical methodology for the detection of β_2-agonists in urine by gas chromatography–mass spectrometry for application in doping control, 418 (2000) 79
Determination of salsolinol enantiomers by gas chromatography-mass spectrometry with cyclodextrin chiral columns, 420 (2000) 81
Gas-phase postderivatization following solid-phase microextraction for rapid determination of *trans*-resveratrol in wine by gas chromatography-mass spectrometry, 424 (2000) 19

Gas condensate
Preliminary evaluation of adsorbent-based mercury removal systems for gas condensate, 415 (2000) 21

Gas emission control
A flow injection system based on chalcogenide glass sensors for the determination of heavy metals, 403 (2000) 273

Gas phase ions
On the mechanisms by which the charged droplets produced by electrospray lead to gas phase ions, 406 (2000) 11

Gas phase molecular absorption spectrometry
Trimethyltin chloride determination by hydride generation — gas phase molecular absorption spectrometry. A sequential application of experimental designs, 409 (2000) 171

Gas sensor
Multi-channel piezoelectric quartz crystal sensor for organic vapours, 403 (2000) 39
A calibration method for handling the temporal drift of solid state gas-sensors, 407 (2000) 23
Gas-gap sensors for the determination of nitrogen oxides and nitrites, 409 (2000) 143

Gas–liquid chromatography
Gas chromatographic determination of the energy of interaction between some commercial pesticides and a non-ionic surfactant, 411 (2000) 239

Gas-sensing detector
New cavity design suitable for monitoring gaseous samples by molecular emission cavity analysis, 409 (2000) 197

Gaussian distribution
Effect of magnesium ion in the analysis of carboxylated compounds by electrospray-mass spectrometry, 422 (2000) 101

GC/ECD
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111

GC/FID
Analytical method for monitoring airborne trimethylamine using solid phase micro-extraction and gas chromatography-flame ionization detection, 419 (2000) 73

GCe
Use of adsorptive stripping voltammetry at the glassy carbon electrode for the simultaneous determination of magnesium(II) and aluminium(III). Application to some industrial samples, 417 (2000) 67

GC-FPD
Speciation analysis of butyltin compounds in Chinese seawater by capillary gas chromatography with flame photometric detection using in-situ hydride derivatization followed by headspace solid-phase microextraction, 421 (2000) 67

GC–MS
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121
Accelerant classification by gas chromatography/mass spectrometry and multivariate pattern recognition, 422 (2000) 37

GEMMA
Electrospray diagnostics performed by using sucrose and proteins in the gas-phase electrophoretic mobility molecular analyzer (GEMMA), 406 (2000) 3

Genetic algorithm
Application of natural computation techniques to optimal design of flow injection systems, 402 (1999) 275
Principles and applications of wavelet transformation to chemometrics, 420 (2000) 169
Genetic algorithms applied to the selection of factors in principal component regression, 420 (2000) 217
Wavelength selection and optimization of pattern recognition methods using the genetic algorithm, 423 (2000) 167

Germanium
Continuous tandem on-line separation inductively coupled plasma optical emission spectrometry selective determination of germanium in zinc electrolytic solutions, 402 (1999) 319

Glass transition temperature
Methacrylic–acrylic polymers in ion-selective membranes: achieving the right polymer recipe, 403 (2000) 77

Glassy carbon electrode
Simultaneous determination of copper, lead, cadmium and zinc using differential pulse anodic stripping voltammetry in a flow system, 411 (2000) 201

Globulin
Fluorimetric determination of albumin and globulin in human serum using tetra-substituted sulphonated aluminum phthalocyanine, 401 (1999) 185

Glow discharge quadrupole mass spectrometry
Multi-element characterization of high purity cadmium using inductively coupled plasma quadrupole mass spectrometry and glow-discharge quadrupole mass spectrometry, 408 (2000) 199

Gluconobacter oxydans
Determination of total sugars in lignocellulose hydrolysate by a mediated *Gluconobacter oxydans* biosensor, 420 (2000) 1

Glucose
Determination of glucose in soft drinks using its enzymatic oxidation and the detection of formed hydrogen peroxide with a dinuclear iron(III) complex, 401 (1999) 83
Determination of glucose using a piezoelectric quartz crystal and the silver mirror reaction, 407 (2000) 17
Evaluation of substituted-1,10-phenanthroline complexes of osmium as mediator for glucose oxidase of *Aspergillus Niger*, 408 (2000) 225
Evaluation of different fluorocarbon oils for their internal oxygen supply in glucose microsensors operated under oxygen-deficit conditions, 411 (2000) 187
Liquid chromatography — electrochemical detector for the determination of glucose in rat brain combined with in vivo microdialysis, 413 (2000) 131
Direct determination of glucose in serum by fluorimetry using a labeled enzyme, 414 (2000) 33
Performance enhancement in flow reversal flow injection using on-capillary detection, 417 (2000) 185
Development of a generic microelectrode array biosensing system, 421 (2000) 175

Glucose oxidase
Determination of glucose in soft drinks using its enzymatic oxidation and the detection of formed hydrogen peroxide with a dinuclear iron(III) complex, 401 (1999) 83
A laponite clay-poly(pyrrole–pyridinium) matrix for the fabrication of conductimetric microbiosensors, 401 (1999) 117

A disposable Protein A-based immunosensor for flow-injection assay with electrochemical detection, 404 (2000) 187
Evaluation of substituted-1,10-phenanthroline complexes of osmium as mediator for glucose oxidase of *Aspergillus Niger*, 408 (2000) 225
[60]Fullerene-mediated amperometric biosensors, 409 (2000) 131
Disposable interference-free glucose biosensor based on an electropolymerised poly(pyrrole) permselective film, 420 (2000) 9
Development of a generic microelectrode array biosensing system, 421 (2000) 175
Amperometric glucose sensor based on glucose oxidase immobilized in electrochemically generated poly(ethacridine), 423 (2000) 101

Glucose oxidase immobilisation
Application of Convective Interaction Media disks with immobilised glucose oxidase for on-line glucose measurements, 407 (2000) 105

Glutamate
Two-dimensional biochemical imaging sensor for spatially resolved glutamate monitoring, 401 (1999) 91
Microplate-based fluorometric methods for the enzymatic determination of L-glutamate: application in measuring L-glutamate in food samples, 402 (1999) 47

Glutamate dehydrogenase
Flow injection method for the determination of thyroxine by inhibition of glutamate dehydrogenase, 411 (2000) 45

Glutamate oxidase
Microplate-based fluorometric methods for the enzymatic determination of L-glutamate: application in measuring L-glutamate in food samples, 402 (1999) 47

Glutaraldehyde gel
Disposable interference-free glucose biosensor based on an electropolymerised poly(pyrrole) permselective film, 420 (2000) 9

Glycerol
Enzymatic determination of ethanol and glycerol by flow injection parallel multi-site detection, 416 (2000) 205

Gold
Flow-injection spectrophotometric determination of gold using 5-(4-sulphophenylazo)-8-aminoquinoline, 401 (1999) 237

Gold amalgamation
Determination of mercury in environmental and biological samples using pyrolysis atomic absorption spectrometry with gold amalgamation, 405 (2000) 179

Gold disk electrode
Measurements of trace concentrations of mercury in sea water by stripping chronopotentiometry with gold disk electrode: influence of copper, 410 (2000) 97

Gold films
Flow injection electrochemical enzyme immunoassay based on the use of gold bands, 409 (2000) 149

Gold(I) complex
Perchlorate-selective polymeric membrane electrode based on a gold(I) complex: application to water and urine analysis, 415 (2000) 159

Goodness of fit
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221

Gradient exploitation
A single solution for non-linear calibration in flow injection spectrophotometry. Kinetic determination of total protein in blood serum, 401 (1999) 215

Gran method
Calibration of pH glass electrodes by direct strong acid/strong base titrations under dilute conditions, 405 (2000) 167

Graphite
Investigation of characteristics of non-reductive thermal ion emission of various graphites in thermal ionization mass spectrometry, 420 (2000) 95

Graphite furnace
Sequential extractions for determination of cadmium distribution in coal fly ash, soil and sediment samples, 401 (1999) 283

Graphite furnace absorption spectrometry
Determination of arsenic species in seawater by flow injection hydride generation in situ collection followed by graphite furnace atomic absorption spectrometry. Stability of As(III), 418 (2000) 19

Graphite furnace atomic absorption spectrometry
Interference of various salts on the determination of selenium by graphite furnace atomic absorption spectrometry: effect of sea water, 402 (1999) 327
Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry, 418 (2000) 11

Graphite furnace atomic absorption spectroscopy
Determination of trace manganese in the brain of mice subjected to manganese deposition by graphite furnace atomic absorption spectrometry, 405 (2000) 197

Graphite–methacrylate composite electrode
Cyclic voltammetric simultaneous determination of oxidizable amino acids using multivariate calibration methods, 405 (2000) 153

Grazing-emission X-ray fluorescence spectrometry
Determination of trace elements in organic matrices by grazing-emission X-ray fluorescence spectrometry, 401 (1999) 293

Greenhouse
Gas chromatographic method and whole body dosimetry for assessing dermal exposure of greenhouse applicators to chlorpyrifos-methyl and fenitrothion, 423 (2000) 127

Growth hormone
Monoclonal antibody capture fluorometric enzyme linked immunosorbent assay for detection of porcine growth hormone in plasma, 402 (1999) 37

H

Hair
Differential pulse anodic stripping voltammetry of copper in dichloromethane: application to the analysis of human hair, 405 (2000) 135

Hanging mercury drop electrode
Differential-pulse voltammetric determination of low $\mu g l^{-1}$ cyanide levels using EDTA, Cu(II) and a hanging mercury drop electrode, 410 (2000) 135

Hapten synthesis
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121

Hard wheat
Determination of lead (II) and cadmium (II) in hard and soft wheat by derivative potentiometric stripping analysis, 409 (2000) 93

Headspace
Static headspace, solid-phase microextraction and headspace solid-phase microextraction for BTEX determination in aqueous samples by gas chromatography, 415 (2000) 9

Heavy atom perturber
Comparison of non-protected fluid room temperature phosphorescence properties of α-naphthyloxyacetic acid and β-naphthyloxyacetic acid, 424 (2000) 177

Heavy metal ions
Improvement of urease based biosensor characteristics using additional layers of charged polymers, 403 (2000) 25

Heavy metals
Determination of heavy metals and their speciation in lake sediments by flame atomic absorption spectrometry after a four-stage sequential extraction procedure, 413 (2000) 33
Metal sequential extraction procedure optimized for heavily polluted and iron oxide rich sediments, 414 (2000) 151
Determination of heavy metals in honey by anodic stripping voltammetry at microelectrodes, 415 (2000) 165
Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies, 421 (2000) 103
Laser ablation inductively coupled plasma mass spectrometry as a tool for studying heterogeneity within polymers, 423 (2000) 9
Multivariate curve resolution of polarographic data applied to the study of the copper-binding ability of tannic acid, 424 (2000) 203
Determination of heavy metals in soils and sediments by microwave-assisted digestion and inductively coupled plasma optical emission spectrometry analysis, 424 (2000) 289

Heavy-atom induced
Heavy-atom induced room-temperature phosphorescence: a straightforward methodology for the determination of organic compounds in solution, 417 (2000) 19

Hemodialysis adequacy
Bioanalytical flow-injection system for control of hemodialysis adequacy, 418 (2000) 213

Hemoglobin
Determination of hemoglobin based on its enzymatic activity for the oxidation of *o*-phenylenediamine with hydrogen peroxide, 413 (2000) 109
A reagentless nitric oxide biosensor based on hemoglobin–DNA films, 423 (2000) 95

Heparin
Determination of heparin using flow injection analysis with spectrophotometric detection, 401 (1999) 223
Development of an ion-channel sensor for heparin detection, 411 (2000) 163

Hepatitis B virus (HBV)
Novel hybridization indicator methylene blue for the electrochemical detection of short DNA sequences related to the hepatitis B virus, 422 (2000) 139

Herbicide
Immunosensor for the determination of the herbicide simazine based on an ion-selective field-effect transistor, 424 (2000) 37

Heterocyclic aromatic amines
Determination of some heterocyclic aromatic amines in soup cubes by ion-pair chromatography with coulometric electrode array detection, 417 (2000) 77

Heterodinuclear chelate
Study on the radiative $^5\{D\}_4 \rightarrow {}^7\{F\}_j$ relaxation dynamics of Tb(III) in electrochemically excited self-assembled dimeric heterodinuclear Tb(III)–Ln(III)′ chelates, 403 (2000) 161

Heterogeneity
Laser ablation inductively coupled plasma mass spectrometry as a tool for studying heterogeneity within polymers, 423 (2000) 9

Heteroscedastic model
Estimation of the heteroscedastic noise in large data arrays, 412 (2000) 177

Heteroscedasticity
Caveat in abstract factor analysis-based pseudorank estimation, 411 (2000) 157

Hexacyanometallates
Analysis by X-ray photoelectron spectroscopy of ruthenium stabilised polynuclear hexacyanometallate film electrodes, 410 (2000) 143

Hexadecadienoic acid methyl ester
Isolation and identification of unsaturated fatty acid methyl esters from marine micro-algae, 409 (2000) 257

Hexadecatrienoic acid methyl ester
Isolation and identification of unsaturated fatty acid methyl esters from marine micro-algae, 409 (2000) 257

Hexane
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255

Hg
Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89

Hg(II)
Preconcentration, separation and determination of trace Hg(II) in environmental samples with aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel, 416 (2000) 191

High performance liquid chromatography
Development of new SPME fibers by sol–gel technology for SPME-HPLC determination of organometals, 402 (1999) 67
Separation and determination of niobium(V) and tantalum(V) as 2-(5-bromo-2-pyridylazo)-5-[*N*-propyl-*N*-(3-sulfopropyl)amino]-phenol citrate ternary complexes in geological samples using ion interaction high-performance liquid chromatography, 409 (2000) 35
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91
Highly selective and sensitive determination of tricyclic antidepressants in human plasma using high-performance liquid chromatography with post-column tris(2,2′-bipyridyl) ruthenium(III) chemiluminescence detection, 413 (2000) 137
Determination of *p*-aminobenzoates and cinnamate in cosmetic matrix by supercritical fluid extraction and micellar electrokinetic capillary chromatography, 416 (2000) 157
Amphoteric surfactant-modified stationary phase for the reversed-phase high-performance liquid chromatographic separation of nucleosides and their bases by elution with water, 419 (2000) 87

High powered preconcentration method for HPLC
High-performance liquid chromatographic–spectrophotometric determination of copper(II) and palladium(II) with 5,10,15,20-tetrakis(4*N*-pyridyl)porphine following homogeneous liquid–liquid extraction in the water–acetic acid–chloroform ternary solvent system, 424 (2000) 263

High pressure
Hot eluent capillary liquid chromatography using zirconia and titania based stationary phases, 414 (2000) 71

High purity cadmium
Multi-element characterization of high purity cadmium using inductively coupled plasma quadrupole mass spectrometry and glow-discharge quadrupole mass spectrometry, 408 (2000) 199

High temperature
Hot eluent capillary liquid chromatography using zirconia and titania based stationary phases, 414 (2000) 71

High-density polyethylene
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223

Hippocampus
Direct measurement of nitric oxide release from the rat hippocampus, 415 (2000) 127

HL-60 cell line
Electrochemical method for analyzing intracellular redox activity changes of the etoposide-induced apoptosis in HL-60 cells, 416 (2000) 221

HMDE
Voltammetric behaviour and determination of the anthracycline antitumor drug nogalamycin, 409 (2000) 105

Homatropine
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55

Homogeneity
Quantitative determination of content in binary powder mixtures using diffuse reflectance near infrared spectrometry and multivariate analysis, 419 (2000) 45

Homogeneous kinetics
Study on the stability of Co(III), Mn(III) and Tl(III) ions in acetic acid solutions, 403 (2000) 333

Homogeneous liquid–liquid extraction
High-performance liquid chromatographic–spectrophotometric determination of copper(II) and palladium(II) with 5,10,15,20-tetrakis(4*N*-pyridyl)porphine following homogeneous liquid–liquid extraction in the water–acetic acid–chloroform ternary solvent system, 424 (2000) 263

Homoscedastic variance
Estimation of the heteroscedastic noise in large data arrays, 412 (2000) 177

Honey
Affinity mass sensors: determination of fructose, 403 (2000) 49
Determination of heavy metals in honey by anodic stripping voltammetry at microelectrodes, 415 (2000) 165

Horseradish peroxidase
Facile chemiluminescent method for alkaline phosphatase determination, 402 (1999) 99
Lophine derivatives and analogues as new phenolic enhancers for the luminol–hydrogen peroxide–horseradish peroxidase chemiluminescence system, 403 (2000) 131
Amperometric enzyme electrode for the determination of hydrogen peroxide based on sol–gel/hydrogel composite film, 407 (2000) 111
Characterization of the direct electron transfer and bioelectrocatalysis of horseradish peroxidase in DNA film at pyrolytic graphite electrode, 412 (2000) 89

Application of *p*-phenylenediamine as an electrochemical substrate in peroxidase-mediated voltammetric enzyme immunoassay, 413 (2000) 71
Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol–gel film, 414 (2000) 43
Effect of homologous and heterologous spacer arms of progesterone — horse radish peroxidase conjugates on the equilibrium constants for an immobilised anti-progesterone antiserum, 417 (2000) 95
Fabrication of multilayer films containing horseradish peroxidase and polycation-bearing Os complex by means of electrostatic layer-by-layer adsorption and its application as a hydrogen peroxide sensor, 418 (2000) 225

HPLC

Factor analysis applied to the study of retention mechanism of nitroanilines in normal phase high performance liquid chromatography, 402 (1999) 285
Validation of bias in multianalyte determination methods.. Application to RP-HPLC derivatizing methodologies, 406 (2000) 257
Development of analytical systems for the simultaneous determination of the speciation of arsenic [As(III), methylarsonic acid, dimethylarsinic acid, As(V)] and selenium [Se(IV), Se(VI)], 413 (2000) 13
Assay of cyclic nucleotide phosphodiesterase activity in rat brain by high-performance liquid chromatography using (3,4-dimethoxyphenyl)glyoxal as a fluorescence derivatizing reagent, 414 (2000) 95
Isolation and identification of phenolic compounds in *Citrus sinensis*, 417 (2000) 231
Determination of tissue α-tocopherol in senescence-accelerated mice by high-performance liquid chromatography with fluorimetric detection, 419 (2000) 81
Speciation analysis of selenium in garlic by two-dimensional high-performance liquid chromatography with parallel inductively coupled plasma mass spectrometric and electrospray tandem mass spectrometric detection, 421 (2000) 147
Speciation of organoarsenic compounds by polypyrrole-coated capillary in-tube solid phase microextraction coupled with liquid chromatography/electrospray ionization mass spectrometry, 424 (2000) 211

HPLC of nonionic surfactants

Analysis of polyethoxylated surfactants in microemulsion-oil–water systems, 405 (2000) 267

HPLC-DAD

Resolution of multicomponent peaks by orthogonal projection approach, positive matrix factorization and alternating least squares, 411 (2000) 145

HPLC–ICP MS

Identification of dimethylarsinoyl-riboside derivatives in seaweed by pneumatically assisted electrospray tandem mass spectrometry, 410 (2000) 71

H-point standard addition method

Kinetic spectrophotometric determination of V(IV) in the presence of V(V) by the H-point standard addition method, 409 (2000) 275

HS–Pb(II) complexes

Evaluation and characteristics of a Pb(II) ion-selective electrode based on aquatic humic substances, 418 (2000) 205

H_2TPP

A selective optical chemical sensor for the determination of Tween-60 based on fluorescence enhancement of tetraphenylporphyrin, 404 (2000) 205

Human blood

Rapid detection of tetramethylenedisulfotetramine in human blood by solid-phase microextraction/gas chromatography, 404 (2000) 329

Human blood plasma

Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155

Human serum

Flow injection chemiluminometric determination of albumin, 403 (2000) 137

Human urine

Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223

Humic acid

Voltammetric determination of traces of Cr(VI) in the presence of Cr(III) and humic acid, 414 (2000) 165
Determination of the chemical speciation of trace metals in aqueous systems by the Wageningen Donnan Membrane Technique, 417 (2000) 149
Combination of X-ray photoelectron and solid-state ^{13}C nuclear magnetic resonance spectroscopy in the structural characterisation of humic acids, 424 (2000) 243

Humic substances

Size-exclusion chromatographic descriptors of humic substances, 407 (2000) 193
Multisite metal binding to fulvic acid determined using multiresponse fluorescence, 416 (2000) 211
Evaluation and characteristics of a Pb(II) ion-selective electrode based on aquatic humic substances, 418 (2000) 205

Humic-like substances

Conductimetric analysis of the interaction of Cu(II) ions and a humic-like natural polyelectrolyte (Laurel, *Laurus nobilis*) mixture, 401 (1999) 251

Humidity

Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^T 4001, 414 (2000) 181

Humidity optical sensors

Air moisture sensing materials based on the room temperature phosphorescence quenching of immobilized mercurochrome, 407 (2000) 61

Hybrid material
Amperometric enzyme electrode for the determination of hydrogen peroxide based on sol–gel/hydrogel composite film, 407 (2000) 111

Hybridisation
New label-free DNA recognition based on doping nucleic-acid probes within conducting polymer films, 402 (1999) 7
Concentration dependence of a thiazole orange derivative that is used to determine nucleic acid hybridization by an optical biosensor, 411 (2000) 19
Electrochemical labeled DNA probe for the detection of sequence-specific DNA, 411 (2000) 31
A DNA piezoelectric biosensor assay coupled with a polymerase chain reaction for bacterial toxicity determination in environmental samples, 418 (2000) 1
Novel hybridization indicator methylene blue for the electrochemical detection of short DNA sequences related to the hepatitis B virus, 422 (2000) 139

Hydrazine
Coulometric microflow titrations with chemiluminescent and amperometric equivalence point detection. Bromimetric titration of low concentrations of hydrazine and ammonium, 409 (2000) 83
Kinetic–spectophotometric determination of hydrazine by the inhibition of the bromate–hydrochloric acid reaction, 419 (2000) 101

Hydride generation
Continuous tandem on-line separation inductively coupled plasma optical emission spectrometry selective determination of germanium in zinc electrolytic solutions, 402 (1999) 319
Flow injection-hydride generation atomic absorption spectrometric determination of Se(VI) and Se(IV): utility of a conventionally heated water bath for the on-line reduction of Se(VI), 408 (2000) 191
Trimethyltin chloride determination by hydride generation — gas phase molecular absorption spectrometry. A sequential application of experimental designs, 409 (2000) 171
A shipboard method for arsenic speciation using semi-automated hydride generation atomic fluorescence spectroscopy, 409 (2000) 215
Determination of arsenic species in seawater by flow injection hydride generation in situ collection followed by graphite furnace atomic absorption spectrometry. Stability of As(III), 418 (2000) 19
Determination of lead by hydride generation inductively coupled plasma mass spectrometry, 419 (2000) 65

Hydride generation atomic absorption spectrometry
Problems of selenium fractionation in soils rich in organic matter, 408 (2000) 103

Hydride generation-atomic fluorescence spectrometry
Sequential injection analysis system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 412 (2000) 169

Hydrogel
Amperometric enzyme electrode for the determination of hydrogen peroxide based on sol–gel/hydrogel composite film, 407 (2000) 111
In situ measurement of trace metals in lakewater using the dialysis and DGT techniques, 418 (2000) 53
Thermally reversible hydrogel modified capillary electrophoretic immunoassay of estradiol with laser-induced fluorescence detection, 418 (2000) 137

Hydrogen bonding
Acid–base and hydrogen-bonding equilibria in aliphatic amine and carboxylic acid systems in non-aqueous solutions, 401 (1999) 317

Hydrogen peroxide
Determination of glucose in soft drinks using its enzymatic oxidation and the detection of formed hydrogen peroxide with a dinuclear iron(III) complex, 401 (1999) 83
Workplace monitoring of gas phase hydrogen peroxide by means of fluorescence spectroscopy, 401 (1999) 191
Influence of oxidant-species scavengers on the chemiluminescence (CL) emission generated during the oxidation of pyrogallol by hydrogen peroxide, 401 (1999) 197
A fluorescence-based imaging-fiber electrode chemical sensor for hydrogen peroxide, 404 (2000) 213
Highly-sensitive flow injection determination of hydrogen peroxide with a peroxidase-immobilized electrode and its application to clinical chemistry, 406 (2000) 201
Investigation on the potential use of the mimetic peroxidase-catalyzed reaction of hydrogen peroxide and *o*-hydroxyphenylfluorone in fluorescence analysis, 406 (2000) 209
Amperometric enzyme electrode for the determination of hydrogen peroxide based on sol–gel/hydrogel composite film, 407 (2000) 111
Determination of riboflavin by the perturbation of active oxygen on a chemical oscillating reaction, 413 (2000) 115
Highly sensitive spectrofluorimetric determination of ascorbic acid based on its enhancement effect on a mimetic enzyme-catalyzed reaction, 413 (2000) 167
Fabrication of multilayer films containing horseradish peroxidase and polycation-bearing Os complex by means of electrostatic layer-by-layer adsorption and its application as a hydrogen peroxide sensor, 418 (2000) 225

Hydrogenation and automobile catalysts
Selective stopped-flow injection spectrophotometric determination of palladium(II) in hydrogenation and automobile exhaust gas converter catalysts, 412 (2000) 161

Hydrophobicity
Correlation between hydrophobicity and retention data of several antihistamines in reversed-phase liquid chromatography with aqueous-organic and micellar-organic mobile phases, 421 (2000) 45

Hydroxylation
Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion, 411 (2000) 209

Hydroxynaphthalenecarboxylic acids
Capillary electrophoretic separation of positional isomers of hydroxynaphthalenecarboxylic acids through the formation of inclusion complexes with β-cyclodextrin, 402 (1999) 53

4-Hydroxy-naphthyl-1-phosphate
4-Hydroxynaphthyl-1-phosphate as a substrate for alkaline phosphatase and its use in sandwich immunoassay, 402 (1999) 29

2-(4-Hydroxy-phenyl)-4,5-di(2-pyridyl)imidazole
Lophine derivatives and analogues as new phenolic enhancers for the luminol–hydrogen peroxide–horseradish peroxidase chemiluminescence system, 403 (2000) 131

2-(4-Hydroxyphenyl)-4,5-diphenylimidazole
Lophine derivatives and analogues as new phenolic enhancers for the luminol–hydrogen peroxide–horseradish peroxidase chemiluminescence system, 403 (2000) 131

1-Hydroxypyrene
Immunochemical detection of polycyclic aromatic hydrocarbons and 1-hydroxypyrene in water and sediment samples, 419 (2000) 1

8-Hydroxyquinoline
Copper complexing capacities of freshwaters by adsorptive cathodic stripping voltammetry, 412 (2000) 77

Hypoxanthine
Biosensor for detection of hypoxanthine based on xanthine oxidase immobilized on chemically modified carbon paste electrode, 412 (2000) 55
Xanthine and hypoxanthine sensors based on xanthine oxidase immobilized on a $CuPtCl_6$ chemically modified electrode and liquid chromatography electrochemical detection, 414 (2000) 205
Amperometric on-line sensor for continuous measurement of hypoxanthine based on osmium-polyvinylpyridine gel polymer and xanthine oxidase bienzyme modified glassy carbon electrode, 415 (2000) 143

I

Iberian breed swine
Differentiation of products derived from Iberian breed swine by electronic olfactometry (electronic nose), 424 (2000) 279

Ibuprofen
Determination of enantiomeric composition of ibuprofen in solid state mixtures of the two by DRIFT spectroscopy, 417 (2000) 31

Ice
A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221

ICP-AES
On-line electrolytic dissolution of alloys in flow injection analysis. Determination of iron, tungsten, molybdenum, vanadium and chromium in tool steels by inductively coupled plasma atomic emission spectrometry, 405 (2000) 213
Determination of antimony species with fluoride as modifier and flow injection hydride generation inductively-coupled plasma emission spectrometry, 417 (2000) 201
Determination of uranium and thorium in apatite minerals by inductively coupled plasma atomic emission spectrometry with solvent extraction separation into diisobutyl ketone, 420 (2000) 65
On-line pre-concentration system for vanadium determination in drinking water using flow injection-inductively coupled plasma atomic emission spectrometry, 420 (2000) 73

ICP-MS
An α-amino pyridine resin preconcentration method for iridium in environmental and geological samples, 403 (2000) 243
Separation of rhenium by an extraction chromatographic resin for determination by inductively coupled plasma-mass spectrometry, 405 (2000) 227
Data acquisition of transient signals in inductively coupled plasma mass spectrometry, 407 (2000) 301
Speciation analysis of selenium in garlic by two-dimensional high-performance liquid chromatography with parallel inductively coupled plasma mass spectrometric and electrospray tandem mass spectrometric detection, 421 (2000) 147
Determination of the $^{234}U/^{238}U$ ratio in water samples by inductively coupled plasma mass spectrometry, 422 (2000) 203

ICP-OES
Continuous tandem on-line separation inductively coupled plasma optical emission spectrometry selective determination of germanium in zinc electrolytic solutions, 402 (1999) 319

Identification of textiles
Using chemometric methods and NIR spectrophotometry in the textile industry, 420 (2000) 163

Iminodiacetate functionality
Performance optimization of a commercially available iminodiacetate resin for the determination of Mn, Ni, Cu, Cd and Pb by on-line preconcentration inductively coupled plasma-mass spectrometry, 423 (2000) 265

Iminodiacetic resin
Determination of metal ions concentration and speciation in seawater by titration with an iminodiacetic resin, 401 (1999) 265

Imipramine
Highly selective and sensitive determination of tricyclic antidepressants in human plasma using high-performance liquid chromatography with post-column tris(2,2′-bipyridyl) ruthenium(III) chemiluminescence detection, 413 (2000) 137

Immobilisation
Electrochemical analysis of immobilised chemical and genetic biotinylated alkaline phosphatase, 408 (2000) 241
A novel approach of antibody immobilization based on *n*-butyl amine plasma-polymerized films for immunosensors, 412 (2000) 29

Immobilized enzyme
Reproducibility of a solid-phase trypsin microreactor for peptide mapping by capillary electrophoresis, 404 (2000) 29
Preparation and characterization of immobilized acid phosphatase used for an enzyme reactor: evaluation in flow-injection analysis and pre-column liquid chromatography, 406 (2000) 191

Immobilized enzyme reactor
Preparation and characterization of immobilized acid phosphatase used for an enzyme reactor: evaluation in flow-injection analysis and pre-column liquid chromatography, 406 (2000) 191
Flow-injection fluorometric quantification of succinate in foodstuffs based on the use of an immobilized enzyme reactor, 416 (2000) 197

Immobilized metal-ion affinity chromatography
Determination of selenoprotein P in human plasma by solid phase extraction and inductively coupled plasma mass spectrometry, 411 (2000) 103

Immunoaffinity solid-phase extraction
Immunoaffinity extraction as a new approach for an improved liquid chromatography-mass spectrometric or fluorimetric determination of okadaic acid in shellfish and algae, 407 (2000) 173

Immunoassay
4-Hydroxynaphthyl-1-phosphate as a substrate for alkaline phosphatase and its use in sandwich immunoassay, 402 (1999) 29
Polymer-coated optical fibres for application in a direct evanescent wave immunoassay, 403 (2000) 67
Visualization of an immunological reaction between single antigen and antibody molecules by optical chromatography, 404 (2000) 1
Multiplex immunoassays on size-categorized individual beads using time-resolved fluorescence, 410 (2000) 85
Disc-based immunoassay microarrays, 411 (2000) 1
Amperometric enzyme immunosensor for the determination of the antigen of the pathogenic fungi *Trichophyton rubrum*, 411 (2000) 13
Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis, 414 (2000) 51
Development of a flow-injection liposome immunoanalysis system for fumonisin B1, 414 (2000) 61
Effect of homologous and heterologous spacer arms of progesterone — horse radish peroxidase conjugates on the equilibrium constants for an immobilised anti-progesterone antiserum, 417 (2000) 95
Thermally reversible hydrogel modified capillary electrophoretic immunoassay of estradiol with laser-induced fluorescence detection, 418 (2000) 137
Immunochemical detection of polycyclic aromatic hydrocarbons and 1-hydroxypyrene in water and sediment samples, 419 (2000) 1
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121
Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance, 421 (2000) 135

Immunoreaction
Estimation of sensitivity for refractive index and immunoreaction in a surface plasmon resonance sensor probe, 417 (2000) 125

Immunoreactor
Performance characteristics for flow injection immunoassay using monoclonal antibodies against s-triazine and 2,4-D herbicides, 412 (2000) 19

Immunosensor
A novel approach of antibody immobilization based on *n*-butyl amine plasma-polymerized films for immunosensors, 412 (2000) 29
Immunosensor for the determination of the herbicide simazine based on an ion-selective field-effect transistor, 424 (2000) 37

Immunosorbent
Immunoaffinity extraction as a new approach for an improved liquid chromatography-mass spectrometric or fluorimetric determination of okadaic acid in shellfish and algae, 407 (2000) 173

In situ FAB mapping
Structure identification of synthetic human galanin using tandem mass spectrometry and in situ fast atom bombardment mapping, 402 (1999) 303

In situ measurements
In situ determination of sulfide profiles in sediment porewaters with a miniaturized Ag/Ag_2S electrode, 401 (1999) 257

In vivo
Quantitative aspects of brain microdialysis, 412 (2000) 1

In vivo analysis
Flow-injection analysis–fluorescence detection for the in vivo on-line determination of calcium in blood with microdialysis sampling, 419 (2000) 175

Inabenfide
Development of an enzyme immunoassay for the detection of plant growth regulator inabenfide in rice, 424 (2000) 149

Inclusion complexes
Capillary electrophoretic separation of positional isomers of hydroxynaphthalenecarboxylic acids through the formation of inclusion complexes with β-cyclodextrin, 402 (1999) 53

Incubation coils
Determination of olive oil 2-thiobarbituric acid reactive substances by parallel flow injection, 417 (2000) 119

Indigo
Competitive enzyme immunosensor developed on a renewable carbon paste electrode support, 402 (1999) 119
Voltammetric monitoring of the interaction between streptavidin and biotinylated alkaline phosphatase through the enzymatic hydrolysis of 3-indoxyl phosphate, 417 (2000) 57

Indirect fluorescence detection
An HPLC detection scheme for underivatized amino acids based on tryptophan fluorescence recovery, 409 (2000) 45

Indirect photometric detection
Ion chromatography with indirect photometric detection of common mono- and divalent cations using an unmodified silica gel column and tyramine/oxalic acid/18-crown-6 as eluent, 405 (2000) 277

3-Indoxyl phosphate
Competitive enzyme immunosensor developed on a renewable carbon paste electrode support, 402 (1999) 119
Voltammetric monitoring of the interaction between streptavidin and biotinylated alkaline phosphatase through the enzymatic hydrolysis of 3-indoxyl phosphate, 417 (2000) 57

Inductively coupled plasma atomic emission spectrometry
Tungsten determination in rat and dog plasma samples by inductively coupled plasma emission spectrometry. Application to preclinical pharmacokinetic studies, 405 (2000) 221
Direct analysis of titanium dioxide solid powder by fluorination assisted electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 421 (2000) 75

Inductively coupled plasma mass spectrometry
Control of interferences in the determination of Pt, Pd and Rh in airborne particulate matter by inductively coupled plasma mass spectrometry, 404 (2000) 285
Evaluation of cleaning efficiency with a radioactive tracer and development of a microwave digestion method for semiconductor processes, 407 (2000) 291
Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25
Determination of selenoprotein P in human plasma by solid phase extraction and inductively coupled plasma mass spectrometry, 411 (2000) 103
Determination of mercury compounds by capillary electrophoresis inductively coupled plasma mass spectrometry with microconcentric nebulization, 413 (2000) 197
Comparison of the application of higher mass resolution and cool plasma conditions to avoid spectral interferences in Cr(III)/Cr(VI) speciation by means of high-performance liquid chromatography – inductively coupled plasma mass spectrometry, 419 (2000) 55
Determination of lead by hydride generation inductively coupled plasma mass spectrometry, 419 (2000) 65
Field sampling, preconcentration and determination of mercury species in river waters, 419 (2000) 137
Determination of the speciation of organolead compounds in airborne particulate matter by gas chromatography–inductively coupled plasma mass spectrometry, 423 (2000) 21
Performance optimization of a commercially available iminodiacetate resin for the determination of Mn, Ni, Cu, Cd and Pb by on-line preconcentration inductively coupled plasma-mass spectrometry, 423 (2000) 265

Inductively coupled plasma optical emission spectrometry
Determination of heavy metals in soils and sediments by microwave-assisted digestion and inductively coupled plasma optical emission spectrometry analysis, 424 (2000) 289

Inductively coupled plasma spectrometry
Study on solvent-loading effect on inductively coupled plasma and microwave-induced plasma sources with a microliter nebulizer, 413 (2000) 217

Inductively coupled plasma-atomic emission spectrometry
Contamination-free decomposition of zirconium oxide for the determination of ultra-trace silicon by inductively coupled plasma-atomic emission spectrometry, 416 (2000) 117

Inductively coupled plasma-atomic emission spectroscopy
Determination of total copper in white wine by stripping potentiometry utilising medium exchange, 413 (2000) 25

Inductively coupled plasma-mass spectroscopy
Multi-element profiling of human deciduous teeth by laser ablation-inductively coupled plasma-mass spectrometry, 401 (1999) 299

Inductively coupled quadrupole mass spectrometry
Multi-element characterization of high purity cadmium using inductively coupled plasma quadrupole mass spectrometry and glow-discharge quadrupole mass spectrometry, 408 (2000) 199

Inert gas
Determination of oxygen-to-metal atomic ratio in mixed oxide fuel by non-dispersive infrared spectrophotometry after fusion in an inert gas atmosphere, 402 (1999) 297

Infrared spectrometry
Exhaustive set of non-isomorphic sub-graphs and its application to chemical structure elucidation using a IR spectroscopy database, 409 (2000) 181

Infrared spectrum
Exploratory analysis for the automated identification of amphetamines from vapour-phase FTIR spectra, 404 (2000) 303

Inhibition
Comparative investigation of electrochemical cholinesterase biosensors for pesticide determination, 404 (2000) 55

Injection duration
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147

In-line oxygen removal
Overcoming oxygen quenching in fluorescence spectrometry with a highly efficient in-line degassing device interfaced with a flow cell, 422 (2000) 131

In-line sample preparation
Microwave-assisted sample preparation in sequential injection: spectrophotometric determination of magnesium, calcium and iron in food, 413 (2000) 41

Inner filter effect
A fluorescent optode for sodium ion based on the inner filter effect, 407 (2000) 45

Inorganic films
Analysis by X-ray photoelectron spectroscopy of ruthenium stabilised polynuclear hexacyanometallate film electrodes, 410 (2000) 143

Inorganic pigments
Identification of inorganic pigments from paintings and polychromed sculptures immobilized into polymer film electrodes by stripping differential pulse voltammetry, 407 (2000) 275

Insecticides
A disposable multielectrode biosensor for rapid simultaneous detection of the insecticides paraoxon and carbofuran at high resolution, 401 (1999) 95

Insolubilized cross-linked poly(acrylic acid)
Potentiometric study of copper(II) and nickel(II) complexation by a cross-linked poly(acrylic acid) gel, 407 (2000) 337

Instrument standardisation
Intersite transfer of industrial calibration models, 406 (2000) 233

Instrumental error of spectrophotometer
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

Insulating oils
Determination of polychlorinated biphenyl compounds in electrical insulating oils by enzyme immunoassay, 422 (2000) 167

Insulin
Novel bioluminescent assay of pyruvate phosphate dikinase using firefly luciferase–luciferin reaction and its application to bioluminescent enzyme immunoassay, 421 (2000) 113

Interaction constants
Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327

Interaction of amines with seawater salt
Speciation of low molecular weight ligands in natural fluids: protonation constants and association of open chain polyamines with the major components of seawater, 418 (2000) 43

Intercalation
Multivariate extension of the continuous variation and mole-ratio methods for the study of the interaction of intercalators with polynucleotides, 424 (2000) 105

Inter-digitated array electrode
Sol–gel-derived thick-film conductometric biosensor for urea determination in serum, 404 (2000) 195

Interdigitated electrode
A laponite clay-poly(pyrrole–pyridinium) matrix for the fabrication of conductimetric microbiosensors, 401 (1999) 117

Interfacial complexation
Kinetic study of Ni(II) and Zn(II) complexation with a pyridylazo extractant by a centrifugal liquid membrane method, 419 (2000) 107

Interfacing FI-ETAAS
Interfacing flow injection analysis (sequential injection analysis) and electro-thermal atomic absorption spectrometry determination of trace-levels of Cr(VI) via on-line pre-concentration by adsorption in a knotted reactor and by liquid–liquid extraction, 422 (2000) 47

Interference
Challenges in achieving a fundamental model for ESI, 406 (2000) 37
Systematic errors: detection and correction by means of standard calibration, Youden calibration and standard additions method in conjunction with a method response model, 423 (2000) 179

Internal standard
Determination of trace elements in organic matrices by grazing-emission X-ray fluorescence spectrometry, 401 (1999) 293

Internet
The use of the Internet for teaching Chemistry, 420 (2000) 239

Intracellular redox activity
Electrochemical method for analyzing intracellular redox activity changes of the etoposide-induced apoptosis in HL-60 cells, 416 (2000) 221

Intrinsic proton binding parameters
Modeling the effects of ionic strength on ionization parameters for a soil fulvic acid at low concentrations, 401 (1999) 243

Introduction of organic solvents
Study on solvent-loading effect on inductively coupled plasma and microwave-induced plasma sources with a microliter nebulizer, 413 (2000) 217

Iodate
A new system for the spectrophotometric determination of arsenic in environmental and biological samples, 408 (2000) 111

Iodide
Indirect automatic determination of iodide by flame atomic absorption spectrometry, 405 (2000) 191
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 255
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 261

Iodide determination
PVC membranes based on silver(I)–thiourea complexes, 402 (1999) 129

Iodine
Visualization of cyclodextrins via complexation with iodine in microcolumn liquid chromatography, 418 (2000) 175

Iodine value
Direct parallel flow injection multichannel spectrophotometric determination of olive oil iodine value, 405 (2000) 239

Ion chromatography
Ion chromatography with indirect photometric detection of common mono- and divalent cations using an unmodified silica gel column and tyramine/oxalic acid/18-crown-6 as eluent, 405 (2000) 277

Ion chromatography of heavy and transition metals by on- and post-column derivatizations, 407 (2000) 319
Ion chromatography using a charged complex anion-exchange group, 409 (2000) 17
Sulfide measurements by flow injection analysis and ion chromatography with electrochemical detection, 409 (2000) 27

Ion evaporation
Electrospray diagnostics performed by using sucrose and proteins in the gas-phase electrophoretic mobility molecular analyzer (GEMMA), 406 (2000) 3
Mechanisms of electrospray ionization of singly and multiply charged salt clusters, 406 (2000) 67
A continuum model for ion evaporation from a drop: effect of curvature and charge on ion solvation energy, 406 (2000) 105

Ion evaporation model
Charged residue versus ion evaporation for formation of alkali metal halide cluster ions in ESI, 406 (2000) 53

Ion exchange
Preconcentration and determination of mercury in high purity arsenic, 405 (2000) 297

Ion exchange chromatography
First purification of heparan sulfate disaccharides with an amine resin used as solid support for peptide synthesis, 403 (2000) 205

Ion mobility spectrometry
Detection of pesticides from liquid matrices by ion mobility spectrometry, 404 (2000) 7
Separation and identification of some chemical warfare degradation products using electrospray high resolution ion mobility spectrometry with mass selected detection, 404 (2000) 273

Ion selective electrode
Thiocyanate-selective electrodes based on nickel and iron phthalocyanines, 402 (1999) 137
New nickel(II) selective potentiometric sensor based on 5,7,12,14-tetramethyldibenzotetraazaannulene in a poly(vinyl chloride) matrix, 420 (2000) 19

Ion trap
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

Ion trap MS
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119

Ion-association compounds
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 255
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 261

Ion-channel sensor
Development of an ion-channel sensor for heparin detection, 411 (2000) 163

Ion-exchange resin
Complexing capacity of low-level radioactive waste leachates for ^{60}Co and ^{109}Cd using an ion-exchange technique, 410 (2000) 107

Ion–ionophore complex formation
Determination of complex formation constants of 18 neutral alkali and alkaline earth metal ionophores in poly(vinyl chloride) sensing membranes plasticized with bis(2-ethylhexyl)sebacate and *o*-nitrophenyloctylether, 421 (2000) 207

Ionophore immobilization
Novel approach of immobilization of calix[4]arene type ionophore in 'self-plasticized' polymeric membrane, 421 (2000) 93

Ionophores
Polymeric membrane silver-ion selective electrodes based on bis(-dialkyldithiophosphates), 416 (2000) 139

Ion-pair
Determination of bismuth in pharmaceutical products using liquid–liquid extraction in a flow injection system, 408 (2000) 129
Reversed-phase liquid chromatography of metal chelates of 4-(2-pyridylazo) resorcinol: retention model and its verification, 414 (2000) 113

Ion-pair chromatography
Determination of some heterocyclic aromatic amines in soup cubes by ion-pair chromatography with coulometric electrode array detection, 417 (2000) 77

Ion-pair derivatization
Determination of linear alkylbenzenesulfonates in sediments using pressurized liquid extraction and ion-pair derivatization gas chromatography-mass spectrometry, 408 (2000) 291

Ion-pair formation constants in water
Ion-pair formation in water and extraction into benzene of 18-crown-6–sodium ion complex with nitrated phenolate ions, 416 (2000) 145

Ion-pairing
Polyelectrolyte–surfactant complexes: an aqueous titration method to model ion-pairing within polymeric membranes of polyion-sensitive electrodes, 404 (2000) 83

Ion-selective electrode
Lead-selective membrane electrode based on dibenzyl phosphate, 401 (1999) 111
PVC membranes based on silver(I)–thiourea complexes, 402 (1999) 129
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with ETH1001 as neutral carrier, 404 (2000) 101
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate

with tetraoctylammonium chloride as cationic additive, 404 (2000) 111
Gas-gap sensors for the determination of nitrogen oxides and nitrites, 409 (2000) 143
Perchlorate-selective polymeric membrane electrode based on a gold(I) complex: application to water and urine analysis, 415 (2000) 159
Ionophore-based membrane electrodes: new analytical concepts and non-classical response mechanisms, 416 (2000) 121
Determination of fluoride in $M(SbF_6)_x$ compounds, 418 (2000) 113
Bioanalytical flow-injection system for control of hemodialysis adequacy, 418 (2000) 213

Ion-selective membrane electrode
Lead ion-selective membrane electrode based on 1,10-dibenzyl-1,10-diaza-18-crown-6, 414 (2000) 189

Ion-size parameter
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55

IpaC
Development of a sequential injection system in the capillary format for determinations of the IpaC protein, 409 (2000) 3

IR spectra
Prediction of three-dimensional molecular structures using information from infrared spectra, 420 (2000) 145

Ir, Au and Pd analyses
An α-amino pyridine resin preconcentration method for iridium in environmental and geological samples, 403 (2000) 243

Iridium oxide
An integrated module for sensing pO_2, pCO_2, and pH, 405 (2000) 57

Iridium(IV)
Coulometric titration study of the redox behavior and precise determination of hexachloroiridate(IV) ion and its monoaquochloro complex with electrogenerated bi-intermediates, 415 (2000) 185

Iron
Multivariate calibration applied to a highly interfering chemical system. The simultaneous spectrophotometric determination of aluminium and iron in plants using xylenol orange and partial least-squares regression, 423 (2000) 31
Kinetic study of the iron-catalyzed reaction of the oxidative coupling reaction of 3-methyl-2-benzothiazolinone hydrazone with *N,N*-dimethylaniline, 424 (2000) 127

Iron alloys
Prior assay as an approach to flow titrations. Spectrophotometric determination of iron in alloys and ores, 416 (2000) 231

Iron determination
Prior assay as an approach to flow titrations. Spectrophotometric determination of iron in alloys and ores, 416 (2000) 231

Iron ore
Determination of Mn and Si in iron ore by laser-induced plasma spectroscopy, 413 (2000) 187
Prior assay as an approach to flow titrations. Spectrophotometric determination of iron in alloys and ores, 416 (2000) 231

Iron phthalocyanine
Thiocyanate-selective electrodes based on nickel and iron phthalocyanines, 402 (1999) 137

Iron(II)/azide/THF system
Spectrophotometric study of iron oxidation in the iron(II)/azide/tetrahydrofuran system and some analytical applications, 411 (2000) 217

Iron(III)
Spectrophotometric determination of thiocyanate by sequential injection analysis, 403 (2000) 279

Iron(III) complex
Determination of glucose in soft drinks using its enzymatic oxidation and the detection of formed hydrogen peroxide with a dinuclear iron(III) complex, 401 (1999) 83

Iron-tetrasulfonatophthalocyanine (FeTSPc)
Investigation on the potential use of the mimetic peroxidase-catalyzed reaction of hydrogen peroxide and *o*-hydroxyphenylfluorone in fluorescence analysis, 406 (2000) 209

Irregularly shaped samples
Non-destructive analysis of small irregularly shaped homogenous samples by X-ray fluorescence spectrometry, 412 (2000) 203

ISFET
Ion-selective field effect transistor (ISFET)-based calcium ion sensor with photocured polyurethane membrane suitable for ionised calcium determination in milk, 408 (2000) 57
Immunosensor for the determination of the herbicide simazine based on an ion-selective field-effect transistor, 424 (2000) 37

Isoform separation
Tricine buffer for metallothionein isoform separation by capillary zone electrophoresis, 402 (1999) 59

Isoniazid
Fluorimetric determination of isoniazid by oxidation with cerium(IV) in a multicommutated flow system, 419 (2000) 17

Isopentenyl adenine (2-iP)
Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance, 421 (2000) 135

Isopentenyl adenosine (IPA)
Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance, 421 (2000) 135

Isoproturon
Flow-through fluoroimmunosensor for isoproturon determination in agricultural foodstuff. Evaluation of antibody immobilization on solid support, 417 (2000) 85

Isotope dilution
Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89

Isotopic measurement
Investigation of characteristics of non-reductive thermal ion emission of various graphites in thermal ionization mass spectrometry, 420 (2000) 95

Italian ancient pottery
Chemical characterisation of ancient pottery from south of Italy by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES). Statistical multivariate analysis of data, 410 (2000) 193

J

Japanese sake
Flow-injection fluorometric quantification of succinate in foodstuffs based on the use of an immobilized enzyme reactor, 416 (2000) 197

Joint confidence interval
Validation of bias in multianalyte determination methods.. Application to RP-HPLC derivatizing methodologies, 406 (2000) 257

K

Kamlet and Taft and Leggett models
Estimation of properties of dialkylorganophosphorus acidic extractants in two-phase liquid systems, 405 (2000) 321

Karl Fischer method
Comparison of spectrophotometric and potentiometric detection for the determination of water using Karl Fischer method under flow injection analysis conditions, 420 (2000) 133

Keratan sulphate
Validation of a competitive ELISA for the determination of serum keratan sulphate, 424 (2000) 161

Ketoprofen
Circular dichroism spectra of cyclodextrins–ketoprofen inclusion complexes. Determination of enantiomeric purity, 407 (2000) 233

Kinetic determination
Kinetic determination of acid phosphatase activity by double injection flow analysis with electrochemical detection, 413 (2000) 103
Kinetic–spectophotometric determination of hydrazine by the inhibition of the bromate–hydrochloric acid reaction, 419 (2000) 101
Simultaneous kinetic determination of cobalt, nickel and iron by coupling stopped-flow techniques and charge coupled device detection, 423 (2000) 277

Kinetic method
Kinetic spectrophotometric determination of V(IV) in the presence of V(V) by the H-point standard addition method, 409 (2000) 275

Kinetics
Visualization of an immunological reaction between single antigen and antibody molecules by optical chromatography, 404 (2000) 1
Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC, 412 (2000) 195

Kinetic–turbidimetric determination
Kinetic–turbidimetric determination of phytic acid by sequential injection analysis, 409 (2000) 9

L

Label
Investigation on the potential use of the mimetic peroxidase-catalyzed reaction of hydrogen peroxide and *o*-hydroxyphenylfluorone in fluorescence analysis, 406 (2000) 209

Labeled glucose oxidase
Direct determination of glucose in serum by fluorimetry using a labeled enzyme, 414 (2000) 33

Label-free detection
New label-free DNA recognition based on doping nucleic-acid probes within conducting polymer films, 402 (1999) 7

Lactate dehydrogenase
Co-immobilization of lactate oxidase and lactate dehydrogenase on conducting polyaniline films, 407 (2000) 97

Lactate measurement
A carbon paste electrode modified by entrapped toluidine blue-O for amperometric determination of L-lactate, 401 (1999) 155

Lactate oxidase
Co-immobilization of lactate oxidase and lactate dehydrogenase on conducting polyaniline films, 407 (2000) 97

Lactulose
A new enzymatic spectrophotometric assay for the determination of lactulose in milk, 406 (2000) 217

Lagoon
Analysis of poly(vinyl chloride) and other polymers in sediments and suspended matter of a coastal lagoon by pyrolysis-gas chromatography-mass spectrometry, 413 (2000) 3

Lake sediment
Determination of heavy metals and their speciation in lake sediments by flame atomic absorption spectrometry after a four-stage sequential extraction procedure, 413 (2000) 33

Lakewater
In situ measurement of trace metals in lakewater using the dialysis and DGT techniques, 418 (2000) 53

L-Amino acid oxidase
On-line assay of *S*-captopril using an amperometric biosensor/sequential injection system, 411 (2000) 51

Lanthanide(III)
Study on the radiative $^5\{D\}_4 \rightarrow {}^7\{F\}_j$ relaxation dynamics of Tb(III) in electrochemically excited self-assembled dimeric heterodinuclear Tb(III)–Ln(III)′ chelates, 403 (2000) 161

Laponite clay
A laponite clay-poly(pyrrole–pyridinium) matrix for the fabrication of conductimetric microbiosensors, 401 (1999) 117

L-arginine conversion to NO
On-line detection of nitric oxide generated by the enzymatic action of nitric oxide synthase on L-arginine using a flow injection manifold and chemiluminescence detection, 410 (2000) 167

Laser ablation
Multi-element profiling of human deciduous teeth by laser ablation-inductively coupled plasma-mass spectrometry, 401 (1999) 299

Laser ablation inductively coupled plasma mass spectrometry
Laser ablation inductively coupled plasma mass spectrometry as a tool for studying heterogeneity within polymers, 423 (2000) 9

Laser-induced breakdown spectroscopy
Determination of Mn and Si in iron ore by laser-induced plasma spectroscopy, 413 (2000) 187

Laser-induced fluorescence
Thermally reversible hydrogel modified capillary electrophoretic immunoassay of estradiol with laser-induced fluorescence detection, 418 (2000) 137

Latin-partition
Screening GC-MS data for carbamate pesticides with temperature-constrained–cascade correlation neural networks, 408 (2000) 1

Layer-by-layer assembly
Layer-by-layer assembly of multilayer films consisting of silicotungstate and a cationic redox polymer on 4-aminobenzoic acid modified glassy carbon electrode and their electrocatalytic effects, 417 (2000) 133

LC
Data acquisition of transient signals in inductively coupled plasma mass spectrometry, 407 (2000) 301
Preparation and enantiomer separation behavior of selectively methylated β-cyclodextrin-bonded stationary phases for high performance chromatography, 410 (2000) 37

LC-ECD
Liquid chromatography — electrochemical detector for the determination of glucose in rat brain combined with in vivo microdialysis, 413 (2000) 131

LC–MS
Liquid chromatography–electrospray mass spectrometry and tandem mass spectrometry of ceramides, 403 (2000) 295
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

Lead
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223
Simultaneous determination of Cd and Pb in foodstuffs by electrothermal atomic absorption spectrometry, 405 (2000) 205
Determination of lead (II) and cadmium (II) in hard and soft wheat by derivative potentiometric stripping analysis, 409 (2000) 93
Speciation of lead in soils and relation with its concentration in fruits, 410 (2000) 119
The retention of metal species by different solid sorbents. Mechanisms for heavy metal speciation by sequential three column uptake, 411 (2000) 223
Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization, 412 (2000) 121
Lead ion-selective membrane electrode based on 1,10-dibenzyl-1,10-diaza-18-crown-6, 414 (2000) 189
Determination of lead by hydride generation inductively coupled plasma mass spectrometry, 419 (2000) 65

Lead ionophore
Lead-selective membrane electrode based on dibenzyl phosphate, 401 (1999) 111

Lead(II)
Visual determination of lead(II) by inhibition of alkaline phosphatase immobilized on polyurethane foam, 413 (2000) 95
Determination of lead(II) on a copper/mercury-plated screen-printed electrode, 421 (2000) 189

Lead(II) and cadmium(II) transport
Facilitated transport of lead(II) and cadmium(II) through novel activated composite membranes containing di-(2-ethyl-hexyl)-phosphoric acid as carrier, 408 (2000) 65

Least squares method
General equation for determining the dissociation constants of polyprotic acids and bases from additive properties. Part III. Calculation of errors, 424 (2000) 139

Least-square regression
Robust spectral analysis by moving block bootstrap designs, 415 (2000) 105

Leather
Direct determination of leather dyes by visible reflectance spectroscopy using partial least-squares regression, 419 (2000) 209

Legislation
Determination of polychlorinated biphenyl compounds in electrical insulating oils by enzyme immunoassay, 422 (2000) 167

LIBS
Direct determination of trace elements in terephthalic acid by laser induced breakdown spectroscopy, 419 (2000) 153

Ligand exchange
Determination of critical micelle concentrations of anionic surfactants based on ligand exchange micellar electrokinetic chromatography, 403 (2000) 173
Ion chromatography using a charged complex anion-exchange group, 409 (2000) 17

Ligand titration
Determination of the metal complexing capacity of aqueous solutions containing ligands by titration in the presence of complexing resins, 405 (2000) 309

Ligand-exchange equilibria
The stability of palladium(II) complexes with sulphur-containing ligands, 406 (2000) 325

Lignin
Chromatographic mobility of metals on paper impregnated with model compounds related to lignin structure and on wood slices, 406 (2000) 279

Lignocellulose hydrolysate
Determination of total sugars in lignocellulose hydrolysate by a mediated *Gluconobacter oxydans* biosensor, 420 (2000) 1

Limit of detection
Exploring the limit of detection in biomolecular interaction analysis mass spectrometry (BIA/MS): detection of attomole amounts of native proteins present in complex biological mixtures, 423 (2000) 1

Linear alkylbenzenesulfonates
Determination of linear alkylbenzenesulfonates in sediments using pressurized liquid extraction and ion-pair derivatization gas chromatography-mass spectrometry, 408 (2000) 291

Linear range
Optimisation of the optical scheme of a dual-beam thermal lens spectrometer using expert estimation, 418 (2000) 101

Linear regression
Validation of bias in multianalyte determination methods. Application to RP-HPLC derivatizing methodologies, 406 (2000) 257

Liposome
Determination of liposomes drug retention capacity using differential pulse polarography: the case of chlorothiazide, 409 (2000) 99
Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis, 414 (2000) 51
Development of a flow-injection liposome immunoanalysis system for fumonisin B1, 414 (2000) 61
Application of cationic liposomes containing surfactants to an enhancer in firefly bioluminescent assay of adenosine 5′-triphosphate, 424 (2000) 169

Liposome immunoassay
Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis, 414 (2000) 51

Liquid analysis
Chemometric methods in energy dispersive X-ray fluorescence, 420 (2000) 197

Liquid chromatography
Study of amino acids by means of liquid chromatography mass spectrometry: optimization of the particle–beam interface, 401 (1999) 55
Liquid chromatography and exchange reaction of a synthetic thiurams mixture, 402 (1999) 87
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155
Preparation and characterization of an L-tyrosine-derivatized β-cyclodextrin-bonded silica stationary phase for liquid chromatography, 403 (2000) 187
Determination of metal-cyanide complexes by ion-interaction chromatography with fluorimetric detection, 403 (2000) 197
Comparison of silica and porous graphitic carbon as solid-phase extraction materials for the analysis of cationic herbicides in water by liquid chromatography and capillary electrophoresis, 408 (2000) 263
Chemiluminescence behavior of the decomposition of hydrogen peroxide catalyzed by copper(II)–amino acid complexes and its application to the determination of tryptophan and phenylalanine, 409 (2000) 65
Tailor-made derivatizing agents for carbonyl compounds using liquid chromatography, 410 (2000) 47
A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221
Hot eluent capillary liquid chromatography using zirconia and titania based stationary phases, 414 (2000) 71
Reversed-phase liquid chromatography of metal chelates of 4-(2-pyridylazo) resorcinol: retention model and its verification, 414 (2000) 113
Xanthine and hypoxanthine sensors based on xanthine oxidase immobilized on a $CuPtCl_6$ chemically modified electrode and liquid chromatography electrochemical detection, 414 (2000) 205
Short-end injection technique in capillary electrophoresis for dissolution testing of tablets, 415 (2000) 67
Fluorescence derivatization of amino acids with 4-(5′,6′-dimethoxybenzothiazolyl)phenylisothiocyanate in liquid chromatography, 416 (2000) 69
On the potential of forward-scattering degenerate four-wave mixing detection in capillary electrophoresis, 416 (2000) 151
Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167
Comparison of the application of higher mass resolution and cool plasma conditions to avoid spectral interferences in Cr(III)/Cr(VI) speciation by means of high-performance liquid chromatography – inductively coupled plasma mass spectrometry, 419 (2000) 55

Field sampling, preconcentration and determination of mercury species in river waters, 419 (2000) 137
N-hydroxysuccinimidyl fluorescein-*O*-acetate as a highly fluorescent derivatizing reagent for aliphatic amines in liquid chromatography, 423 (2000) 77

Liquid chromatography tandem mass spectrometry
Liquid chromatography mass spectrometry tandem for multiresidue determination of selected post-emergence herbicides after soil column extraction, 415 (2000) 41

Liquid junction
An integrated module for sensing pO_2, pCO_2, and pH, 405 (2000) 57

Liquid matrices
Detection of pesticides from liquid matrices by ion mobility spectrometry, 404 (2000) 7

Liquid membrane
PVC membranes based on silver(I)–thiourea complexes, 402 (1999) 129
Metal affinity liquid membrane. Facilitated transport of nitrite, 403 (2000) 101
Calixarene derivative as the neutral carrier in silver ion-selective electrode and liquid membrane transport, 417 (2000) 51
Metal affinity liquid membrane. II. Facilitated transport of tryptophan, 417 (2000) 159

Liquid membrane extraction
Supported liquid membranes for the determination of vanillin in food samples with amperometric detection, 410 (2000) 127

Liquid scintillation
Determination of ^{90}Sr in aquatic organisms by extraction chromatography: method validation, 414 (2000) 101
Selective determination of polonium by photon electron rejecting alpha liquid scintillation (PERALS® System), 415 (2000) 229

Liquid–liquid extraction
Continuous tandem on-line separation inductively coupled plasma optical emission spectrometry selective determination of germanium in zinc electrolytic solutions, 402 (1999) 319
Microporous membrane liquid–liquid extraction technique combined with gas chromatography mass spectrometry for the determination of organotin compounds, 404 (2000) 319
Fluorimetric determination of dissolved aluminium in natural waters after liquid–liquid extraction into *n*-hexanol, 405 (2000) 31
Determination of bismuth in pharmaceutical products using liquid–liquid extraction in a flow injection system, 408 (2000) 129
Monosegmented micro-volume liquid–liquid flow-extraction system based on intermittent pumping and spectroscopic detection, 415 (2000) 1
Microinjection-microspectroscopy of single oil droplets in water: an application to liquid/liquid extraction under solution-flow conditions, 418 (2000) 129
Kinetic study of Ni(II) and Zn(II) complexation with a pyridylazo extractant by a centrifugal liquid membrane method, 419 (2000) 107
Interfacing flow injection analysis (sequential injection analysis) and electro-thermal atomic absorption spectrometry determination of trace-levels of Cr(VI) via on-line pre-concentration by adsorption in a knotted reactor and by liquid–liquid extraction, 422 (2000) 47
Spectrophotometric determination of tantalum by extraction as tetrabutylammonium hexathiocyanatotantalate(V), 422 (2000) 199

Lithographic sample
Evaluation of cleaning efficiency with a radioactive tracer and development of a microwave digestion method for semiconductor processes, 407 (2000) 291

Living bacterial cells
Selective preconcentration of phenyl-mercury by living *Escherichia coli* and its determination by cold vapour atomic absorption spectrometry, 423 (2000) 255

Living cell
pH microelectrode–micropipette system for the measurement of enzyme reactions in a picoliter volume of a living plant cell, 404 (2000) 223

L-lysine
Development of an interferent free amperometric biosensor for determination of L-lysine in food, 412 (2000) 111

Local anaesthetics
Role of octanol–water partition coefficients in extraction of ionisable organic compounds in a supported liquid membrane with a stagnant acceptor, 416 (2000) 77

Loose powders
Direct determination of trace elements in terephthalic acid by laser induced breakdown spectroscopy, 419 (2000) 153

L-ornithine
Development of an interferent free amperometric biosensor for determination of L-lysine in food, 412 (2000) 111

Low resolution nuclear magnetic resonance
Methods of multivariate data analysis applied to the investigation of fen soils, 420 (2000) 205

L-Tyrosine-derivatized
Preparation and characterization of an L-tyrosine-derivatized β-cyclodextrin-bonded silica stationary phase for liquid chromatography, 403 (2000) 187

Luciferase
pH microelectrode–micropipette system for the measurement of enzyme reactions in a picoliter volume of a living plant cell, 404 (2000) 223

Lucigenin
Chemiluminescent determination of lucigenin using thioureid derivatives, 403 (2000) 125

Luminol
Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method, 414 (2000) 15

Study of enhancement effects in the chemiluminescence method for Cr(III) in the ng l^{-1} range, 415 (2000) 209
Studies of polyluminol modified electrode and its application in electrochemiluminescence analysis with flow system, 419 (2000) 25

M

$M(SbF_6)_x$ compounds
Determination of fluoride in $M(SbF_6)_x$ compounds, 418 (2000) 113

Macrocyclic dioxopolyamine
Open tubular capillary electrochromatography in fused-silica capillaries chemically bonded with macrocyclic dioxopolyamine, 418 (2000) 145

Macrolid antibiotics
Chemiluminometric behaviour of erythromycin and related compounds, 410 (2000) 153

Macromolecule
Electrospray diagnostics performed by using sucrose and proteins in the gas-phase electrophoretic mobility molecular analyzer (GEMMA), 406 (2000) 3

Magnesium
Use of adsorptive stripping voltammetry at the glassy carbon electrode for the simultaneous determination of magnesium(II) and aluminium(III). Application to some industrial samples, 417 (2000) 67

Mahalanobis distance method
Wavelength selection and optimization of pattern recognition methods using the genetic algorithm, 423 (2000) 167

Malate
Reagentless enzyme electrode for malate based on modified polymeric membranes, 408 (2000) 217

MALDI-TOF mass spectrometry
Exploring the limit of detection in biomolecular interaction analysis mass spectrometry (BIA/MS): detection of attomole amounts of native proteins present in complex biological mixtures, 423 (2000) 1

Malondialdehyde
Determination of olive oil 2-thiobarbituric acid reactive substances by parallel flow injection, 417 (2000) 119

Manganese
Slurry-sampling with rapid atomization *versus* microwave digestion with conventional atomization for the determination of copper, manganese and nickel in algae matrix using transverse heated-electrothermal atomic absorption spectrometry, 404 (2000) 295
Determination of trace manganese in the brain of mice subjected to manganese deposition by graphite furnace atomic absorption spectrometry, 405 (2000) 197
Solid-phase sodium bismuthate as an oxidant in flow injection analysis: determination of manganese in effluent streams, 413 (2000) 57
Determination of Mn and Si in iron ore by laser-induced plasma spectroscopy, 413 (2000) 187

Marine toxins
Immunoaffinity extraction as a new approach for an improved liquid chromatography-mass spectrometric or fluorimetric determination of okadaic acid in shellfish and algae, 407 (2000) 173

Mars
Spectroscopic and photometric evaluation of images from the Mars Pathfinder camera, 420 (2000) 229

Mass resolution
Comparison of the application of higher mass resolution and cool plasma conditions to avoid spectral interferences in Cr(III)/Cr(VI) speciation by means of high-performance liquid chromatography – inductively coupled plasma mass spectrometry, 419 (2000) 55

Mass spectrometric detection
Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats, 414 (2000) 133

Mass spectrometry
Studies of the major degradation products of a higher alkyl polyacrylate using pyrolysis gas chromatography–mass spectrometry, 402 (1999) 311
The analytical characterisation of sub-minute measurement duty cycles in flow injection analysis mass spectrometry, by their carry-over, 403 (2000) 287
Charged residue versus ion evaporation for formation of alkali metal halide cluster ions in ESI, 406 (2000) 53
Characterization of two polyphosphazene materials as membranes in membrane induction mass spectrometry, 407 (2000) 311
Gas chromatography-mass spectrometry analysis of β_2-agonists in bovine retina, 408 (2000) 285
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91
Isolation and identification of phenolic compounds in *Citrus sinensis*, 417 (2000) 231
Investigation of characteristics of non-reductive thermal ion emission of various graphites in thermal ionization mass spectrometry, 420 (2000) 95

Mass spectroscopy
Study of amino acids by means of liquid chromatography mass spectrometry: optimization of the particle–beam interface, 401 (1999) 55

Mathematical modelling
Theoretical and experimental study of palladium(II) extraction from hydrochloric acid solutions into Aliquat 336/PVC membranes, 413 (2000) 241

Matrix correction
Chemometric methods in energy dispersive X-ray fluorescence, 420 (2000) 197

Measurement of microorganism populations
Voltammetric measurement of microorganism populations, 405 (2000) 115

Meat freshness
Characterization and meat freshness application of a serial three-enzyme reactor system measuring ATP-degradative compounds, 404 (2000) 75

MECC
Determination of micelle/water partition coefficients of cosmetic preservatives. Optimisation of the capillary electrophoretic method, 412 (2000) 141

Mechanism
Electrochemical and conformational studies of microcystin–LR, 409 (2000) 247

Mechanism of catalyzed reaction
Kinetic study of the iron-catalyzed reaction of the oxidative coupling reaction of 3-methyl-2-benzothiazolinone hydrazone with *N,N*-dimethylaniline, 424 (2000) 127

Mediator
Evaluation of substituted-1,10-phenanthroline complexes of osmium as mediator for glucose oxidase of *Aspergillus Niger*, 408 (2000) 225
[60]Fullerene-mediated amperometric biosensors, 409 (2000) 131

Medicine
A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode, 408 (2000) 257

Medium exchange
Determination of total copper in white wine by stripping potentiometry utilising medium exchange, 413 (2000) 25

Mefenamic acid
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87

Melatonin
Determination of melatonin and pyridoxine in pharmaceutical preparations for health-caring purposes by capillary electrophoresis with electrochemical detection, 408 (2000) 249

Membrane
Reagentless enzyme electrode for malate based on modified polymeric membranes, 408 (2000) 217
Determination of the chemical speciation of trace metals in aqueous systems by the Wageningen Donnan Membrane Technique, 417 (2000) 149

Membrane characterisation
Determination of structural and electrical parameters for activated composite membranes containing di-(2-ethylhexyl)dithiophosphoric acid as carrier, 403 (2000) 91
Facilitated transport of lead(II) and cadmium(II) through novel activated composite membranes containing di-(2-ethyl-hexyl)-phosphoric acid as carrier, 408 (2000) 65

Membrane extraction
Theoretical and experimental study of palladium(II) extraction from hydrochloric acid solutions into Aliquat 336/PVC membranes, 413 (2000) 241

Membrane filtration
Determination of Ag(I), Hg(II), Cu(II), Pb(II), Cd(II) by stripping voltammetry in aqueous solutions using complexing polymers in conjunction with membrane filtration, 404 (2000) 231

Membrane introduction interface
Characterization of two polyphosphazene materials as membranes in membrane induction mass spectrometry, 407 (2000) 311

Membrane surface potential
Application of cationic liposomes containing surfactants to an enhancer in firefly bioluminescent assay of adenosine 5′-triphosphate, 424 (2000) 169

2-Mercaptobenzimidazole
Simultaneous preconcentration and speciation of iron(II) and iron(III) in water samples by 2-mercaptobenzimidazole-silica gel sorbent and flow injection analysis system, 424 (2000) 233

Mercury
Determination of mercury in environmental and biological samples using pyrolysis atomic absorption spectrometry with gold amalgamation, 405 (2000) 179
Preconcentration and determination of mercury in high purity arsenic, 405 (2000) 297
Ion chromatography of heavy and transition metals by on- and post-column derivatizations, 407 (2000) 319
Development of a new bulk optode membrane for the determination of mercury(II), 414 (2000) 195
Selective pre-concentration and solid phase extraction of mercury(II) from natural water by silica gel-loaded dithizone phases, 415 (2000) 33
Fluorimetric method for the determination of trace levels of mercury in sea water using 6-mercaptopurine, 419 (2000) 33
Determination of methylmercury in sediments by steam distillation/aqueous-phase ethylation and atomic fluorescence spectrometry, 419 (2000) 145
Trace determination of mercury by anodic stripping voltammetry at the rotating gold electrode, 424 (2000) 65

Mercury analysis
Measurements of trace concentrations of mercury in sea water by stripping chronopotentiometry with gold disk electrode: influence of copper, 410 (2000) 97

Mercury detection
Mercury detection in air using a coated piezoelectric sensor, 404 (2000) 95

Mercury film electrodes
Determination of total copper in white wine by stripping potentiometry utilising medium exchange, 413 (2000) 25

Mercury removal adsorbent
Preliminary evaluation of adsorbent-based mercury removal systems for gas condensate, 415 (2000) 21

Mercury speciation
Determination of mercury compounds by capillary electrophoresis inductively coupled plasma mass spectrometry with microconcentric nebulization, 413 (2000) 197
Preliminary evaluation of adsorbent-based mercury removal systems for gas condensate, 415 (2000) 21
Field sampling, preconcentration and determination of mercury species in river waters, 419 (2000) 137

Mesoporous materials
Retention properties of mesoporous silica-based materials, 422 (2000) 231

Metabolites
Monitoring of pyrethroid metabolites in human urine using solid-phase extraction followed by gas chromatography-tandem mass spectrometry, 401 (1999) 45

Metal binding
Simultaneous determination of Ca, Cu, Ni, Zn and Cd binding strengths with fulvic acid fractions by Schubert's method, 402 (1999) 169

Metal cation separations
Chelation ion chromatography of metal ions using high performance substrates dynamically modified with heterocyclic carboxylic acids, 401 (1999) 65

Metal chelates
Reversed-phase liquid chromatography of metal chelates of 4-(2-pyridylazo) resorcinol: retention model and its verification, 414 (2000) 113

Metal complex
Extraction, solubility and stability of metal complexes using stainless steel supercritical fluid extraction system, 417 (2000) 177

Metal ions
Determination of Ag(I), Hg(II), Cu(II), Pb(II), Cd(II) by stripping voltammetry in aqueous solutions using complexing polymers in conjunction with membrane filtration, 404 (2000) 231
Chromatographic mobility of metals on paper impregnated with model compounds related to lignin structure and on wood slices, 406 (2000) 279

Metal ions determination
Evaluation of classical and three-way multivariate calibration procedures in kinetic-spectrophotometric analysis, 424 (2000) 115

Metal lined graphite tube
Ultratrace determination of thulium by laser-excited atomic fluorescence spectrometry with atomization in a rhenium lined tube furnace, 411 (2000) 57

Metal speciation
Determination of metal ions concentration and speciation in seawater by titration with an iminodiacetic resin, 401 (1999) 265
Determination of the metal complexing capacity of aqueous solutions containing ligands by titration in the presence of complexing resins, 405 (2000) 309
A study of Nafion-coated and uncoated thin mercury film-rotating disk electrodes for cadmium and lead speciation in model solutions of fulvic acid, 423 (2000) 115

Metal-ion complexes
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91

Metallic alloys
Expanding the working concentration range for the direct analysis of metallic alloys by on-line anodic electrodissolution and electrothermal atomic absorption spectrometry, 401 (1999) 307

Metal-loaded activated charcoal
Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry, 418 (2000) 11

Metallothionein
Tricine buffer for metallothionein isoform separation by capillary zone electrophoresis, 402 (1999) 59
Electrochemical study of human foetal liver metallothionein: influence of the additions of cadmium and zinc, 406 (2000) 171

Metals
Characterisation of Galician (NW Spain) Ribeira Sacra wines using pattern recognition analysis, 417 (2000) 211

Methacrylate–acrylate
Methacrylic–acrylic polymers in ion-selective membranes: achieving the right polymer recipe, 403 (2000) 77

Methanol-water
Correlation between hydrophobicity and retention data of several antihistamines in reversed-phase liquid chromatography with aqueous-organic and micellar-organic mobile phases, 421 (2000) 45

Method of logarithm of eigenvalues
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

Method validation
Validation of bias in multianalyte determination methods.. Application to RP-HPLC derivatizing methodologies, 406 (2000) 257
Study of method validation criteria in a capillary electrophoresis method for the separation of non-steroidal anti-inflammatory drugs, 416 (2000) 29

4-Methoxy-azomethine-H
4-Methoxy-azomethine-H as a reagent for the spectrophotometric determination of boron in plants and soils, 402 (1999) 253

Methoxylation
Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion, 411 (2000) 209

Methylation
Characterisation of lake-aquatic humic matter isolated with two different sorbing solid techniques: tetramethylammonium hydroxide treatment and pyrolysis-gas chromatography/mass spectrometry, 424 (2000) 91

5-Methyl-2′-deoxycytidine
Competitive immunoassay method for 5-methyl-2′-deoxycytidine, 413 (2000) 79

Methylene blue (MB)
Novel hybridization indicator methylene blue for the electrochemical detection of short DNA sequences related to the hepatitis B virus, 422 (2000) 139

Methylmercury
Determination of methylmercury in sediments by steam distillation/aqueous-phase ethylation and atomic fluorescence spectrometry, 419 (2000) 145

3-Methylthiophene
Array of conducting polymer sensors for the characterisation of wines, 411 (2000) 193

Methylthymol blue (MTB)
Direct, selective flow injection spectrophotometric determination of calcium in wines using methylthymol blue and an on-line cascade dilution system, 402 (1999) 259

Metronidazole
Flow injection biamperometric determination of metronidazole with on-line photodegradation, 401 (1999) 229

Micellar electrokinetic capillary chromatography
Determination of *p*-aminobenzoates and cinnamate in cosmetic matrix by supercritical fluid extraction and micellar electrokinetic capillary chromatography, 416 (2000) 157

Micellar electrokinetic chromatography
Determination of critical micelle concentrations of anionic surfactants based on ligand exchange micellar electrokinetic chromatography, 403 (2000) 173
Amperometric detection of three purine alkaloids following their separation by micellar electrokinetic capillary chromatography, 419 (2000) 235

Micellar eluents
Micellar liquid chromatographic separation of amino acids using pre- and post-column *o*-phthalaldehyde/*N*-acetylcysteine derivatization, 418 (2000) 153

Micellar liquid chromatography
Determination of phenolic antioxidants in vegetal and animal fats without previous extraction by dilution with *n*-propanol and micellar liquid chromatography, 402 (1999) 81

Micelle
Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection, 412 (2000) 149
Determination of five polycyclic aromatic hydrocarbons in aqueous micellar media by fluorescence at room temperature, 413 (2000) 159
Determination of nafcillin by room temperature phosphorescence, 423 (2000) 85

Micro-alga
Isolation and identification of unsaturated fatty acid methyl esters from marine micro-algae, 409 (2000) 257

Microarray
Disc-based immunoassay microarrays, 411 (2000) 1

Microbiosensor
A laponite clay-poly(pyrrole–pyridinium) matrix for the fabrication of conductimetric microbiosensors, 401 (1999) 117

Microbore liquid chromatography
Determination and pharmacokinetic study of unbound cefoxitin in rat blood and brain with on-line microdialysis and microbore liquid chromatography, 412 (2000) 13

Micro-cantilevers
Selectivity of chemical sensors based on micro-cantilevers coated with thin polymer films, 422 (2000) 89

Microchip
Capillary electrophoresis microchips with thick-film amperometric detectors: separation and detection of phenolic compounds, 416 (2000) 9
Combination of flow injection with capillary electrophoresis. Part 7. Microchip capillary electrophoresis system with flow injection sample introduction and amperometric detection, 422 (2000) 71

Microcolumn LC
Visualization of cyclodextrins via complexation with iodine in microcolumn liquid chromatography, 418 (2000) 175

Microconcentric nebulizer
Determination of mercury compounds by capillary electrophoresis inductively coupled plasma mass spectrometry with microconcentric nebulization, 413 (2000) 197

Microcrystalline cellulose
Wavelength selection and optimization of pattern recognition methods using the genetic algorithm, 423 (2000) 167

Microcystins
Electrochemical and conformational studies of microcystin–LR, 409 (2000) 247

Microdialysis
Quantitative aspects of brain microdialysis, 412 (2000) 1

Microdialysis sampling
Liquid chromatography — electrochemical detector for the determination of glucose in rat brain combined with in vivo microdialysis, 413 (2000) 131

Micro-distillation
Determination of total cyanide in soils by micro-distillation, 406 (2000) 283

Microelectrode
Determination of heavy metals in honey by anodic stripping voltammetry at microelectrodes, 415 (2000) 165
Development of a generic microelectrode array biosensing system, 421 (2000) 175

Microinjection
Microinjection-microspectroscopy of single oil droplets in water: an application to liquid/liquid extraction under solution-flow conditions, 418 (2000) 129

Microliter nebulizer
Study on solvent-loading effect on inductively coupled plasma and microwave-induced plasma sources with a microliter nebulizer, 413 (2000) 217

Micromachining
Capillary electrophoresis microchips with thick-film amperometric detectors: separation and detection of phenolic compounds, 416 (2000) 9

Microplate
Microplate-based fluorometric methods for the enzymatic determination of L-glutamate: application in measuring L-glutamate in food samples, 402 (1999) 47

Microporous membrane
Microporous membrane liquid–liquid extraction technique combined with gas chromatography mass spectrometry for the determination of organotin compounds, 404 (2000) 319

Microporous membrane liquid–liquid extraction (MMLLE)
Automated determination of Vinclozolin at the ppb level in aqueous samples by a combination of microporous membrane liquid–liquid extraction and adsorption chromatography, 424 (2000) 1

Microscale
Development of a sequential injection system in the capillary format for determinations of the IpaC protein, 409 (2000) 3
Performance enhancement in flow reversal flow injection using on-capillary detection, 417 (2000) 185

Microsensor
Direct measurement of nitric oxide release from the rat hippocampus, 415 (2000) 127

Microspectroscopy
Microinjection-microspectroscopy of single oil droplets in water: an application to liquid/liquid extraction under solution-flow conditions, 418 (2000) 129

Micro-titrator
Coulometric micro-titrator with a ruthenium dioxide pH-electrode, 412 (2000) 69

Micro-total analytical system
Tris(2,2-bipyridyl)ruthenium (II) chemiluminescence in a micro-flow injection system for codeine determination, 405 (2000) 43

Micro-volume extraction
Determination of octanol–water partition coefficients using a micro-volume liquid-liquid flow extraction system, 423 (2000) 137

Micro-volume system
Monosegmented micro-volume liquid–liquid flow-extraction system based on intermittent pumping and spectroscopic detection, 415 (2000) 1

Microwave digestion
Slurry-sampling with rapid atomization *versus* microwave digestion with conventional atomization for the determination of copper, manganese and nickel in algae matrix using transverse heated-electrothermal atomic absorption spectrometry, 404 (2000) 295
Effect of acid digestion method on cobalt determination in plant materials, 408 (2000) 89
Determination of heavy metals in soils and sediments by microwave-assisted digestion and inductively coupled plasma optical emission spectrometry analysis, 424 (2000) 289

Microwave irradiation
Determination of Pd(II) by application of an on-line microwave oven and artificial neural networks in flow injection analysis, 420 (2000) 123

Microwave plasma
Highly sensitive beryllium detection with microwave plasma source atomic emission spectrometry, 422 (2000) 209

Microwave-assisted digestion
Microwave-assisted sample preparation in sequential injection: spectrophotometric determination of magnesium, calcium and iron in food, 413 (2000) 41

Microwave-assisted distillation
Atomic fluorescence determination of inorganic arsenic in soils after microwave-assisted distillation, 407 (2000) 155

Microwave-induced plasma mass spectrometry
Study on solvent-loading effect on inductively coupled plasma and microwave-induced plasma sources with a microliter nebulizer, 413 (2000) 217

Microwaves
Microwave-assisted spectrophotometric estimation of polymer-supported functional groups using a universal reagent, 405 (2000) 247

Milk
A new enzymatic spectrophotometric assay for the determination of lactulose in milk, 406 (2000) 217
Automatic determination of fat in milk by use of a flow injection system with a piezoelectric detector, 406 (2000) 309
Ion-selective field effect transistor (ISFET)-based calcium ion sensor with photocured polyurethane membrane suitable for ionised calcium determination in milk, 408 (2000) 57

Milk-to-plasma ratio
Prediction of drug transfer into human milk from theoretically derived descriptors, 418 (2000) 181

Mimetic enzymatic immunoassay
Investigation on the potential use of the mimetic peroxidase-catalyzed reaction of hydrogen peroxide and *o*-hydroxyphenylfluorone in fluorescence analysis, 406 (2000) 209

Mimetic enzyme
Highly sensitive spectrofluorimetric determination of ascorbic acid based on its enhancement effect on a mimetic enzyme-catalyzed reaction, 413 (2000) 167

Miniaturization
Multiplex immunoassays on size-categorized individual beads using time-resolved fluorescence, 410 (2000) 85

Mini-column
Spectrophotometric determination of total nitrogen in plant materials using a flow-injection system with an $AgCl_{(s)}$ reactor, 416 (2000) 185

Minicolumn field sampling
Field sampling, preconcentration and determination of mercury species in river waters, 419 (2000) 137

Miocamycin
Determination of polymorphic purity by near infrared spectrometry, 407 (2000) 247

Mixed micellar system
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1

Mixed stationary phase
Synergistic effects of mixed GC stationary phase consisting of two different cyclodextrin derivatives, 424 (2000) 271

Mixer-settle
Simulation of the development automatization control system for rare earth extraction process. Combination of ESRECE simulation software and EDXRF analysis technique, 417 (2000) 111

Mixture
Quantitative determination of content in binary powder mixtures using diffuse reflectance near infrared spectrometry and multivariate analysis, 419 (2000) 45

Mobilities
Quantitative capillary electrophoretic analysis for calcium and magnesium in sodium–matrix waters, 410 (2000) 11

Mobility
Chromatographic mobility of metals on paper impregnated with model compounds related to lignin structure and on wood slices, 406 (2000) 279

Modified carbon paste electrode
Amperometric determination of ascorbic acid based on electrocatalytic oxidation using a ruthenium(III) diphenyldithiocarbamate-modified carbon paste electrode, 405 (2000) 93

Modified electrode
Biosensor for detection of hypoxanthine based on xanthine oxidase immobilized on chemically modified carbon paste electrode, 412 (2000) 55

Modified microelectrodes
Flow injection analysis-amperometric determination of ascorbic and uric acids in urine using arrays of gold microelectrodes modified by electrodeposition of palladium, 404 (2000) 151

Modified reverse FIA
Comparison of spectrophotometric and potentiometric detection for the determination of water using Karl Fischer method under flow injection analysis conditions, 420 (2000) 133

Modifier
Rapid determination of technetium-99 by electrothermal vaporization-inductively coupled plasma-mass spectrometry with sodium chlorate and nitric acid as modifiers, 413 (2000) 207

Molecular descriptors
Prediction of drug transfer into human milk from theoretically derived descriptors, 418 (2000) 181

Molecular emission cavity analysis
New cavity design suitable for monitoring gaseous samples by molecular emission cavity analysis, 409 (2000) 197

Molecular imprinting
Flavonol fluorescent flow-through sensing based on a molecular imprinted polymer, 405 (2000) 67

Molecular imprinting polymer
Molecular imprinting polymer coated BAW bio-mimic sensor for direct determination of epinephrine, 415 (2000) 135

Molecular 'Light Switch'
A novel method for determination of DNA by use of molecular 'Light Switch' complex of $Ru(bipy)_2(dppx)^{2+}$, 403 (2000) 209

Molecular modeling
Electrochemical and conformational studies of microcystin–LR, 409 (2000) 247

Molecular recognition
Fluorescence detection of β-estradiol using a molecularly imprinted polymer, 405 (2000) 23
Flavonol fluorescent flow-through sensing based on a molecular imprinted polymer, 405 (2000) 67

Molecular weight
Size-exclusion chromatographic descriptors of humic substances, 407 (2000) 193

Molecularly imprinted electrosynthesized copolymer
Development of a new atropine sulfate bulk acoustic wave sensor based on a molecularly imprinted electrosynthesized copolymer of aniline with *o*-phenylenediamine, 423 (2000) 221

Molecularly imprinted polymer
Fluorescence detection of β-estradiol using a molecularly imprinted polymer, 405 (2000) 23

A 2-aminopyridine molecularly imprinted polymer surrogate microcolumn for selective solid phase extraction and determination of 4-aminopyridine, 414 (2000) 123

Molybdenum(VI)
Application of the dibromohydroxyphenylfluorone–molybdenum(VI) complex to the sensitive spectrophotometric determination of protein, 403 (2000) 225

Monitoring
Monitoring of pyrethroid metabolites in human urine using solid-phase extraction followed by gas chromatography-tandem mass spectrometry, 401 (1999) 45

Monoclonal antibody
Monoclonal antibody capture fluorometric enzyme linked immunosorbent assay for detection of porcine growth hormone in plasma, 402 (1999) 37
Enzyme-linked immunosorbent assay for 2-deoxycytidine, 404 (2000) 179
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255
Performance characteristics for flow injection immunoassay using monoclonal antibodies against s-triazine and 2,4-D herbicides, 412 (2000) 19
Competitive immunoassay method for 5-methyl-2′-deoxycytidine, 413 (2000) 79

Monosaccharides
Evaporative light scattering detector: a new tool for screening purposes, 402 (1999) 1

MOSFETs
Classification of complex gas mixtures from automotive leather using an electronic nose, 403 (2000) 31

Moving block bootstrap design
Robust spectral analysis by moving block bootstrap designs, 415 (2000) 105

MS–MS
Liquid chromatography–electrospray mass spectrometry and tandem mass spectrometry of ceramides, 403 (2000) 295
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

α-MT cluster
Study of complexing properties of the α-metallothionein domain with cadmium and/or zinc, using differential pulse polarography, 424 (2000) 77

Multianalyte detection
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175

Multi-channel
Multi-channel piezoelectric quartz crystal sensor for organic vapours, 403 (2000) 39

Multichannel analyzer
Direct parallel flow injection multichannel spectrophotometric determination of olive oil iodine value, 405 (2000) 239
Determination of olive oil 2-thiobarbituric acid reactive substances by parallel flow injection, 417 (2000) 119

Multicommutated flow system
An automatic titrator based on a multicommutated unsegmented flow system. Its application to acid–base titrations, 407 (2000) 213
Fluorimetric determination of isoniazid by oxidation with cerium(IV) in a multicommutated flow system, 419 (2000) 17

Multicommutation
Dual-stopped-flow spectrophotometric determination of amiloride hydrochloride in a multicommutated flow system, 407 (2000) 225
A flow system exploiting multicommutation for speciation of inorganic nitrogen in waters, 409 (2000) 227

Multicomponent analysis
New ways of enzymatic two-substrate determinations in flow injection systems, 421 (2000) 7
Simultaneous determination of the concentration of methanol and relative humidity based on a single Nafion(Ag)-coated quartz crystal microbalance, 421 (2000) 83
Multicomponent sequential injection analysis determination of nitro-phenols in waters by on-line liquid-liquid extraction and preconcentration, 421 (2000) 155
Quantitative analysis of trace mixtures of toluene and xylenes by CO_2 laser photoacoustic spectrometry, 422 (2000) 179

Multicomponent kinetic determinations
Linear and non-linear multivariate calibration methods for multicomponent kinetic determinations in cases of severe non-linearity, 405 (2000) 285

Multicomponent kinetic-spectrophotometric determination
Factors affecting the accuracy of multicomponent kinetic-spectrophotometric determinations based on multivariate calibration methods, 407 (2000) 135

Multi-dimensional
Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection, 412 (2000) 149

Multidrug resistance (MDR)
Screening method for substrates of multidrug resistance-associated protein, 423 (2000) 197

Multidrug resistance-associated protein (MRP)
Screening method for substrates of multidrug resistance-associated protein, 423 (2000) 197

Multi-element characterization
Multi-element characterization of high purity cadmium using inductively coupled plasma quadrupole mass spectrometry and glow-discharge quadrupole mass spectrometry, 408 (2000) 199

Multilayer films
Fabrication of multilayer films containing horseradish peroxidase and polycation-bearing Os complex by means of electrostatic layer-by-layer adsorption and its application as a hydrogen peroxide sensor, 418 (2000) 225

Multiple linear regression
Simulation of mass spectra of noncyclic alkanes and alkenes using artificial neural network, 415 (2000) 95
Simultaneous kinetic determination of cobalt, nickel and iron by coupling stopped-flow techniques and charge coupled device detection, 423 (2000) 277

Multiple sample addition
Potentiometric characterisation of acid rains using corrected linear plots, 405 (2000) 173

Multiplex
Multiplex immunoassays on size-categorized individual beads using time-resolved fluorescence, 410 (2000) 85

Multiply charged species
Electrospray ionization of large multiply charged species proceeds via Dole's charged residue mechanism, 406 (2000) 93

Multiresidue determination
Liquid chromatography mass spectrometry tandem for multiresidue determination of selected post-emergence herbicides after soil column extraction, 415 (2000) 41

Multiresponse fluorescence
Multisite metal binding to fulvic acid determined using multiresponse fluorescence, 416 (2000) 211

Multisensor array
A flow injection system based on chalcogenide glass sensors for the determination of heavy metals, 403 (2000) 273

Multi-site detection
Enzymatic determination of ethanol and glycerol by flow injection parallel multi-site detection, 416 (2000) 205

Multivariate analysis
Levels of polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and dibenzofurans in commercial yoghurt samples in Spain. Comparison with different dairy products, 402 (1999) 241
Radial basis function networks in host–guest interactions: instant and accurate formation constant calculations, 417 (2000) 221
Genetic algorithms applied to the selection of factors in principal component regression, 420 (2000) 217

Multivariate calibration
Cyclic voltammetric simultaneous determination of oxidizable amino acids using multivariate calibration methods, 405 (2000) 153
Intersite transfer of industrial calibration models, 406 (2000) 233
Circular dichroism spectra of cyclodextrins–ketoprofen inclusion complexes. Determination of enantiomeric purity, 407 (2000) 233
Determination of polymorphic purity by near infrared spectrometry, 407 (2000) 247
Improved algorithm for clustering tendency, 408 (2000) 13
Qualitative and quantitative analysis of oxytetracycline by near-infrared spectroscopy, 410 (2000) 203
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137
Spectrofluorimetric determination of phenylephrine in the presence of a large excess of paracetamol, 419 (2000) 159
Direct determination of leather dyes by visible reflectance spectroscopy using partial least-squares regression, 419 (2000) 209
Orthogonal signal correction, wavelet analysis, and multivariate calibration of complicated process fluorescence data, 420 (2000) 181
Detection limits in classical multivariate calibration models, 423 (2000) 41
Evaluation of classical and three-way multivariate calibration procedures in kinetic-spectrophotometric analysis, 424 (2000) 115
Multivariate calibration with Raman spectroscopic data: a case study, 424 (2000) 185

Multivariate curve resolution
Spectrophotometric determination of pK_a values based on a pH gradient flow-injection system, 408 (2000) 135
Determination of triphenyltin in sea-water by excitation–emission matrix fluorescence and multivariate curve resolution, 409 (2000) 237
Resolution of multicomponent peaks by orthogonal projection approach, positive matrix factorization and alternating least squares, 411 (2000) 145
Multivariate extension of the continuous variation and mole-ratio methods for the study of the interaction of intercalators with polynucleotides, 424 (2000) 105
Multivariate curve resolution of polarographic data applied to the study of the copper-binding ability of tannic acid, 424 (2000) 203

Multivariate regression analysis
A QSERR study on enantioselective separation of enantiomeric sulphoxides, 419 (2000) 93

Multivariate technique
Factors affecting the accuracy of multicomponent kinetic-spectrophotometric determinations based on multivariate calibration methods, 407 (2000) 135

Mussel
Microwave-assisted extraction or saponification combined with microwave-assisted decomposition applied in pretreatment of soil or mussel samples for the determination of polychlorinated biphenyls, 413 (2000) 49

MWCO
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175

Mycotoxin
Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis, 414 (2000) 51
Development of a flow-injection liposome immunoanalysis system for fumonisin B1, 414 (2000) 61

Myocardial cells
Fabrication of an ultramicrosensor for measurement of extracellular myocardial superoxide, 405 (2000) 77

Myoglobin
Chip-based nanovials for tryptic digest and capillary electrophoresis, 401 (1999) 11

N

***N*-3,5-Dinitrobenzoyl amino acid methyl ester**
Preparation and enantiomer separation behavior of selectively methylated β-cyclodextrin-bonded stationary phases for high performance chromatography, 410 (2000) 37

***N*-2,4-dinitrophenyl derivatives and 3,5-dinitrobenzyloxycarbonyl derivatives**
Direct liquid chromatographic enantioseparation of chiral α- and β-aminophosphonic acids employing quinine-derived chiral anion exchangers: determination of enantiomeric excess and verification of absolute configuration, 404 (2000) 169

***N*,*N*′-diethyl-*p*-phenylenediamine**
An improved *N*,*N*′-diethyl-*p*-phenylenediamine (DPD) method for the determination of free chlorine based on multiple wavelength detection, 407 (2000) 127

***N*-Acetyl-L-cysteine**
Micellar liquid chromatographic separation of amino acids using pre- and post-column *o*-phthalaldehyde/*N*-acetylcysteine derivatization, 418 (2000) 153

NAD^+ oxidation
Amperometric detection of D-sorbitol with NAD^+-D-sorbitol dehydrogenase modified carbon paste electrode, 424 (2000) 45

NADH
Electrocatalytic oxidation of ascorbate at glassy carbon electrodes modified with electrodeposited films derived from dihydroxybenzaldehyde isomers, 420 (2000) 29

NADH oxidation
A carbon paste electrode modified by entrapped toluidine blue-O for amperometric determination of L-lactate, 401 (1999) 155

Nafcillin
Determination of nafcillin by room temperature phosphorescence, 423 (2000) 85

Nafion®
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175
Simultaneous determination of the concentration of methanol and relative humidity based on a single Nafion(Ag)-coated quartz crystal microbalance, 421 (2000) 83
A study of Nafion-coated and uncoated thin mercury film-rotating disk electrodes for cadmium and lead speciation in model solutions of fulvic acid, 423 (2000) 115

Nail
Determination of nickel in fingernails and forearm skin (stratum corneum), 403 (2000) 265

***n*-alkanes**
Corona discharge ion mobility spectrometry of aliphatic and aromatic hydrocarbons, 403 (2000) 235

Nanoaperture array
A pH-sensitive nanotip array imaging sensor, 419 (2000) 215

Nanosized material
Response of nanosized cobalt oxide electrodes as pH sensors, 409 (2000) 137

Nanovial
Chip-based nanovials for tryptic digest and capillary electrophoresis, 401 (1999) 11

α-naphthyloxyacetic acid
Comparison of non-protected fluid room temperature phosphorescence properties of α-naphthyloxyacetic acid and β-naphthyloxyacetic acid, 424 (2000) 177

β-naphthyloxyacetic acid
Comparison of non-protected fluid room temperature phosphorescence properties of α-naphthyloxyacetic acid and β-naphthyloxyacetic acid, 424 (2000) 177

Native
Chip-based nanovials for tryptic digest and capillary electrophoresis, 401 (1999) 11

Natural water
Microporous membrane liquid–liquid extraction technique combined with gas chromatography mass spectrometry for the determination of organotin compounds, 404 (2000) 319
Ion chromatography with indirect photometric detection of common mono- and divalent cations using an unmodified silica gel column and tyramine/oxalic acid/18-crown-6 as eluent, 405 (2000) 277
Determination of traces of nitrite and nitrate in water by solid phase spectrophotometry, 410 (2000) 185
Determination of diphenyl-ether herbicides and metabolites in natural waters using high-performance liquid chromatography with diode array tandem mass spectrometric detection, 414 (2000) 79

***N*-derivatized amino acids**
Fourier transform infrared spectroscopic characterization of complexes of carbamoylated quinidine chiral selector and *N*-derivatized leucine enantiomers in solution. Evidence for stereoselective intermolecular interactions, 401 (1999) 3

Near infrared
Quantitative determination of content in binary powder mixtures using diffuse reflectance near infrared spectrometry and multivariate analysis, 419 (2000) 45

Near infra-red spectrometry
Development of robust calibration models in near infra-red spectrometric applications, 411 (2000) 121

Near infra-red spectroscopy
Intersite transfer of industrial calibration models, 406 (2000) 233
Using chemometric methods and NIR spectrophotometry in the textile industry, 420 (2000) 163

Needle biosensor
Evaluation of different fluorocarbon oils for their internal oxygen supply in glucose microsensors operated under oxygen-deficit conditions, 411 (2000) 187

Neural network
Application of natural computation techniques to optimal design of flow injection systems, 402 (1999) 275
Intersite transfer of industrial calibration models, 406 (2000) 233
Screening GC-MS data for carbamate pesticides with temperature-constrained–cascade correlation neural networks, 408 (2000) 1
Simultaneous determination of phenol isomers in binary mixtures by differential pulse voltammetry using carbon fibre electrode and neural network with pruning as a multivariate calibration tool, 420 (2000) 109
Determination of Pd(II) by application of an on-line microwave oven and artificial neural networks in flow injection analysis, 420 (2000) 123

Neurotransmitters
Amperometric detection for capillary electrophoresis at a sol–gel carbon composite electrode, 403 (2000) 179

Neutral carrier
Fluoroborate ion sensitive PVC membrane electrode based on chloro[tetra(*m*-amino-phenyl)porphinato]-manganese as neutral carrier, 419 (2000) 227

Neutron activation analysis
Preconcentration and determination of mercury in high purity arsenic, 405 (2000) 297

***n*-Hexanol**
Fluorimetric determination of dissolved aluminium in natural waters after liquid–liquid extraction into *n*-hexanol, 405 (2000) 31

***N*-2-hydroxyethylpiperazine-*N*′-2-ethanesulphonic acid**
Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies, 421 (2000) 103

***N*-hydroxyethylpiperazine-*N*′-2-hydroxypropanesulfonic acid**
Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies, 421 (2000) 103

***N*-hydroxysuccinimidyl fluorescein-*O*-acetate (SIFA)**
N-hydroxysuccinimidyl fluorescein-*O*-acetate as a highly fluorescent derivatizing reagent for aliphatic amines in liquid chromatography, 423 (2000) 77

Nickel
Determination of nickel in fingernails and forearm skin (stratum corneum), 403 (2000) 265
Slurry-sampling with rapid atomization *versus* microwave digestion with conventional atomization for the determination of copper, manganese and nickel in algae matrix using transverse heated-electrothermal atomic absorption spectrometry, 404 (2000) 295
Flow injection extraction spectrophotometric determination of nickel using bis(acetylacetone)ethylenediimine, 408 (2000) 123
Analysis by X-ray photoelectron spectroscopy of ruthenium stabilised polynuclear hexacyanometallate film electrodes, 410 (2000) 143
Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223

Nickel allergy
Determination of nickel in fingernails and forearm skin (stratum corneum), 403 (2000) 265

Nickel phthalocyanine
Thiocyanate-selective electrodes based on nickel and iron phthalocyanines, 402 (1999) 137
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175

Nickel sensor
New nickel(II) selective potentiometric sensor based on 5,7,12,14-tetramethyldibenzotetraazaannulene in a poly(vinyl chloride) matrix, 420 (2000) 19

Nickel speciation
Competitive ligand exchange/adsorptive cathodic stripping voltammetry (CLE/AdCSV) for kinetic studies of nickel speciation in aqueous environmental samples containing heterogeneous, macromolecular, organic complexants, 402 (1999) 195

Nickel(II)
Potentiometric study of copper(II) and nickel(II) complexation by a cross-linked poly(acrylic acid) gel, 407 (2000) 337

Nickel-fulvic acid interactions
Competitive ligand exchange/adsorptive cathodic stripping voltammetry (CLE/AdCSV) for kinetic studies of nickel speciation in aqueous environmental samples containing heterogeneous, macromolecular, organic complexants, 402 (1999) 195

Nimesulide determination
Designing experiments to optimise and validate the adsorptive stripping voltammetric determination of nimesulide, 413 (2000) 229

Niobium(V)
Separation and determination of niobium(V) and tantalum(V) as 2-(5-bromo-2-pyridylazo)-5-[*N*-propyl-*N*-(3-sulfopropyl)amino]-phenol citrate ternary complexes in geological samples using ion interaction high-performance liquid chromatography, 409 (2000) 35

NIR
Application of NIR reflectance spectroscopy for the identification of pharmaceutical excipients, 420 (2000) 155

NIR spectroscopy
Determination of polymorphic purity by near infrared spectrometry, 407 (2000) 247
Qualitative and quantitative analysis of oxytetracycline by near-infrared spectroscopy, 410 (2000) 203

Nitrate
Determination of traces of nitrite and nitrate in water by solid phase spectrophotometry, 410 (2000) 185
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21

Nitrate selectivity
Nitrate-selective chemically modified field effect transistors for flow-cell applications, 416 (2000) 97

Nitric oxide
Electrocatalytic detection of biological nitric oxide at an ultramicroelectrode modified with an electrodeposited $CuPtCl_6$ film, 402 (1999) 145
On-line detection of nitric oxide generated by the enzymatic action of nitric oxide synthase on L-arginine using a flow injection manifold and chemiluminescence detection, 410 (2000) 167
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175
Direct measurement of nitric oxide release from the rat hippocampus, 415 (2000) 127
A reagentless nitric oxide biosensor based on hemoglobin–DNA films, 423 (2000) 95

Nitric oxide synthase
On-line detection of nitric oxide generated by the enzymatic action of nitric oxide synthase on L-arginine using a flow injection manifold and chemiluminescence detection, 410 (2000) 167

Nitrite
Metal affinity liquid membrane. Facilitated transport of nitrite, 403 (2000) 101
Sonoelectrochemically enhanced nitrite detection, 404 (2000) 241
Determination of traces of nitrite and nitrate in water by solid phase spectrophotometry, 410 (2000) 185
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21
Spectrofluorimetric determination of nitrite with 5,6-diamino-1,3-naphthalene disulfonic acid, 419 (2000) 169

Nitrite ions
Gas-gap sensors for the determination of nitrogen oxides and nitrites, 409 (2000) 143

Nitroanilines
Factor analysis applied to the study of retention mechanism of nitroanilines in normal phase high performance liquid chromatography, 402 (1999) 285

Nitrobenzene
Standardization of potentiometric sensors and acid–base behaviour of a series of bases in nitrobenzene, 403 (2000) 349

Nitrogen
A flow system exploiting multicommutation for speciation of inorganic nitrogen in waters, 409 (2000) 227

Nitrogen dioxide
Effect of complexones and tensides on selectivity of nitrogen dioxide determination in air with a chemiluminescence aerosol detector, 410 (2000) 159

Nitrogen heterocyclic compounds
Heavy-atom induced room-temperature phosphorescence: a straightforward methodology for the determination of organic compounds in solution, 417 (2000) 19

Nitrogen oxides sensor
Gas-gap sensors for the determination of nitrogen oxides and nitrites, 409 (2000) 143

Nitrophenols
Multicomponent sequential injection analysis determination of nitro-phenols in waters by on-line liquid-liquid extraction and preconcentration, 421 (2000) 155

Nitroso
Sonoelectrochemically enhanced nitrite detection, 404 (2000) 241

1-nitroso-2-naphtol
Determination of ultra-trace amounts of cobalt in seawater by graphite furnace atomic absorption spectrometry after pre-concentration with Ni/8-quinolinol/1-nitroso-2-naphthol complex, 407 (2000) 147

Nitroso-R salt
Determination of trace copper in biological and environmental samples by third derivative spectrophotometry after pre-concentration with the ion pair of nitroso-R and tetradecyldimethylbenzylammonium chloride on microcrystalline naphthalene, 408 (2000) 153

***N*-methylcarbamates**
Analysis of *N*-methylcarbamates insecticides and some of their main metabolites in urine with liquid chromatography using diode array detection and electrospray mass spectrometry, 412 (2000) 131

NO
Peroxidase enzyme electrodes as nitric oxide biosensors, 403 (2000) 1

Nogalamycin
Voltammetric behaviour and determination of the anthracycline antitumor drug nogalamycin, 409 (2000) 105

Noise reduction
Noise reduction of fast, repetitive GC/MS measurements using principal component analysis (PCA), 401 (1999) 35

Non-aqueous solutions
Acid–base and hydrogen-bonding equilibria in aliphatic amine and carboxylic acid systems in non-aqueous solutions, 401 (1999) 317

Protolytic equilibria of dihydroxyanthraquinones in non-aqueous solutions, 402 (1999) 339

Non-aqueous solvents
Acid–base equilibria in systems involving substituted pyridines in polar aprotic protophobic media and in the amphiprotic methanol, 418 (2000) 233

Noncyclic alkanes
Simulation of mass spectra of noncyclic alkanes and alkenes using artificial neural network, 415 (2000) 95

Noncyclic alkenes
Simulation of mass spectra of noncyclic alkanes and alkenes using artificial neural network, 415 (2000) 95

Non-destructive analysis
Non-destructive analysis of small irregularly shaped homogenous samples by X-ray fluorescence spectrometry, 412 (2000) 203

Non-dispersive infrared spectrophotometry
Determination of oxygen-to-metal atomic ratio in mixed oxide fuel by non-dispersive infrared spectrophotometry after fusion in an inert gas atmosphere, 402 (1999) 297

No-net-flux
Quantitative aspects of brain microdialysis, 412 (2000) 1

Non-linear
Quantitative determination of content in binary powder mixtures using diffuse reflectance near infrared spectrometry and multivariate analysis, 419 (2000) 45

Non-linear calibration
A single solution for non-linear calibration in flow injection spectrophotometry. Kinetic determination of total protein in blood serum, 401 (1999) 215

Non-plasticised ion-selective membrane
Methacrylic–acrylic polymers in ion-selective membranes: achieving the right polymer recipe, 403 (2000) 77

Non-protected room temperature phosphorescence
Comparison of non-protected fluid room temperature phosphorescence properties of α-naphthyloxyacetic acid and β-naphthyloxyacetic acid, 424 (2000) 177

Non-specific adsorption
Polymer-coated optical fibres for application in a direct evanescent wave immunoassay, 403 (2000) 67

Non-steroidal anti-inflammatory drugs
Study of method validation criteria in a capillary electrophoresis method for the separation of non-steroidal anti-inflammatory drugs, 416 (2000) 29

Norepinephrine
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155

Normal phase HPLC
Automated determination of Vinclozolin at the ppb level in aqueous samples by a combination of microporous membrane liquid–liquid extraction and adsorption chromatography, 424 (2000) 1

Nortriptyline
Determination of amitriptyline and nortriptyline in spiked plasma by capillary zone electrophoresis with β-cyclodextrin, 413 (2000) 125

Nortriptyline HCl sensors
Polymeric membrane electrodes for selective determination of the central nervous system acting drugs fluphenazine hydrochloride and nortriptyline hydrochloride, 418 (2000) 93

NPAHs
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111

Nucleic acid
Utilization of the copper(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol as an absorption spectroscopic probe for nucleic acids assay, 402 (1999) 21
Enhanced fluorescence of the terbium–gadolinium–nucleic acids system and the determination of nucleic acids, 403 (2000) 219
Concentration dependence of a thiazole orange derivative that is used to determine nucleic acid hybridization by an optical biosensor, 411 (2000) 19
Spectrophotometric determination of nucleic acids using palladium(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol, 413 (2000) 87
Study of the interaction of nucleic acids with acridine red and CTMAB by a resonance light scattering technique and determination of nucleic acids at nanogram levels, 422 (2000) 151
Simple and sensitive determination of nucleic acids using palladium(II) complex with 2-(2-thiazolylazo)-5-dimethylaminobenzoic acid, 422 (2000) 159

Nucleosides
Amphoteric surfactant-modified stationary phase for the reversed-phase high-performance liquid chromatographic separation of nucleosides and their bases by elution with water, 419 (2000) 87

Number of components
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

Number of components in a mixture
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

Numerical simulation
Affinity mass sensors: concept and general considerations, 407 (2000) 11

Nutrients
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21

N-way methods
Evaluation of classical and three-way multivariate calibration procedures in kinetic-spectrophotometric analysis, 424 (2000) 115

O

Occupational exposure
Determination of nickel in fingernails and forearm skin (stratum corneum), 403 (2000) 265
Determination of chloro- and methylthiotriazine compounds in human urine: extraction with diethyl ether and C_{18} solid-phase extraction for gas chromatographic analysis with nitrogen-selective and electron capture detection, 424 (2000) 7

Octadecyl silica disks
Solid phase extraction of ultra trace copper(II) using octadecyl silica membrane disks modified by a naphthol-derivative Schiff's base, 408 (2000) 271

Octanol–water partition coefficients
Determination of octanol–water partition coefficients using a micro-volume liquid-liquid flow extraction system, 423 (2000) 137

Ofloxacin
Determination of ofloxacin using a chemiluminescence flow-injection method, 416 (2000) 227

***O*-hydroxyphenylfluorone (HPF)**
Investigation on the potential use of the mimetic peroxidase-catalyzed reaction of hydrogen peroxide and *o*-hydroxyphenylfluorone in fluorescence analysis, 406 (2000) 209

Oils
Development of a simulation program for the analysis of oils and fats by subcritical fluid chromatography, 401 (1999) 73

Okadaic acid
Immunoaffinity extraction as a new approach for an improved liquid chromatography-mass spectrometric or fluorimetric determination of okadaic acid in shellfish and algae, 407 (2000) 173

Olive oil
Direct parallel flow injection multichannel spectrophotometric determination of olive oil iodine value, 405 (2000) 239
Determination of olive oil 2-thiobarbituric acid reactive substances by parallel flow injection, 417 (2000) 119

***o*-Nitrophenyloctylether**
Determination of complex formation constants of 18 neutral alkali and alkaline earth metal ionophores in poly(vinyl chloride) sensing membranes plasticized with bis(2-ethylhexyl)sebacate and *o*-nitrophenyloctylether, 421 (2000) 207

Online analysis
Direct determination of trace elements in terephthalic acid by laser induced breakdown spectroscopy, 419 (2000) 153

On-line anodic electrodissolution
Expanding the working concentration range for the direct analysis of metallic alloys by on-line anodic electrodissolution and electrothermal atomic absorption spectrometry, 401 (1999) 307

On-line detection
Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25

On-line FI-CL system
On-line detection of nitric oxide generated by the enzymatic action of nitric oxide synthase on L-arginine using a flow injection manifold and chemiluminescence detection, 410 (2000) 167

On-line microdialysis
Determination and pharmacokinetic study of unbound cefoxitin in rat blood and brain with on-line microdialysis and microbore liquid chromatography, 412 (2000) 13

On-line preconcentration
Synthetic zeolites as sorbent material for on-line preconcentration of copper traces and its determination using flame atomic absorption spectrometry, 403 (2000) 249
Performance optimization of a commercially available iminodiacetate resin for the determination of Mn, Ni, Cu, Cd and Pb by on-line preconcentration inductively coupled plasma-mass spectrometry, 423 (2000) 265

On-line pre-concentration of Cr(VI)
Interfacing flow injection analysis (sequential injection analysis) and electro-thermal atomic absorption spectrometry determination of trace-levels of Cr(VI) via on-line pre-concentration by adsorption in a knotted reactor and by liquid–liquid extraction, 422 (2000) 47

On-line process monitoring
On-line monitoring of kraft pulping liquors with a valveless flow injection–capillary electrophoresis system, 404 (2000) 19

On-line reduction
Flow injection-hydride generation atomic absorption spectrometric determination of Se(VI) and Se(IV): utility of a conventionally heated water bath for the on-line reduction of Se(VI), 408 (2000) 191

On-line sensor
Amperometric on-line sensor for continuous measurement of hypoxanthine based on osmium-polyvinylpyridine gel polymer and xanthine oxidase bienzyme modified glassy carbon electrode, 415 (2000) 143

OPA
Resolution of multicomponent peaks by orthogonal projection approach, positive matrix factorization and alternating least squares, 411 (2000) 145

Open wet digestion
Effect of acid digestion method on cobalt determination in plant materials, 408 (2000) 89

Open-focused microwave digestion
Evaluation of cleaning efficiency with a radioactive tracer and development of a microwave digestion method for semiconductor processes, 407 (2000) 291

Operational stability
Polyelectrolyte stabilized oxidase based biosensors: effect of diethylaminoethyl-dextran on the stabilization of glucose and lactate oxidases into porous conductive carbon, 404 (2000) 67

***o*-Phenylenediamine**
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175
Development of a new atropine sulfate bulk acoustic wave sensor based on a molecularly imprinted electrosynthesized copolymer of aniline with *o*-phenylenediamine, 423 (2000) 221

***o*-Phthalaldehyde**
Micellar liquid chromatographic separation of amino acids using pre- and post-column *o*-phthalaldehyde/*N*-acetylcysteine derivatization, 418 (2000) 153

Optical biosensor
Concentration dependence of a thiazole orange derivative that is used to determine nucleic acid hybridization by an optical biosensor, 411 (2000) 19

Optical chemical sensor
A selective optical chemical sensor for the determination of Tween-60 based on fluorescence enhancement of tetraphenylporphyrin, 404 (2000) 205

Optical chromatography
Visualization of an immunological reaction between single antigen and antibody molecules by optical chromatography, 404 (2000) 1

Optical evanescent wave
Polymer-coated optical fibres for application in a direct evanescent wave immunoassay, 403 (2000) 67

Optical fibers
A pH-sensitive nanotip array imaging sensor, 419 (2000) 215

Optical fibre sensor
Development of a new bulk optode membrane for the determination of mercury(II), 414 (2000) 195

Optical oxygen detection
Optical oxygen detection based on luminescence change of metalloporphyrins immobilized in poly(isobutylmethacrylate-co-trifluoroethylmethacrylate) film, 421 (2000) 167

Optical oxygen sensor
Fluorescence quenching oxygen sensor using an aluminum phthalocyanine–polystyrene film, 407 (2000) 41

Optical sensor
Single standard calibration for an optical oxygen sensor based on luminescence quenching of a ruthenium complex, 403 (2000) 57
An optical pH sensor with a linear response over a broad range, 408 (2000) 49
Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^{T} 4001, 414 (2000) 181

Optically transparent electrodes
A fluorescence-based imaging-fiber electrode chemical sensor for hydrogen peroxide, 404 (2000) 213

Optical-scheme configuration
Optimisation of the optical scheme of a dual-beam thermal lens spectrometer using expert estimation, 418 (2000) 101

Optimal brain surgeon
Simultaneous determination of phenol isomers in binary mixtures by differential pulse voltammetry using carbon fibre electrode and neural network with pruning as a multivariate calibration tool, 420 (2000) 109

Optimization
Experimental design modeling of carryover to optimize air-segmented continuous flow analysis, 408 (2000) 21
Determination of Pd(II) by application of an on-line microwave oven and artificial neural networks in flow injection analysis, 420 (2000) 123

Optimum path
Optimization of the experimental parameters in the determination of rifamycin SV by adsorptive stripping voltammetry, 405 (2000) 123

Optode
A fluorescent optode for sodium ion based on the inner filter effect, 407 (2000) 45

Optosensing
Flavonol fluorescent flow-through sensing based on a molecular imprinted polymer, 405 (2000) 67

Optrode
An optimized optrode for continuous potassium monitoring in whole blood, 401 (1999) 129

Organic acids
Sequential injection Fourier transform infrared spectroscopy for the simultaneous determination of organic acids and sugars in soft drinks employing automated solid phase extraction, 422 (2000) 63

Organic dyes
Direct determination of leather dyes by visible reflectance spectroscopy using partial least-squares regression, 419 (2000) 209

Organic ligands
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91

Organic matter-rich soil
Problems of selenium fractionation in soils rich in organic matter, 408 (2000) 103

Organic media
Effect of organic solvents on immunoassays of environmental pollutants studied using a piezoelectric biosensor, 412 (2000) 37

Organic molecules
Fullerene C_{60}-cryptand chromatographic stationary phase for separations of anions/cations and organic molecules, 416 (2000) 169

Organic phase
Determination of polychlorinated biphenyl compounds in electrical insulating oils by enzyme immunoassay, 422 (2000) 167

Organic solvent
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255

Organoarsenic compounds
Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry, 418 (2000) 11
Speciation of organoarsenic compounds by polypyrrole-coated capillary in-tube solid phase microextraction coupled with liquid chromatography/electrospray ionization mass spectrometry, 424 (2000) 211

Organogel
Flow injection analysis of water vapour based on a fluorosensor, 423 (2000) 229

Organolead compounds
Determination of the speciation of organolead compounds in airborne particulate matter by gas chromatography–inductively coupled plasma mass spectrometry, 423 (2000) 21

Organophosphate
Lead-selective membrane electrode based on dibenzyl phosphate, 401 (1999) 111
Detection of pesticides from liquid matrices by ion mobility spectrometry, 404 (2000) 7

Orthogonal signal correction
Orthogonal signal correction, wavelet analysis, and multivariate calibration of complicated process fluorescence data, 420 (2000) 181

Orthophosphate
Highly sensitive flow analysis determination of orthophosphate using solid phase enrichment of phosphomolybdenum blue without need for organic solvents in elution, 410 (2000) 177

Os-gel-HRP
Amperometric on-line sensor for continuous measurement of hypoxanthine based on osmium-polyvinylpyridine gel polymer and xanthine oxidase bienzyme modified glassy carbon electrode, 415 (2000) 143

Osmium complex
Evaluation of substituted-1,10-phenanthroline complexes of osmium as mediator for glucose oxidase of *Aspergillus Niger*, 408 (2000) 225

OSWSV
Use of adsorptive stripping voltammetry at the glassy carbon electrode for the simultaneous determination of magnesium(II) and aluminium(III). Application to some industrial samples, 417 (2000) 67

OTCEC
Open tubular capillary electrochromatography in fused-silica capillaries chemically bonded with macrocyclic dioxopolyamine, 418 (2000) 145

Overoxidation
Electrochemical study of electroactive reagent retention in overoxidised polypyrrole films, 402 (1999) 157

Overoxidised poly(pyrrole) film
Disposable interference-free glucose biosensor based on an electropolymerised poly(pyrrole) permselective film, 420 (2000) 9

Oxalacetate
Amperometric pH-sensing biosensors for urea, penicillin, and oxalacetate, 415 (2000) 151

Oxalate
Flow-injection catalytic spectrophotometric determination of oxalic acid using the redox reaction between Victoria blue B and dichromate, 406 (2000) 303
Capillary electrophoretic determination of oxalate in amniotic fluid, 410 (2000) 1

Oxalic acid
Quantitative capillary electrophoretic analysis for calcium and magnesium in sodium–matrix waters, 410 (2000) 11

Oxic sediments
Metal sequential extraction procedure optimized for heavily polluted and iron oxide rich sediments, 414 (2000) 151

Oxidative coupling reaction
Kinetic study of the iron-catalyzed reaction of the oxidative coupling reaction of 3-methyl-2-benzothiazolinone hydrazone with *N*,*N*-dimethylaniline, 424 (2000) 127

Oxidative stress
A pH-sensitive nanotip array imaging sensor, 419 (2000) 215

Oxidizable amino acids
Cyclic voltammetric simultaneous determination of oxidizable amino acids using multivariate calibration methods, 405 (2000) 153

Oxygen
Single standard calibration for an optical oxygen sensor based on luminescence quenching of a ruthenium complex, 403 (2000) 57
Fiber optic oxygen sensor based on phosphorescence quenching of erythrosin B trapped in silica-gel glasses, 408 (2000) 33

Oxygen deficit
Evaluation of different fluorocarbon oils for their internal oxygen supply in glucose microsensors operated under oxygen-deficit conditions, 411 (2000) 187

Oxygen removal
Stripping potentiometry signal enhancement using mercury film-coated reticulated vitreous carbon working electrode, 423 (2000) 287

Oxygen sensor
Overcoming oxygen quenching in fluorescence spectrometry with a highly efficient in-line degassing device interfaced with a flow cell, 422 (2000) 131

Oxygen-to-metal atomic ratio
Determination of oxygen-to-metal atomic ratio in mixed oxide fuel by non-dispersive infrared spectrophotometry after fusion in an inert gas atmosphere, 402 (1999) 297

Oxytetracycline base
Qualitative and quantitative analysis of oxytetracycline by near-infrared spectroscopy, 410 (2000) 203

Ozone
Effect of complexones and tensides on selectivity of nitrogen dioxide determination in air with a chemiluminescence aerosol detector, 410 (2000) 159

P

^{32}P-post-labelling
On the coupling of fluorescence line-narrowing spectroscopy and poly(ethylene)imine-cellulose thin-layer chromatography, 405 (2000) 1

PAH
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111
Immunochemical detection of polycyclic aromatic hydrocarbons and 1-hydroxypyrene in water and sediment samples, 419 (2000) 1

Palladium
Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277
Selective stopped-flow injection spectrophotometric determination of palladium(II) in hydrogenation and automobile exhaust gas converter catalysts, 412 (2000) 161
Theoretical and experimental study of palladium(II) extraction from hydrochloric acid solutions into Aliquat 336/PVC membranes, 413 (2000) 241
Determination of Pd(II) by application of an on-line microwave oven and artificial neural networks in flow injection analysis, 420 (2000) 123

Palladium octaethylporphyrin
Optical oxygen detection based on luminescence change of metalloporphyrins immobilized in poly(isobutylmethacrylate-co-trifluoroethylmethacrylate) film, 421 (2000) 167

Palladium(II)
Metal affinity liquid membrane. Facilitated transport of nitrite, 403 (2000) 101
Spectrophotometric determination of nucleic acids using palladium(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol, 413 (2000) 87
Simple and sensitive determination of nucleic acids using palladium(II) complex with 2-(2-thiazolylazo)-5-dimethylaminobenzoic acid, 422 (2000) 159

Palladium(II) complexes
The stability of palladium(II) complexes with sulphur-containing ligands, 406 (2000) 325

***p*-Aminobenzoates**
Determination of *p*-aminobenzoates and cinnamate in cosmetic matrix by supercritical fluid extraction and micellar electrokinetic capillary chromatography, 416 (2000) 157

Parabens
Determination of micelle/water partition coefficients of cosmetic preservatives. Optimisation of the capillary electrophoretic method, 412 (2000) 141

Paracetamol
A flow-through solid phase UV spectrophotometric biparameter sensor for the sequential determination of ascorbic acid and paracetamol, 404 (2000) 131
Spectrofluorimetric determination of phenylephrine in the presence of a large excess of paracetamol, 419 (2000) 159
Simultaneous determination of the active ingredients in composite pseudoephedrine hydrochloride tablets by capillary electrophoresis, 424 (2000) 257

PARAFAC
Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry, 409 (2000) 159
Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC, 412 (2000) 195
Novel constrained PARAFAC algorithm for second-order linear calibration, 423 (2000) 187

Parallel flow injection analysis
Direct parallel flow injection multichannel spectrophotometric determination of olive oil iodine value, 405 (2000) 239

Parkinson's disease
Determination of trace manganese in the brain of mice subjected to manganese deposition by graphite furnace atomic absorption spectrometry, 405 (2000) 197

Partial least squares
Simultaneous kinetic spectrophotometric determination of acetaminophen and phenobarbital by artificial neural networks and partial least squares, 419 (2000) 185

Partial least squares (PLS)-regression
Multivariate calibration applied to a highly interfering chemical system. The simultaneous spectrophotometric determination of aluminium and iron in plants using xylenol orange and partial least-squares regression, 423 (2000) 31

Partial least squares projections to latent structures
Orthogonal signal correction, wavelet analysis, and multivariate calibration of complicated process fluorescence data, 420 (2000) 181

Partial least squares regression
Cyclic voltammetric simultaneous determination of oxidizable amino acids using multivariate calibration methods, 405 (2000) 153
Linear and non-linear multivariate calibration methods for multi-component kinetic determinations in cases of severe non-linearity, 405 (2000) 285
An improved *N,N'*-diethyl-*p*-phenylenediamine (DPD) method for the determination of free chlorine based on multiple wavelength detection, 407 (2000) 127
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137

Particle beam
Study of amino acids by means of liquid chromatography mass spectrometry: optimization of the particle–beam interface, 401 (1999) 55

Particle size magnifier
Mechanisms of electrospray ionization of singly and multiply charged salt clusters, 406 (2000) 67

Partition coefficient
Determination of micelle/water partition coefficients of cosmetic preservatives. Optimisation of the capillary electrophoretic method, 412 (2000) 141
Role of octanol–water partition coefficients in extraction of ionisable organic compounds in a supported liquid membrane with a stagnant acceptor, 416 (2000) 77

Partition of nonionic surfactants
Analysis of polyethoxylated surfactants in microemulsion-oil–water systems, 405 (2000) 267

Pathogens
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119

Pattern fitting
Development of a simulation program for the analysis of oils and fats by subcritical fluid chromatography, 401 (1999) 73

Pattern recognition
A disposable multielectrode biosensor for rapid simultaneous detection of the insecticides paraoxon and carbofuran at high resolution, 401 (1999) 95
A hybrid electronic tongue, 406 (2000) 147
Accelerant classification by gas chromatography/mass spectrometry and multivariate pattern recognition, 422 (2000) 37

Pattern recognition analysis
Characterisation of Galician (NW Spain) Ribeira Sacra wines using pattern recognition analysis, 417 (2000) 211

Pb
Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89

^{210}Pb
Determination of ^{210}{ Po} and ^{210}{ Pb} in rainwater using measurement of ^{210}{ Po} and ^{210}{ Bi}, 422 (2000) 113

Pb(II) ISE electrode
Evaluation and characteristics of a Pb(II) ion-selective electrode based on aquatic humic substances, 418 (2000) 205

PCA
Classification of complex gas mixtures from automotive leather using an electronic nose, 403 (2000) 31
Application of NIR reflectance spectroscopy for the identification of pharmaceutical excipients, 420 (2000) 155
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

PC-ANN
Simultaneous kinetic spectrophotometric determination of acetaminophen and phenobarbital by artificial neural networks and partial least squares, 419 (2000) 185

PCBs
Microwave-assisted extraction or saponification combined with microwave-assisted decomposition applied in pretreatment of soil or mussel samples for the determination of polychlorinated biphenyls, 413 (2000) 49

PCR
Genetic algorithms applied to the selection of factors in principal component regression, 420 (2000) 217

Pd(II)
Metal affinity liquid membrane. II. Facilitated transport of tryptophan, 417 (2000) 159

PDT
Determination of Fe(II) and total iron in natural waters with 3-(2-pyridyl)-5,6-diphenyl-1,2,4-triazine (PDT), 406 (2000) 289

Peak intensity
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147

Peepers
In situ measurement of trace metals in lakewater using the dialysis and DGT techniques, 418 (2000) 53

PEI cellulose
On the coupling of fluorescence line-narrowing spectroscopy and poly(ethylene)imine-cellulose thin-layer chromatography, 405 (2000) 1

Penicillin
Amperometric pH-sensing biosensors for urea, penicillin, and oxalacetate, 415 (2000) 151
Determination of nafcillin by room temperature phosphorescence, 423 (2000) 85

Pentanol
Correlation between hydrophobicity and retention data of several antihistamines in reversed-phase liquid chromatography with aqueous-organic and micellar-organic mobile phases, 421 (2000) 45

Peptide mapping
Reproducibility of a solid-phase trypsin microreactor for peptide mapping by capillary electrophoresis, 404 (2000) 29

Perchlorate determination
Perchlorate-selective polymeric membrane electrode based on a gold(I) complex: application to water and urine analysis, 415 (2000) 159

Periodate oxidation
Studies of micelle and trace non-polar organic solvent on a new chemiluminescence system and its application to flow injection analysis, 409 (2000) 75

Permselectivity
Amperometric glucose sensor based on glucose oxidase immobilized in electrochemically generated poly(ethacridine), 423 (2000) 101

Peroxidase
Peroxidase enzyme electrodes as nitric oxide biosensors, 403 (2000) 1
New method for adding reagents: an application of caged molecules to analytical chemistry, 405 (2000) 17

Peroxidase/ferrocene-embedded carbon paste electrode
Highly-sensitive flow injection determination of hydrogen peroxide with a peroxidase-immobilized electrode and its application to clinical chemistry, 406 (2000) 201

Peroxyacetyl nitrate
Effect of complexones and tensides on selectivity of nitrogen dioxide determination in air with a chemiluminescence aerosol detector, 410 (2000) 159

Peroxyoxalate
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography, 403 (2000) 155

Peroxyoxalate chemiluminescence
Synthesis, characterisation and preliminary analytical evaluation of three oxamide reagents for peroxyoxalate chemiluminescence, 403 (2000) 145

Pervaporation
Selective inhibition-based biosensing system for the determination of pesticides in environmental samples using analytical pervaporation coupled with enzymatic derivatisation, 408 (2000) 209
Pervaporation-flow injection determination of ammonia in the presence of surfactants, 416 (2000) 177
Determination of phenol in water by pervaporation–flow injection analysis, 419 (2000) 9

Pesticide
Liquid chromatography and exchange reaction of a synthetic thiurams mixture, 402 (1999) 87
Detection of pesticides from liquid matrices by ion mobility spectrometry, 404 (2000) 7
In situ fluorimetric determination of pesticides on vegetables, 405 (2000) 9
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255
Selective inhibition-based biosensing system for the determination of pesticides in environmental samples using analytical pervaporation coupled with enzymatic derivatisation, 408 (2000) 209
Analysis of *N*-methylcarbamates insecticides and some of their main metabolites in urine with liquid chromatography using diode array detection and electrospray mass spectrometry, 412 (2000) 131
An approach to solventless sample preparation procedure for pesticides analysis using solid phase microextraction/supercritical fluid extraction technique, 418 (2000) 69

Pesticide determination
Comparative investigation of electrochemical cholinesterase biosensors for pesticide determination, 404 (2000) 55

pH glass electrodes
Calibration of pH glass electrodes by direct strong acid/strong base titrations under dilute conditions, 405 (2000) 167

pH gradient
Spectrophotometric determination of pK_a values based on a pH gradient flow-injection system, 408 (2000) 135

pH imaging
A pH-sensitive nanotip array imaging sensor, 419 (2000) 215

pH indicator
An optical pH sensor with a linear response over a broad range, 408 (2000) 49

pH microelectrode
pH microelectrode–micropipette system for the measurement of enzyme reactions in a picoliter volume of a living plant cell, 404 (2000) 223

pH sensor
An optical pH sensor with a linear response over a broad range, 408 (2000) 49

Pharmaceutical analysis
Flow injection biamperometric determination of metronidazole with on-line photodegradation, 401 (1999) 229

Flow injection biamperometric determination of chloramine-T in environmental, pharmaceutical and veterinary samples, 407 (2000) 187
Circular dichroism spectra of cyclodextrins–ketoprofen inclusion complexes. Determination of enantiomeric purity, 407 (2000) 233
Determination of polymorphic purity by near infrared spectrometry, 407 (2000) 247
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87

Pharmaceutical analysis in human blood serum
Determination of thiopentone sodium in aqueous and biological media by cathodic stripping voltammetry, 412 (2000) 99

Pharmaceutical and clinical analyses
Flow injection biamperometric determination of chloramphenicol and related nitro compounds by on-line chemical photodegradation, 404 (2000) 141

Pharmaceutical preparations
Differential pulse polarographic determination of tenoxicam in pharmaceuticals and added to blood, 406 (2000) 183
Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method, 414 (2000) 15

Pharmaceuticals
Determination of bismuth in pharmaceutical products using liquid–liquid extraction in a flow injection system, 408 (2000) 129
Flow electrochemical determination of ascorbic acid in real samples using a glassy carbon electrode modified with a cellulose acetate film bearing 2,6-dichlorophenolindophenol, 409 (2000) 113
Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1
Spectrophotometric determination of bismuth after extraction of tetrabutylammonium tetraiodobismuthate(III) with microcrystalline benzophenone, 419 (2000) 41
Application of NIR reflectance spectroscopy for the identification of pharmaceutical excipients, 420 (2000) 155
Fabrication and voltammetric study of lanthanum 2,6-dichlorophenolindophenol chemically modified screen printed electrodes.. Application for the determination of ascorbic acid, 423 (2000) 107

Phase transfer catalysis
Electrochemiluminescent determination of peroxydisulfate with $Cr(bpy)_3^{3+}$ in purely aqueous solution, 412 (2000) 235

1,10-phenanthroline
Capillary electrophoretic determination of coordination equilibrium constants of carboxylate ions with copper(II) complexed with several bis(1,10-phenanthroline) derivatives and bis(bipyridine), 409 (2000) 55

Phenanthroline
Radiostorage- and photostoragechemiluminescence: analytical prospects, 423 (2000) 239

Phenobarbital
Simultaneous kinetic spectrophotometric determination of acetaminophen and phenobarbital by artificial neural networks and partial least squares, 419 (2000) 185

Phenol
Synthesis and analytical applications of 4-aminopyrazolone derivatives as chromogenic agents for the spectrophotometric determination of phenols, 403 (2000) 315
Acid–base behaviour of substituted phenolic substances and resolution of acid strength in tetrahydrofuran, 403 (2000) 339
A new tyrosinase biosensor based on tailoring the porosity of Al_2O_3 sol–gel to co-immobilize tyrosinase and the mediator, 407 (2000) 87
Capillary electrophoresis microchips with thick-film amperometric detectors: separation and detection of phenolic compounds, 416 (2000) 9
Role of octanol–water partition coefficients in extraction of ionisable organic compounds in a supported liquid membrane with a stagnant acceptor, 416 (2000) 77
Isolation and identification of phenolic compounds in *Citrus sinensis*, 417 (2000) 231
Highly sensitive electrochemical detection of alkaline phosphatase, 424 (2000) 57

Phenol determination
Determination of phenol in water by pervaporation–flow injection analysis, 419 (2000) 9

Phenolic antioxidants
Determination of phenolic antioxidants in vegetal and animal fats without previous extraction by dilution with *n*-propanol and micellar liquid chromatography, 402 (1999) 81

Phenolic enhancer
Lophine derivatives and analogues as new phenolic enhancers for the luminol–hydrogen peroxide–horseradish peroxidase chemiluminescence system, 403 (2000) 131

Phenoxyacids
Role of octanol–water partition coefficients in extraction of ionisable organic compounds in a supported liquid membrane with a stagnant acceptor, 416 (2000) 77

Phenylalanine
Chemiluminescence behavior of the decomposition of hydrogen peroxide catalyzed by copper(II)–amino acid complexes and its application to the determination of tryptophan and phenylalanine, 409 (2000) 65

14-Phenyldibenzo[a,j]xanthenium bromide
A bromide ion-selective polymeric membrane electrode based on a benzo-derivative xanthenium bromide salt, 418 (2000) 197

Phenylephrine
Spectrofluorimetric determination of phenylephrine in the presence of a large excess of paracetamol, 419 (2000) 159

Phenyl–hexyl phase
Determination of some heterocyclic aromatic amines in soup cubes by ion-pair chromatography with coulometric electrode array detection, 417 (2000) 77

Phenyl-mercury
Selective preconcentration of phenyl-mercury by living *Escherichia coli* and its determination by cold vapour atomic absorption spectrometry, 423 (2000) 255

1-Phenyl-3-methyl-4-trifluoroacetyl-5-pyrazolone
Determination of uranium and thorium in apatite minerals by inductively coupled plasma atomic emission spectrometry with solvent extraction separation into diisobutyl ketone, 420 (2000) 65

Phenyltin
Microporous membrane liquid–liquid extraction technique combined with gas chromatography mass spectrometry for the determination of organotin compounds, 404 (2000) 319

Phenylurea
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255

Pheophytin
Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC, 412 (2000) 195

Pheophytin *a*
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137

Pheophytin *b*
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137

Pheoporphyrin *c*
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments, 411 (2000) 137

Phosphate
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21
Spectrophotometric determination of phosphate and silicate by sequential injection using molybdenum blue chemistry, 417 (2000) 191

1:12-phosphomolybdic acid
Sol–gel-derived, polishable, 1:12-phosphomolybdic acid-modified ceramic-carbon electrode and its electrocatalytic oxidation of ascorbic acid, 424 (2000) 51

Phosphonate resins
Phosphonate-based resins for the selective enrichment of uranium(VI), 402 (1999) 91

Phosphor
Design and characterization of a radioluminescent temperature sensor, 412 (2000) 47

Phosphorescence
Room temperature phosphorescence characteristics of platinum(II) chelates with 8-quinolinol derivatives in aqueous micellar solutions, 407 (2000) 71
Practical implementation of quenched phosphorescence detection in capillary electrophoresis, 417 (2000) 15

Photoacoustic spectroscopy
Quantitative analysis of trace mixtures of toluene and xylenes by CO_2 laser photoacoustic spectrometry, 422 (2000) 179

Photochemical reaction
Flow-injection chemiluminescence determination of DNA based on a photochemical reaction, 402 (1999) 13

Photocured polymer membrane
Ion-selective field effect transistor (ISFET)-based calcium ion sensor with photocured polyurethane membrane suitable for ionised calcium determination in milk, 408 (2000) 57

Photodegradation
Flow injection biamperometric determination of metronidazole with on-line photodegradation, 401 (1999) 229
Flow injection biamperometric determination of chloramphenicol and related nitro compounds by on-line chemical photodegradation, 404 (2000) 141

Photodissociation
Determination of metal-cyanide complexes by ion-interaction chromatography with fluorimetric detection, 403 (2000) 197

Photo-irradiation
New method for adding reagents: an application of caged molecules to analytical chemistry, 405 (2000) 17

Photolithography
An integrated module for sensing pO_2, pCO_2, and pH, 405 (2000) 57

Photometric flow titration
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221

Photometry
Spectroscopic and photometric evaluation of images from the Mars Pathfinder camera, 420 (2000) 229

Photostoragechemiluminescence
Radiostorage- and photostoragechemiluminescence: analytical prospects, 423 (2000) 239

Phthalates
Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification, 407 (2000) 165

Phthalocyanine
Fluorimetric determination of albumin and globulin in human serum using tetra-substituted sulphonated aluminum phthalocyanine, 401 (1999) 185

Phytic acid
Kinetic–turbidimetric determination of phytic acid by sequential injection analysis, 409 (2000) 9

Phytochelatin
Analysis of biogenic thiols in natural water samples by high-performance liquid chromatographic separation and fluorescence detection with ammonium 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD-F), 408 (2000) 299

Piecewise direct standardisation
Intersite transfer of industrial calibration models, 406 (2000) 233

Piezoelectric crystal
Multi-channel piezoelectric quartz crystal sensor for organic vapours, 403 (2000) 39

Piezoelectric detection
Automatic determination of fat in milk by use of a flow injection system with a piezoelectric detector, 406 (2000) 309

Piezoelectric immunosensor
Piezoelectric immunosensor for detection of complement C_6, 423 (2000) 215

Piezoelectric quartz crystal
Affinity mass sensors: determination of fructose, 403 (2000) 49
Affinity mass sensors: concept and general considerations, 407 (2000) 11
Determination of glucose using a piezoelectric quartz crystal and the silver mirror reaction, 407 (2000) 17
Evaluation of electromechanical coupling factor for a piezoelectric quartz crystal in liquid phase, 419 (2000) 251

Piezoelectric sensor
Mercury detection in air using a coated piezoelectric sensor, 404 (2000) 95

Piperazine-*N*,*N*′-bis(2-ethanesulfonic acid)
Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies, 421 (2000) 103

Piroxicam-selective membrane sensor
Piroxicam and tenoxicam selective membrane sensors, 414 (2000) 215

pK_a estimation
Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry, 409 (2000) 159

pK_a standards
Potentiometric pK_a determination of standard substances in binary solvent systems, 405 (2000) 303

Plant material
Effect of acid digestion method on cobalt determination in plant materials, 408 (2000) 89
Spectrophotometric determination of total nitrogen in plant materials using a flow-injection system with an $AgCl_{(s)}$ reactor, 416 (2000) 185

Plant tissue-based biosensor
Plant tissue-based chemiluminescence flow biosensor for urea, 407 (2000) 81

Plants
Multivariate calibration applied to a highly interfering chemical system. The simultaneous spectrophotometric determination of aluminium and iron in plants using xylenol orange and partial least-squares regression, 423 (2000) 31

Plants and soils
4-Methoxy-azomethine-H as a reagent for the spectrophotometric determination of boron in plants and soils, 402 (1999) 253

Plasma
Monoclonal antibody capture fluorometric enzyme linked immunosorbent assay for detection of porcine growth hormone in plasma, 402 (1999) 37
Determination of amitriptyline and nortriptyline in spiked plasma by capillary zone electrophoresis with β-cyclodextrin, 413 (2000) 125
Determination of selenium in human blood specimens by electrothermal atomic absorption, 419 (2000) 121

Plasma-polymerized film
A novel approach of antibody immobilization based on *n*-butyl amine plasma-polymerized films for immunosensors, 412 (2000) 29

Plastic pollution
Analysis of poly(vinyl chloride) and other polymers in sediments and suspended matter of a coastal lagoon by pyrolysis-gas chromatography-mass spectrometry, 413 (2000) 3

Plasticizers
Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^T 4001, 414 (2000) 181

Platinum octaethylporphyrin
Optical oxygen detection based on luminescence change of metalloporphyrins immobilized in poly(isobutylmethacrylate-co-trifluoroethylmethacrylate) film, 421 (2000) 167

PLS
Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry, 409 (2000) 159

PM_{10}
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111

$PM_{2.5}$
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter, 416 (2000) 111

PMF
Resolution of multicomponent peaks by orthogonal projection approach, positive matrix factorization and alternating least squares, 411 (2000) 145

^{210}Po
Determination of ^{210}Po and ^{210}Pb in rainwater using measurement of ^{210}Po and ^{210}Bi, 422 (2000) 113

Point-of-care-testing
Experimental design modeling of carryover to optimize air-segmented continuous flow analysis, 408 (2000) 21

Polarography
Chemical oxygen demand determination in environmental waters by mixed-acid digestion and single sweep polarography, 420 (2000) 39
Multivariate curve resolution of polarographic data applied to the study of the copper-binding ability of tannic acid, 424 (2000) 203

Pollutants
Quantitative analysis of trace mixtures of toluene and xylenes by CO_2 laser photoacoustic spectrometry, 422 (2000) 179

Polonium
Selective determination of polonium by photon electron rejecting alpha liquid scintillation (PERALS® System), 415 (2000) 229

Poly(aminophosphonic acid) chelating resin
Indirect automatic determination of iodide by flame atomic absorption spectrometry, 405 (2000) 191

Poly(ethacridine)
Amperometric glucose sensor based on glucose oxidase immobilized in electrochemically generated poly(ethacridine), 423 (2000) 101

Poly(3-methylthiophene)
Continuous monitoring of amino acids and related compounds with poly(3-methylthiophene)-coated cylindrical carbon fiber microelectrodes, 401 (1999) 145

Poly(vinyl chloride)
Analysis of poly(vinyl chloride) and other polymers in sediments and suspended matter of a coastal lagoon by pyrolysis-gas chromatography-mass spectrometry, 413 (2000) 3
Determination of complex formation constants of 18 neutral alkali and alkaline earth metal ionophores in poly(vinyl chloride) sensing membranes plasticized with bis(2-ethylhexyl)sebacate and *o*-nitrophenyloctylether, 421 (2000) 207

Poly(vinyl chloride) matrices
Polymeric membrane electrodes for selective determination of the central nervous system acting drugs fluphenazine hydrochloride and nortriptyline hydrochloride, 418 (2000) 93

Polyacrylate
Studies of the major degradation products of a higher alkyl polyacrylate using pyrolysis gas chromatography–mass spectrometry, 402 (1999) 311

Polyaminopolycarboxylate ligands
Equilibria with the thallium(III)triethylenetetraminehexaacetate anion $[Tl(ttha)]^{3-}$ in aqueous solution, 406 (2000) 317

Polyaniline
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with ETH1001 as neutral carrier, 404 (2000) 101
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with tetraoctylammonium chloride as cationic additive, 404 (2000) 111

Polyaniline film
Sensor for amperometric determination of ammonia and ammonia-forming enzyme reactions, 403 (2000) 11

Polycation-bearing Os complex (PVP–Os)
Fabrication of multilayer films containing horseradish peroxidase and polycation-bearing Os complex by means of electrostatic layer-by-layer adsorption and its application as a hydrogen peroxide sensor, 418 (2000) 225

Polychlorinated biphenyl compounds
Determination of polychlorinated biphenyl compounds in electrical insulating oils by enzyme immunoassay, 422 (2000) 167

Polychlorinated biphenyls
Levels of polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and dibenzofurans in commercial yoghurt samples in Spain. Comparison with different dairy products, 402 (1999) 241

Polychlorinated dibenzofurans
Levels of polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and dibenzofurans in commercial yoghurt samples in Spain. Comparison with different dairy products, 402 (1999) 241

Polychlorinated dibenzo-*p*-dioxins
Levels of polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and dibenzofurans in commercial yoghurt samples in Spain. Comparison with different dairy products, 402 (1999) 241

Polycyclic aromatic hydrocarbons
Determination of five polycyclic aromatic hydrocarbons in aqueous micellar media by fluorescence at room temperature, 413 (2000) 159
Heavy-atom induced room-temperature phosphorescence: a straightforward methodology for the determination of organic compounds in solution, 417 (2000) 19

Polyelectrolyte
Polyelectrolyte stabilized oxidase based biosensors: effect of diethylaminoethyl-dextran on the stabilization of glucose and lactate oxidases into porous conductive carbon, 404 (2000) 67

A novel approach of antibody immobilization based on *n*-butyl amine plasma-polymerized films for immunosensors, 412 (2000) 29

Polyethoxylate surfactants
Analysis of polyethoxylated surfactants in microemulsion-oil–water systems, 405 (2000) 267

Polyethylene
Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89
Laser ablation inductively coupled plasma mass spectrometry as a tool for studying heterogeneity within polymers, 423 (2000) 9

Polyion
Polyelectrolyte–surfactant complexes: an aqueous titration method to model ion-pairing within polymeric membranes of polyion-sensitive electrodes, 404 (2000) 83
Development of an ion-channel sensor for heparin detection, 411 (2000) 163
Ionophore-based membrane electrodes: new analytical concepts and non-classical response mechanisms, 416 (2000) 121

Polyion-sensitive electrodes
Polyelectrolyte–surfactant complexes: an aqueous titration method to model ion-pairing within polymeric membranes of polyion-sensitive electrodes, 404 (2000) 83

Polyluminol
Studies of polyluminol modified electrode and its application in electrochemiluminescence analysis with flow system, 419 (2000) 25

Polymer film electrodes
Identification of inorganic pigments from paintings and polychromed sculptures immobilized into polymer film electrodes by stripping differential pulse voltammetry, 407 (2000) 275

Polymer liquid membrane (PLM)
Theoretical and experimental study of palladium(II) extraction from hydrochloric acid solutions into Aliquat 336/PVC membranes, 413 (2000) 241

Polymer support
Microwave-assisted spectrophotometric estimation of polymer-supported functional groups using a universal reagent, 405 (2000) 247

Polymerase chain reaction
Application of chimeric RNA–DNA oligonucleotides to the detection of pathogenic microorganisms using surface plasmon resonance, 407 (2000) 1
A DNA piezoelectric biosensor assay coupled with a polymerase chain reaction for bacterial toxicity determination in environmental samples, 418 (2000) 1

Polymeric surfactants
Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection, 412 (2000) 149

Polymers
Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^T 4001, 414 (2000) 181

Polymorphism
Determination of polymorphic purity by near infrared spectrometry, 407 (2000) 247

Polynucleotides
Multivariate extension of the continuous variation and mole-ratio methods for the study of the interaction of intercalators with polynucleotides, 424 (2000) 105

Polypropylene
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223

Polyprotic acids
General equation for determining the dissociation constants of polyprotic acids and bases from additive properties. Part III. Calculation of errors, 424 (2000) 139

Polypyrrole
New label-free DNA recognition based on doping nucleic-acid probes within conducting polymer films, 402 (1999) 7
Electrochemical study of electroactive reagent retention in over-oxidised polypyrrole films, 402 (1999) 157
Potentiometric selectivity of p-doped polymer films, 406 (2000) 159
Optical sensing schemes for Prussian Blue/Prussian White film system, 424 (2000) 27
Speciation of organoarsenic compounds by polypyrrole-coated capillary in-tube solid phase microextraction coupled with liquid chromatography/electrospray ionization mass spectrometry, 424 (2000) 211

Polystyrene
Analysis of poly(vinyl chloride) and other polymers in sediments and suspended matter of a coastal lagoon by pyrolysis-gas chromatography-mass spectrometry, 413 (2000) 3

Polysulfide
Quantifying elemental sulfur (S^0), bisulfide (HS^-) and polysulfides (S_x^{2-}) using a voltammetric method, 415 (2000) 175

Polyurethane foam
Rapid determination of free active chlorine in water by diffuse reflectance spectroscopy after reaction with polyurethane foams, 405 (2000) 231
Determination of traces of nitrite and nitrate in water by solid phase spectrophotometry, 410 (2000) 185

Porcine
Monoclonal antibody capture fluorometric enzyme linked immunosorbent assay for detection of porcine growth hormone in plasma, 402 (1999) 37

Porous carbon electrode
Polyelectrolyte stabilized oxidase based biosensors: effect of diethylaminoethyl-dextran on the stabilization of glucose and lactate oxidases into porous conductive carbon, 404 (2000) 67

[60]Fullerene-mediated amperometric biosensors, 409 (2000) 131

Porous graphitic carbon phase
Isolation and identification of unsaturated fatty acid methyl esters from marine micro-algae, 409 (2000) 257

Porphyrins
Incorporation of water-soluble porphyrins in sol–gel matrices and application to pH sensing, 401 (1999) 125

Positional isomers
Preparation and characterization of an L-tyrosine-derivatized β-cyclodextrin-bonded silica stationary phase for liquid chromatography, 403 (2000) 187

Positive matrix factorization
Estimation of the heteroscedastic noise in large data arrays, 412 (2000) 177

Post-column derivatization
Ion chromatography of heavy and transition metals by on- and post-column derivatizations, 407 (2000) 319

Post-column desulfuration
Detection of 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) carbamoyl amino acids generated by post-column desulfuration in the simultaneous determination of the sequence and D/L-configuration of peptides using a fluorogenic Edman reagent, 7-*N*,*N*-dimethylaminosulfonyl-4-(2,1,3-benzoxadiazolyl) isothiocyanate, 415 (2000) 57

Post-emergence herbicide
Liquid chromatography mass spectrometry tandem for multiresidue determination of selected post-emergence herbicides after soil column extraction, 415 (2000) 41

Potassium monitoring
An optimized optrode for continuous potassium monitoring in whole blood, 401 (1999) 129

Potassium permanganate
Pulse injection analysis with chemiluminescence detection: determination of cinnamic acid using the $Ru(bipy)_3^{2+}$-$KMnO_4$ system, 402 (1999) 113
Chemiluminometric behaviour of erythromycin and related compounds, 410 (2000) 153

Potentiometric characterisation
Potentiometric characterisation of acid rains using corrected linear plots, 405 (2000) 173

Potentiometric response
Ionophore-based membrane electrodes: new analytical concepts and non-classical response mechanisms, 416 (2000) 121

Potentiometry
Conducting polymer and oligomer micro-electrodes for the potentiometric detection of anions in capillary electrophoresis, 401 (1999) 21
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with ETH1001 as neutral carrier, 404 (2000) 101
All-solid-state calcium-selective electrode prepared of soluble electrically conducting polyaniline and di(2-ethylhexyl)phosphate with tetraoctylammonium chloride as cationic additive, 404 (2000) 111
Potentiometric pK_a determination of standard substances in binary solvent systems, 405 (2000) 303
Potentiometric selectivity of p-doped polymer films, 406 (2000) 159
An automatic titrator based on a multicommutated unsegmented flow system. Its application to acid–base titrations, 407 (2000) 213
Potentiometric study of copper(II) and nickel(II) complexation by a cross-linked poly(acrylic acid) gel, 407 (2000) 337
Cadmium(II)-selective membrane electrode based on a synthesized tetrol compound, 408 (2000) 75
Lead ion-selective membrane electrode based on 1,10-dibenzyl-1,10-diaza-18-crown-6, 414 (2000) 189
A bromide ion-selective polymeric membrane electrode based on a benzo-derivative xanthenium bromide salt, 418 (2000) 197
Acid–base equilibria in systems involving substituted pyridines in polar aprotic protophobic media and in the amphiprotic methanol, 418 (2000) 233
Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies, 421 (2000) 103

Powder
Quantitative determination of content in binary powder mixtures using diffuse reflectance near infrared spectrometry and multivariate analysis, 419 (2000) 45

***p*-Phenylenediamine**
Application of *p*-phenylenediamine as an electrochemical substrate in peroxidase-mediated voltammetric enzyme immunoassay, 413 (2000) 71

Pre- and post-column derivatization
Micellar liquid chromatographic separation of amino acids using pre- and post-column *o*-phthalaldehyde/*N*-acetylcysteine derivatization, 418 (2000) 153

Precision
Estimating reaction rate constants: comparison between traditional curve fitting and curve resolution, 419 (2000) 197

Pre-column reactor
Preparation and characterization of immobilized acid phosphatase used for an enzyme reactor: evaluation in flow-injection analysis and pre-column liquid chromatography, 406 (2000) 191

Preconcentration
An on-line continuous flow system for copper enrichment and determination by flame atomic absorption spectroscopy, 403 (2000) 259
Determination of Fe(II) and total iron in natural waters with 3-(2-pyridyl)-5,6-diphenyl-1,2,4-triazine (PDT), 406 (2000) 289
Preconcentration, separation and determination of trace Hg(II) in environmental samples with aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel, 416 (2000) 191

Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry, 418 (2000) 11

Preconcentration and determination of vanadium
On-line pre-concentration system for vanadium determination in drinking water using flow injection-inductively coupled plasma atomic emission spectrometry, 420 (2000) 73

Pressure
Air segmented continuous flow analysis in microbore tubing, 401 (1999) 209

Pressurized liquid extraction
Determination of linear alkylbenzenesulfonates in sediments using pressurized liquid extraction and ion-pair derivatization gas chromatography-mass spectrometry, 408 (2000) 291

Primary proteic amino acids
Micellar liquid chromatographic separation of amino acids using pre- and post-column *o*-phthalaldehyde/*N*-acetylcysteine derivatization, 418 (2000) 153

Principal component analysis
Noise reduction of fast, repetitive GC/MS measurements using principal component analysis (PCA), 401 (1999) 35
Multi-channel piezoelectric quartz crystal sensor for organic vapours, 403 (2000) 39
Exploratory analysis for the automated identification of amphetamines from vapour-phase FTIR spectra, 404 (2000) 303
A hybrid electronic tongue, 406 (2000) 147
Principal component analysis and artificial neural networks applied to the classification of Chinese pottery of neolithic age, 406 (2000) 247
An improved *N,N'*-diethyl-*p*-phenylenediamine (DPD) method for the determination of free chlorine based on multiple wavelength detection, 407 (2000) 127
Improved algorithm for clustering tendency, 408 (2000) 13
Chemical characterisation of ancient pottery from south of Italy by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES). Statistical multivariate analysis of data, 410 (2000) 193
Caveat in abstract factor analysis-based pseudorank estimation, 411 (2000) 157
Gas chromatographic determination of the energy of interaction between some commercial pesticides and a non-ionic surfactant, 411 (2000) 239
A QSERR study on enantioselective separation of enantiomeric sulphoxides, 419 (2000) 93
Orthogonal signal correction, wavelet analysis, and multivariate calibration of complicated process fluorescence data, 420 (2000) 181
Methods of multivariate data analysis applied to the investigation of fen soils, 420 (2000) 205
Accelerant classification by gas chromatography/mass spectrometry and multivariate pattern recognition, 422 (2000) 37
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

Principal component regression
Cyclic voltammetric simultaneous determination of oxidizable amino acids using multivariate calibration methods, 405 (2000) 153
Linear and non-linear multivariate calibration methods for multicomponent kinetic determinations in cases of severe non-linearity, 405 (2000) 285
Chemometric methods in energy dispersive X-ray fluorescence, 420 (2000) 197

Prior assay
Prior assay as an approach to flow titrations. Spectrophotometric determination of iron in alloys and ores, 416 (2000) 231

Probe
Estimation of sensitivity for refractive index and immunoreaction in a surface plasmon resonance sensor probe, 417 (2000) 125

Process analysis
Spectrophotometric determination of thiocyanate by sequential injection analysis, 403 (2000) 279
Sequential injection Fourier transform infrared spectroscopy for the simultaneous determination of organic acids and sugars in soft drinks employing automated solid phase extraction, 422 (2000) 63

Process and quality control
Using chemometric methods and NIR spectrophotometry in the textile industry, 420 (2000) 163

Process control
New ways of enzymatic two-substrate determinations in flow injection systems, 421 (2000) 7

Process fluorescence data
Orthogonal signal correction, wavelet analysis, and multivariate calibration of complicated process fluorescence data, 420 (2000) 181

Proficiency test
Inter-laboratory studies in analytical chemistry, 423 (2000) 145

Progesterone
Effect of homologous and heterologous spacer arms of progesterone — horse radish peroxidase conjugates on the equilibrium constants for an immobilised anti-progesterone antiserum, 417 (2000) 95

Progesterone-horseradish peroxidase
Effect of homologous and heterologous spacer arms of progesterone — horse radish peroxidase conjugates on the equilibrium constants for an immobilised anti-progesterone antiserum, 417 (2000) 95

Prognostic cancer marker
Enzyme-linked immunosorbent assay for 2-deoxycytidine, 404 (2000) 179

Prometryn
Determination of chloro- and methylthiotriazine compounds in human urine: extraction with diethyl ether and C_{18} solid-phase

extraction for gas chromatographic analysis with nitrogen-selective and electron capture detection, 424 (2000) 7

Propyl gallate
Voltammetric determination of butylated hydroxyanisole, butylated hydroxytoluene, propyl gallate and *tert*-butylhydroquinone by use of chemometric approaches, 412 (2000) 185

Protamine
Development of an ion-channel sensor for heparin detection, 411 (2000) 163

Protein
Fluorimetric determination of albumin and globulin in human serum using tetra-substituted sulphonated aluminum phthalocyanine, 401 (1999) 185
Application of the dibromohydroxyphenylfluorone–molybdenum(VI) complex to the sensitive spectrophotometric determination of protein, 403 (2000) 225

Protein assay
Sensitive and simple determination of protein by resonance Rayleigh scattering with 4-azochromotropic acid phenylfluorone, 408 (2000) 177

Protein engineering
Electrochemical analysis of immobilised chemical and genetic biotinylated alkaline phosphatase, 408 (2000) 241

Protein film
A reagentless nitric oxide biosensor based on hemoglobin–DNA films, 423 (2000) 95

Protonation
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55

Protons
Multisite metal binding to fulvic acid determined using multiresponse fluorescence, 416 (2000) 211

Pruning
Simultaneous determination of phenol isomers in binary mixtures by differential pulse voltammetry using carbon fibre electrode and neural network with pruning as a multivariate calibration tool, 420 (2000) 109

Prussian Blue
Optical sensing schemes for Prussian Blue/Prussian White film system, 424 (2000) 27

Prussian White
Optical sensing schemes for Prussian Blue/Prussian White film system, 424 (2000) 27

Pseudoephedrine
Simultaneous determination of the active ingredients in composite pseudoephedrine hydrochloride tablets by capillary electrophoresis, 424 (2000) 257

Pseudo-equilibrium approach
Pseudo-equilibrium approach to the design and use of enzyme-based amperometric biosensors evaluated using a sensor for hydrogen peroxide, 409 (2000) 123

Pseudopolarograms
A study of Nafion-coated and uncoated thin mercury film-rotating disk electrodes for cadmium and lead speciation in model solutions of fulvic acid, 423 (2000) 115

Pseudorank estimation
Caveat in abstract factor analysis-based pseudorank estimation, 411 (2000) 157

Pt, Pd, Rh determination
Control of interferences in the determination of Pt, Pd and Rh in airborne particulate matter by inductively coupled plasma mass spectrometry, 404 (2000) 285

Pt-lined PTFE vessel
Contamination-free decomposition of zirconium oxide for the determination of ultra-trace silicon by inductively coupled plasma-atomic emission spectrometry, 416 (2000) 117

Pulping liquors
On-line monitoring of kraft pulping liquors with a valveless flow injection–capillary electrophoresis system, 404 (2000) 19

Pulsed voltammetry
A hybrid electronic tongue, 406 (2000) 147

Purge-and-trap determination
MultiSimplex optimisation and comparison of different purge-and-trap extractions of volatile organic compounds in soil samples, 416 (2000) 43

Purine derivatives
Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327

Putrescine oxidase
Development of the enzyme reactor system with an amperometric detection and application to estimation of the incipient stage of spoilage of chicken, 411 (2000) 37

PVC
New nickel(II) selective potentiometric sensor based on 5,7,12,14-tetramethyldibenzotetraazaannulene in a poly(vinyl chloride) matrix, 420 (2000) 19

PVC membrane
Cadmium(II)-selective membrane electrode based on a synthesized tetrol compound, 408 (2000) 75
Theoretical and experimental study of palladium(II) extraction from hydrochloric acid solutions into Aliquat 336/PVC membranes, 413 (2000) 241
Polymeric membrane silver-ion selective electrodes based on bis-(dialkyldithiophosphates), 416 (2000) 139
A bromide ion-selective polymeric membrane electrode based on a benzo-derivative xanthenium bromide salt, 418 (2000) 197

Pyridine
Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327

Pyridoxine
Determination of melatonin and pyridoxine in pharmaceutical preparations for health-caring purposes by capillary electrophoresis with electrochemical detection, 408 (2000) 249

4-(2-pyridylazo)resorcinol
Evaluation of classical and three-way multivariate calibration procedures in kinetic-spectrophotometric analysis, 424 (2000) 115

Pyrogallol
Influence of oxidant-species scavengers on the chemiluminescence (CL) emission generated during the oxidation of pyrogallol by hydrogen peroxide, 401 (1999) 197
Flow injection analysis of pyrogallol with enhanced electrochemiluminescent detection, 423 (2000) 247

Pyrolysis
Studies of the major degradation products of a higher alkyl polyacrylate using pyrolysis gas chromatography–mass spectrometry, 402 (1999) 311
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119
Characterisation of lake-aquatic humic matter isolated with two different sorbing solid techniques: tetramethylammonium hydroxide treatment and pyrolysis-gas chromatography/mass spectrometry, 424 (2000) 91

Pyrolysis atomic absorption spectrometry
Determination of mercury in environmental and biological samples using pyrolysis atomic absorption spectrometry with gold amalgamation, 405 (2000) 179

Pyrolysis gas chromatography (PyGC)
A comparison of pyrolysis-gas chromatography-mass spectrometry and Fourier transform infrared spectroscopy for the analysis of a series of modified alkyd paint resins, 422 (2000) 217

Pyrolysis-gas chromatography-mass spectrometry
Analysis of poly(vinyl chloride) and other polymers in sediments and suspended matter of a coastal lagoon by pyrolysis-gas chromatography-mass spectrometry, 413 (2000) 3

Pyrrole
Array of conducting polymer sensors for the characterisation of wines, 411 (2000) 193

Pyruvate phosphate dikinase
Novel bioluminescent assay of pyruvate phosphate dikinase using firefly luciferase–luciferin reaction and its application to bioluminescent enzyme immunoassay, 421 (2000) 113

Q

QCM
Mercury detection in air using a coated piezoelectric sensor, 404 (2000) 95

QSAR
Prediction of drug transfer into human milk from theoretically derived descriptors, 418 (2000) 181

Qualitative model
Qualitative and quantitative analysis of oxytetracycline by near-infrared spectroscopy, 410 (2000) 203

Quality monitoring
Classification of complex gas mixtures from automotive leather using an electronic nose, 403 (2000) 31

Quantitative analysis
Quantitative artificial neural network for electronic noses, 417 (2000) 101

Quantitative determination
Quantitative thermogravimetric-mass spectrometric analysis for monitoring the effects of fire retardants on cellulose pyrolysis, 409 (2000) 203

Quantitative microdialysis
Flow-injection analysis–fluorescence detection for the in vivo on-line determination of calcium in blood with microdialysis sampling, 419 (2000) 175

Quantitative model
Qualitative and quantitative analysis of oxytetracycline by near-infrared spectroscopy, 410 (2000) 203

Quartz crystal microbalance
Effect of organic solvents on immunoassays of environmental pollutants studied using a piezoelectric biosensor, 412 (2000) 37
Simultaneous determination of the concentration of methanol and relative humidity based on a single Nafion(Ag)-coated quartz crystal microbalance, 421 (2000) 83

Quaternary ammonium salts
Nitrate-selective chemically modified field effect transistors for flow-cell applications, 416 (2000) 97

Quenching
Air moisture sensing materials based on the room temperature phosphorescence quenching of immobilized mercurochrome, 407 (2000) 61
Practical implementation of quenched phosphorescence detection in capillary electrophoresis, 417 (2000) 15

Quenching by oxygen
Overcoming oxygen quenching in fluorescence spectrometry with a highly efficient in-line degassing device interfaced with a flow cell, 422 (2000) 131

Quercetin
Determination of rutin and quercetin in plants by capillary electrophoresis with electrochemical detection, 423 (2000) 69

Quinine derivative
Fourier transform infrared spectroscopic characterization of complexes of carbamoylated quinidine chiral selector and *N*-derivatized leucine enantiomers in solution. Evidence for stereoselective intermolecular interactions, 401 (1999) 3

Quinine derivatives
Direct liquid chromatographic enantioseparation of chiral α- and β-aminophosphonic acids employing quinine-derived chiral anion exchangers: determination of enantiomeric excess and verification of absolute configuration, 404 (2000) 169

Quinolines
Radiostorage- and photostoragechemiluminescence: analytical prospects, 423 (2000) 239

8-Quinolinol coprecipitation
Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277
Determination of ultra-trace amounts of cobalt in seawater by graphite furnace atomic absorption spectrometry after pre-concentration with Ni/8-quinolinol/1-nitroso-2-naphthol complex, 407 (2000) 147

Quinolones
Electrophoretic behaviour of zwitterionic compounds in capillary electrophoresis. Prediction of mobility of several quinolones, 415 (2000) 83

R

Radial basis function networks
Radial basis function networks in host–guest interactions: instant and accurate formation constant calculations, 417 (2000) 221

Radial distribution functions
Prediction of three-dimensional molecular structures using information from infrared spectra, 420 (2000) 145

Radiation pressure
Visualization of an immunological reaction between single antigen and antibody molecules by optical chromatography, 404 (2000) 1

Radical scavengers
Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion, 411 (2000) 209

Radioactive tracer
Evaluation of cleaning efficiency with a radioactive tracer and development of a microwave digestion method for semiconductor processes, 407 (2000) 291

Radioimmunoassay
Validation of a radioimmunoassay for the determination of total corticosterone in rat plasma, 413 (2000) 63

Radioluminescence
Radioluminescence detector for the flow injection determination of phosphorus as vanadomolybdophosphoric acid, 402 (1999) 267
Design and characterization of a radioluminescent temperature sensor, 412 (2000) 47

Radiostoragechemiluminescence
Radiostorage- and photostoragechemiluminescence: analytical prospects, 423 (2000) 239

Rainwater
Determination of ^{210}Po and ^{210}Pb in rainwater using measurement of ^{210}Po and ^{210}Bi, 422 (2000) 113

Raman spectroscopy
Multivariate calibration with Raman spectroscopic data: a case study, 424 (2000) 185

Random correlation
Multivariate calibration with Raman spectroscopic data: a case study, 424 (2000) 185

Rank of matrix
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

Rank overlap
Calibration and detailed analysis of second-order flow injection analysis data with rank overlap, 422 (2000) 21

Rapid slurry atomization
Slurry-sampling with rapid atomization *versus* microwave digestion with conventional atomization for the determination of copper, manganese and nickel in algae matrix using transverse heated-electrothermal atomic absorption spectrometry, 404 (2000) 295

Rare earth
Simulation of the development automatization control system for rare earth extraction process. Combination of ESRECE simulation software and EDXRF analysis technique, 417 (2000) 111

Rare earth ions
Enhanced fluorescence of the terbium–gadolinium–nucleic acids system and the determination of nucleic acids, 403 (2000) 219

Rat brain
Assay of cyclic nucleotide phosphodiesterase activity in rat brain by high-performance liquid chromatography using (3,4-dimethoxyphenyl)glyoxal as a fluorescence derivatizing reagent, 414 (2000) 95

Rats
Validation of a radioimmunoassay for the determination of total corticosterone in rat plasma, 413 (2000) 63

Rayleigh disintegration
Electrospray diagnostics performed by using sucrose and proteins in the gas-phase electrophoretic mobility molecular analyzer (GEMMA), 406 (2000) 3

Reaction mechanism
Analytical applications of chemiluminogenic reactions, 413 (2000) 175

Reaction rate constants
Estimating reaction rate constants: comparison between traditional curve fitting and curve resolution, 419 (2000) 197

Reactive oxygen species
A fluorescence-based imaging-fiber electrode chemical sensor for hydrogen peroxide, 404 (2000) 213

Readsorption
Metal sequential extraction procedure optimized for heavily polluted and iron oxide rich sediments, 414 (2000) 151

Reagent immobilisation
Electrochemical study of electroactive reagent retention in overoxidised polypyrrole films, 402 (1999) 157

Reagent stability
Preparation and preliminary evaluation of anhydrous tris(2,2′-bipyridyl)ruthenium(III) perchlorate as a temporally stable reagent for analytical chemiluminescence, 421 (2000) 1

Reagentless measurements
Reagentless enzyme electrode for malate based on modified polymeric membranes, 408 (2000) 217

Real error
Critical comparison of methods predicting the number of components in spectroscopic data, 423 (2000) 51

Receptors
New longwave absorbing chromogenic calix[4]arene for calcium determination in aqueous environment, 421 (2000) 199

Recombinant acetylcholinesterase (AChE)
A disposable multielectrode biosensor for rapid simultaneous detection of the insecticides paraoxon and carbofuran at high resolution, 401 (1999) 95

Redox
Coulometric titration study of the redox behavior and precise determination of hexachloroiridate(IV) ion and its monoaquochloro complex with electrogenerated bi-intermediates, 415 (2000) 185

Redox optode, Nafion®
An optical redox chemical sensor based on ferroin immobilised in a Nafion® membrane, 401 (1999) 137

Reference material
Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89
Laser ablation inductively coupled plasma mass spectrometry as a tool for studying heterogeneity within polymers, 423 (2000) 9

Reflectance
Direct determination of leather dyes by visible reflectance spectroscopy using partial least-squares regression, 419 (2000) 209

Refractive index
Estimation of sensitivity for refractive index and immunoreaction in a surface plasmon resonance sensor probe, 417 (2000) 125

Regeneration
Polymer-coated optical fibres for application in a direct evanescent wave immunoassay, 403 (2000) 67
Performance characteristics for flow injection immunoassay using monoclonal antibodies against s-triazine and 2,4-D herbicides, 412 (2000) 19

Regeneration crystal
Piezoelectric immunosensor for detection of complement C_6, 423 (2000) 215

Regression models
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test, 414 (2000) 221

Relative uncertainty of standard deviations
Genetic algorithms applied to the selection of factors in principal component regression, 420 (2000) 217

Reliability
Evaluation of the reliability of diffusive sampling in environmental monitoring, 408 (2000) 117

Remote sensing
Spectroscopic and photometric evaluation of images from the Mars Pathfinder camera, 420 (2000) 229

Renewable microcolumn
Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223

Reporter organism
Fiber optic detection of in situ *lux* reporter gene activity in porous media: system design and performance, 422 (2000) 121

Reserpin
A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode, 408 (2000) 257

Resin
First purification of heparan sulfate disaccharides with an amine resin used as solid support for peptide synthesis, 403 (2000) 205

Resin titration
Determination of metal ions concentration and speciation in seawater by titration with an iminodiacetic resin, 401 (1999) 265

Resolution
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147

Resolution of acid strength
Acid–base behaviour of substituted phenolic substances and resolution of acid strength in tetrahydrofuran, 403 (2000) 339
Standardization of potentiometric sensors and acid–base behaviour of a series of bases in nitrobenzene, 403 (2000) 349

Resonance light scattering (RLS)
Study of the interaction of nucleic acids with acridine red and CTMAB by a resonance light scattering technique and determination of nucleic acids at nanogram levels, 422 (2000) 151

Resonance Rayleigh scattering
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 255
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 261
Sensitive and simple determination of protein by resonance Rayleigh scattering with 4-azochromotropic acid phenylfluorone, 408 (2000) 177

Retention model
Reversed-phase liquid chromatography of metal chelates of 4-(2-pyridylazo) resorcinol: retention model and its verification, 414 (2000) 113

Reticulated vitreous carbon
Stripping potentiometry signal enhancement using mercury film-coated reticulated vitreous carbon working electrode, 423 (2000) 287

Retina
Gas chromatography-mass spectrometry analysis of β_2-agonists in bovine retina, 408 (2000) 285

Retinal
Simultaneous determination of retinal, retinol and retinoic acid (all-*trans* and 13-*cis*) in cosmetics and pharmaceuticals at electrodeposited metal electrodes, 415 (2000) 193

Retinoic acid
Simultaneous determination of retinal, retinol and retinoic acid (all-*trans* and 13-*cis*) in cosmetics and pharmaceuticals at electrodeposited metal electrodes, 415 (2000) 193

Retinol
Simultaneous determination of retinal, retinol and retinoic acid (all-*trans* and 13-*cis*) in cosmetics and pharmaceuticals at electrodeposited metal electrodes, 415 (2000) 193

Reversed phase liquid chromatography
Sensitive reversed-phase liquid chromatographic determination of hydrogen peroxide and glucose based on ternary vanadium(V)-hydrogen peroxide-2-(5-bromo-2-pyridylazo)-5-diethylaminophenol system, 421 (2000) 35

Reversed-phase
Amphoteric surfactant-modified stationary phase for the reversed-phase high-performance liquid chromatographic separation of nucleosides and their bases by elution with water, 419 (2000) 87

Reversed-phase liquid chromatography
Preparation and characterization of immobilized acid phosphatase used for an enzyme reactor: evaluation in flow-injection analysis and pre-column liquid chromatography, 406 (2000) 191
Correlation between hydrophobicity and retention data of several antihistamines in reversed-phase liquid chromatography with aqueous-organic and micellar-organic mobile phases, 421 (2000) 45

Review
Chemiluminescence detection in capillary electrophoresis, 414 (2000) 1

Rhenium
Separation of rhenium by an extraction chromatographic resin for determination by inductively coupled plasma-mass spectrometry, 405 (2000) 227
Ultratrace determination of thulium by laser-excited atomic fluorescence spectrometry with atomization in a rhenium lined tube furnace, 411 (2000) 57

Rhodamine dyes
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 255
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems, 407 (2000) 261

Rhodamine-B
A new system for the spectrophotometric determination of arsenic in environmental and biological samples, 408 (2000) 111

Rhodium
Development of an interferent free amperometric biosensor for determination of L-lysine in food, 412 (2000) 111
Determination of selenium by catalytic cathodic stripping voltammetry, 418 (2000) 33

Rhodium and tungsten
The use of tungsten–rhodium permanent chemical modifier for cadmium determination in decomposed samples of biological materials and sediments by electrothermal atomic absorption spectrometry, 409 (2000) 267

Riboflavin (VB_2)
Determination of riboflavin by the perturbation of active oxygen on a chemical oscillating reaction, 413 (2000) 115

Rice
Development of an enzyme immunoassay for the detection of plant growth regulator inabenfide in rice, 424 (2000) 149

Rifamycin
Optimization of the experimental parameters in the determination of rifamycin SV by adsorptive stripping voltammetry, 405 (2000) 123

River sediment
Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223

River water
Competitive ligand exchange/adsorptive cathodic stripping voltammetry (CLE/AdCSV) for kinetic studies of nickel speciation in aqueous environmental samples containing heterogeneous, macromolecular, organic complexants, 402 (1999) 195
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21

River water analysis
Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277

Robust calibration
Development of robust calibration models in near infra-red spectrometric applications, 411 (2000) 121

Robustness test
Comparison of several criteria to decide on the significance of effects in a robustness test with an asymmetrical factorial design, 404 (2000) 257
Study of method validation criteria in a capillary electrophoresis method for the separation of non-steroidal anti-inflammatory drugs, 416 (2000) 29

Room temperature phosphorescence
Air moisture sensing materials based on the room temperature phosphorescence quenching of immobilized mercurochrome, 407 (2000) 61
Heavy-atom induced room-temperature phosphorescence: a straightforward methodology for the determination of organic compounds in solution, 417 (2000) 19
Determination of nafcillin by room temperature phosphorescence, 423 (2000) 85

Rotating disk electrode voltammetry
Competitive ligand exchange/adsorptive cathodic stripping voltammetry (CLE/AdCSV) for kinetic studies of nickel speciation in aqueous environmental samples containing heterogeneous, macromolecular, organic complexants, 402 (1999) 195

Rotating gold electrode
Trace determination of mercury by anodic stripping voltammetry at the rotating gold electrode, 424 (2000) 65

Roving gas chromatography/mass spectrometry (GC/MS)
Noise reduction of fast, repetitive GC/MS measurements using principal component analysis (PCA), 401 (1999) 35

RP-LC determination of hydrogen peroxide and glucose
Sensitive reversed-phase liquid chromatographic determination of hydrogen peroxide and glucose based on ternary vanadium(V)-hydrogen peroxide-2-(5-bromo-2-pyridylazo)-5-diethylaminophenol system, 421 (2000) 35

r*Tth* DNA polymerase
Application of chimeric RNA–DNA oligonucleotides to the detection of pathogenic microorganisms using surface plasmon resonance, 407 (2000) 1

$Ru(bipy)_2(dppx)^{2+}$
A novel method for determination of DNA by use of molecular 'Light Switch' complex of $Ru(bipy)_2(dppx)^{2+}$, 403 (2000) 209

Ruthenium
Analysis by X-ray photoelectron spectroscopy of ruthenium stabilised polynuclear hexacyanometallate film electrodes, 410 (2000) 143
Development of an interferent free amperometric biosensor for determination of L-lysine in food, 412 (2000) 111

Ruthenium-99
Rapid determination of technetium-99 by electrothermal vaporization-inductively coupled plasma-mass spectrometry with sodium chlorate and nitric acid as modifiers, 413 (2000) 207

Ruthenium dioxide pH-electrode
Coulometric micro-titrator with a ruthenium dioxide pH-electrode, 412 (2000) 69

Ruthenium(II) complex
Single standard calibration for an optical oxygen sensor based on luminescence quenching of a ruthenium complex, 403 (2000) 57

Ruthenium(III)diphenyldithiocarbamate
Amperometric determination of ascorbic acid based on electrocatalytic oxidation using a ruthenium(III) diphenyldithiocarbamate-modified carbon paste electrode, 405 (2000) 93

Rutin
Determination of rutin and quercetin in plants by capillary electrophoresis with electrochemical detection, 423 (2000) 69

S

SALEN
Adsorptive stripping voltammetric behaviour of UO_2(II) complexed with the Schiff base *N,N'*- ethylenebis(salicylidenimine) in aqueous 4-(2-hydroxyethyl)-1-piperazine ethanesulfonic acid medium, 408 (2000) 83

Saliva
Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats, 414 (2000) 133

Salsolinol
Determination of salsolinol enantiomers by gas chromatography-mass spectrometry with cyclodextrin chiral columns, 420 (2000) 81

Salting-out coefficient
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data, 416 (2000) 55

Sample introduction
Characterization of two polyphosphazene materials as membranes in membrane induction mass spectrometry, 407 (2000) 311

Sample preparation
Isolation and identification of phenolic compounds in *Citrus sinensis*, 417 (2000) 231

Sample preparation technique
An approach to solventless sample preparation procedure for pesticides analysis using solid phase microextraction/supercritical fluid extraction technique, 418 (2000) 69

Sandwich techniques
Application of natural computation techniques to optimal design of flow injection systems, 402 (1999) 275

Scanning electrochemical microscopy
Electroanalytical measurements using the scanning electrochemical microscope, 406 (2000) 119

Scanning probe microscopy
Electroanalytical measurements using the scanning electrochemical microscope, 406 (2000) 119

***S*-Captopril**
On-line assay of *S*-captopril using an amperometric biosensor/sequential injection system, 411 (2000) 51

Scavengers of reactive oxygen species
Chemiluminescent determination of Ce(IV) using Cypridina luciferin analog, 422 (2000) 81

Schiff's base
Solid phase extraction of ultra trace copper(II) using octadecyl silica membrane disks modified by a naphthol-derivative Schiff's base, 408 (2000) 271

Schubert's ion-exchange method
Simultaneous determination of Ca, Cu, Ni, Zn and Cd binding strengths with fulvic acid fractions by Schubert's method, 402 (1999) 169

Screen printed electrode
Sensor for amperometric determination of ammonia and ammonia-forming enzyme reactions, 403 (2000) 11
Fabrication and voltammetric study of lanthanum 2,6-dichlorophenolindophenol chemically modified screen printed electrodes.. Application for the determination of ascorbic acid, 423 (2000) 107

Screen printing technique
Response of nanosized cobalt oxide electrodes as pH sensors, 409 (2000) 137

Screening
Evaporative light scattering detector: a new tool for screening purposes, 402 (1999) 1
Screening method for substrates of multidrug resistance-associated protein, 423 (2000) 197

Screen-printed electrode
A disposable multielectrode biosensor for rapid simultaneous detection of the insecticides paraoxon and carbofuran at high resolution, 401 (1999) 95
A disposable Protein A-based immunosensor for flow-injection assay with electrochemical detection, 404 (2000) 187
An electrochemical sensor based on a clay-coated screen-printed electrode for the determination of arbutin, 412 (2000) 63
Determination of lead(II) on a copper/mercury-plated screen-printed electrode, 421 (2000) 189

SDS
Determination of five polycyclic aromatic hydrocarbons in aqueous micellar media by fluorescence at room temperature, 413 (2000) 159

Se(IV)
Flow injection-hydride generation atomic absorption spectrometric determination of Se(VI) and Se(IV): utility of a conventionally heated water bath for the on-line reduction of Se(VI), 408 (2000) 191

Se(VI)
Flow injection-hydride generation atomic absorption spectrometric determination of Se(VI) and Se(IV): utility of a conventionally heated water bath for the on-line reduction of Se(VI), 408 (2000) 191

Sea water
Determination of metal ions concentration and speciation in seawater by titration with an iminodiacetic resin, 401 (1999) 265
Interference of various salts on the determination of selenium by graphite furnace atomic absorption spectrometry: effect of sea water, 402 (1999) 327
Determination of Fe(II) and total iron in natural waters with 3-(2-pyridyl)-5,6-diphenyl-1,2,4-triazine (PDT), 406 (2000) 289
A shipboard method for arsenic speciation using semi-automated hydride generation atomic fluorescence spectroscopy, 409 (2000) 215
Measurements of trace concentrations of mercury in sea water by stripping chronopotentiometry with gold disk electrode: influence of copper, 410 (2000) 97
Determination of arsenic species in seawater by flow injection hydride generation in situ collection followed by graphite furnace atomic absorption spectrometry. Stability of As(III), 418 (2000) 19
Fluorimetric method for the determination of trace levels of mercury in sea water using 6-mercaptopurine, 419 (2000) 33

Seawater analysis
Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277
Determination of ultra-trace amounts of cobalt in seawater by graphite furnace atomic absorption spectrometry after pre-concentration with Ni/8-quinolinol/1-nitroso-2-naphthol complex, 407 (2000) 147

Second-order calibration methods
Calibration and detailed analysis of second-order flow injection analysis data with rank overlap, 422 (2000) 21

Second-order data
Determination of triphenyltin in sea-water by excitation–emission matrix fluorescence and multivariate curve resolution, 409 (2000) 237

Second-order linear calibration
Novel constrained PARAFAC algorithm for second-order linear calibration, 423 (2000) 187

Sediment
Sequential extractions for determination of cadmium distribution in coal fly ash, soil and sediment samples, 401 (1999) 283
Spectrophotometric determination of phosphate and silicate by sequential injection using molybdenum blue chemistry, 417 (2000) 191
Determination of methylmercury in sediments by steam distillation/aqueous-phase ethylation and atomic fluorescence spectrometry, 419 (2000) 145
Determination of heavy metals in soils and sediments by microwave-assisted digestion and inductively coupled plasma optical emission spectrometry analysis, 424 (2000) 289

Sediment porewater
In situ determination of sulfide profiles in sediment porewaters with a miniaturized Ag/Ag_2S electrode, 401 (1999) 257

Sediment water interface
In situ determination of sulfide profiles in sediment porewaters with a miniaturized Ag/Ag_2S electrode, 401 (1999) 257

Selective serotonin reuptake inhibitors
Method development and validation for the simultaneous determination of fluoxetine and fluvoxamine in pharmaceutical preparations by capillary electrophoresis, 417 (2000) 169

Selectively methylated β-cyclodextrin-based stationary phases
Preparation and enantiomer separation behavior of selectively methylated β-cyclodextrin-bonded stationary phases for high performance chromatography, 410 (2000) 37

Selectivity
Lead-selective membrane electrode based on dibenzyl phosphate, 401 (1999) 111
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175
Determination of complex formation constants of 18 neutral alkali and alkaline earth metal ionophores in poly(vinyl chloride) sensing membranes plasticized with bis(2-ethylhexyl)sebacate and *o*-nitrophenyloctylether, 421 (2000) 207

Selectivity coefficient
Potentiometric selectivity of p-doped polymer films, 406 (2000) 159

Selenate
Voltammetric study of uranyl–selenium interactions, 404 (2000) 159

Selenite
Voltammetric study of uranyl–selenium interactions, 404 (2000) 159

Selenium
Interference of various salts on the determination of selenium by graphite furnace atomic absorption spectrometry: effect of sea water, 402 (1999) 327
Determination of trimethylselenonium ion in urine by ion chromatography and inductively coupled plasma mass spectrometry detection, 404 (2000) 47
Comparison of digestion methods for the determination of selenium in fish tissue by cathodic stripping voltammetry, 408 (2000) 97
Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25
Determination of selenoprotein P in human plasma by solid phase extraction and inductively coupled plasma mass spectrometry, 411 (2000) 103
Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization, 412 (2000) 121
Development of analytical systems for the simultaneous determination of the speciation of arsenic [As(III), methylarsonic acid, dimethylarsinic acid, As(V)] and selenium [Se(IV), Se(VI)], 413 (2000) 13
Determination of selenium by catalytic cathodic stripping voltammetry, 418 (2000) 33

Selenium determination
Determination of selenium in human blood specimens by electrothermal atomic absorption, 419 (2000) 121

Selenium fractionation
Problems of selenium fractionation in soils rich in organic matter, 408 (2000) 103

Selenoethionine
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1

Selenomethionine
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1

Selenoprotein P
Determination of selenoprotein P in human plasma by solid phase extraction and inductively coupled plasma mass spectrometry, 411 (2000) 103

Self-assembled monolayer
Development of an ion-channel sensor for heparin detection, 411 (2000) 163

Self-modeling
Multivariate extension of the continuous variation and mole-ratio methods for the study of the interaction of intercalators with polynucleotides, 424 (2000) 105

Self-plasticized polymeric matrix
Novel approach of immobilization of calix[4]arene type ionophore in 'self-plasticized' polymeric membrane, 421 (2000) 93

Semi-preparative liquid chromatography
Isolation and identification of unsaturated fatty acid methyl esters from marine micro-algae, 409 (2000) 257

Semiquantitative analysis
Data acquisition of transient signals in inductively coupled plasma mass spectrometry, 407 (2000) 301

Senescence-accelerated mice
Determination of tissue α-tocopherol in senescence-accelerated mice by high-performance liquid chromatography with fluorimetric detection, 419 (2000) 81

Sensitivity
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175

Sensor
Flavonol fluorescent flow-through sensing based on a molecular imprinted polymer, 405 (2000) 67
Fiber optic oxygen sensor based on phosphorescence quenching of erythrosin B trapped in silica-gel glasses, 408 (2000) 33
Design and characterization of a radioluminescent temperature sensor, 412 (2000) 47
Fabrication of multilayer films containing horseradish peroxidase and polycation-bearing Os complex by means of electrostatic layer-by-layer adsorption and its application as a hydrogen peroxide sensor, 418 (2000) 225
Potentiometric selectivity of p-doped polymer films, 406 (2000) 159
New longwave absorbing chromogenic calix[4]arene for calcium determination in aqueous environment, 421 (2000) 199

Separation
Preconcentration, separation and determination of trace Hg(II) in environmental samples with aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel, 416 (2000) 191

Separation angle
A study of the influence of the injection duration on the precision of concentration estimation in chromatography, 413 (2000) 147

Separation of isobars
Rapid determination of technetium-99 by electrothermal vaporization-inductively coupled plasma-mass spectrometry with sodium chlorate and nitric acid as modifiers, 413 (2000) 207

Sequence analysis
Structure identification of synthetic human galanin using tandem mass spectrometry and in situ fast atom bombardment mapping, 402 (1999) 303

Sequential extraction
Sequential extractions for determination of cadmium distribution in coal fly ash, soil and sediment samples, 401 (1999) 283
Determination of heavy metals and their speciation in lake sediments by flame atomic absorption spectrometry after a four-stage sequential extraction procedure, 413 (2000) 33
Metal sequential extraction procedure optimized for heavily polluted and iron oxide rich sediments, 414 (2000) 151

Sequential flow injection
Enzymatic determination of ethanol and glycerol by flow injection parallel multi-site detection, 416 (2000) 205

Sequential injection
Development of a sequential injection system in the capillary format for determinations of the IpaC protein, 409 (2000) 3
Spectrophotometric determination of phosphate and silicate by sequential injection using molybdenum blue chemistry, 417 (2000) 191
Multicomponent sequential injection analysis determination of nitro-phenols in waters by on-line liquid-liquid extraction and preconcentration, 421 (2000) 155
Sequential injection Fourier transform infrared spectroscopy for the simultaneous determination of organic acids and sugars in soft drinks employing automated solid phase extraction, 422 (2000) 63

Sequential injection analysis
An optical redox chemical sensor based on ferroin immobilised in a Nafion® membrane, 401 (1999) 137
Spectrophotometric determination of thiocyanate by sequential injection analysis, 403 (2000) 279
Kinetic–turbidimetric determination of phytic acid by sequential injection analysis, 409 (2000) 9
On-line assay of *S*-captopril using an amperometric biosensor/sequential injection system, 411 (2000) 51
Sequential injection analysis system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 412 (2000) 169
Microwave-assisted sample preparation in sequential injection: spectrophotometric determination of magnesium, calcium and iron in food, 413 (2000) 41
Sheath-flow Fourier transform infrared spectrometry for the simultaneous determination of citric, malic and tartaric acids in soft drinks, 417 (2000) 41
A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water, 422 (2000) 187

Serial three-enzyme reactors
Characterization and meat freshness application of a serial three-enzyme reactor system measuring ATP-degradative compounds, 404 (2000) 75

Serum
Direct determination of glucose in serum by fluorimetry using a labeled enzyme, 414 (2000) 33
Determination of selenium in human blood specimens by electrothermal atomic absorption, 419 (2000) 121

SFE
Immunochemical detection of polycyclic aromatic hydrocarbons and 1-hydroxypyrene in water and sediment samples, 419 (2000) 1

Sheath-flow
Sheath-flow Fourier transform infrared spectrometry for the simultaneous determination of citric, malic and tartaric acids in soft drinks, 417 (2000) 41

Shellfish
Flow-injection fluorometric quantification of succinate in foodstuffs based on the use of an immobilized enzyme reactor, 416 (2000) 197

Shipboard
A shipboard method for arsenic speciation using semi-automated hydride generation atomic fluorescence spectroscopy, 409 (2000) 215

Short-end injection
Short-end injection technique in capillary electrophoresis for dissolution testing of tablets, 415 (2000) 67

Sigmoid models
Algorithms for time-dependent chromatographic peak areas. II. Resolution of overlapped chromatograms for two- and three-component samples, 422 (2000) 11

Signal processing
Processing discrete data for deconvolution voltammetry based on the Fourier least-square method, 404 (2000) 249

Sildenafil citrate
Voltammetric behavior of sildenafil citrate (Viagra) using square wave and adsorptive stripping square wave techniques. Determination in pharmaceutical products, 417 (2000) 143

Silica
Comparison of silica and porous graphitic carbon as solid-phase extraction materials for the analysis of cationic herbicides in water by liquid chromatography and capillary electrophoresis, 408 (2000) 263

Silica gel
Simultaneous preconcentration and speciation of iron(II) and iron(III) in water samples by 2-mercaptobenzimidazole-silica gel sorbent and flow injection analysis system, 424 (2000) 233

Silicate
Enhancement of the atomic absorption signal by silicate at electrothermal atomic absorption spectrometry, 415 (2000) 221
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis, 416 (2000) 21
Spectrophotometric determination of phosphate and silicate by sequential injection using molybdenum blue chemistry, 417 (2000) 191

Silicate complex
The identification and characterization of silicate complexes in calcium chloride solution using fast atom bombardment mass spectrometry, 411 (2000) 109

Silicon
Determination of Mn and Si in iron ore by laser-induced plasma spectroscopy, 413 (2000) 187

Silicotungstate
Layer-by-layer assembly of multilayer films consisting of silicotungstate and a cationic redox polymer on 4-aminobenzoic acid modified glassy carbon electrode and their electrocatalytic effects, 417 (2000) 133

Siloxane membranes
NH_4^+-sensitive chemically modified field effect transistors based on siloxane membranes for flow-cell applications, 401 (1999) 105
Nitrate-selective chemically modified field effect transistors for flow-cell applications, 416 (2000) 97

Silver
Precision attainable in the determination of silver by flame atomic absorption spectrometry. Analysis of thermoelectric silver-doped tellurides, 408 (2000) 183

Silver chloride reactor
Spectrophotometric determination of total nitrogen in plant materials using a flow-injection system with an $AgCl_{(s)}$ reactor, 416 (2000) 185

Silver electrode
Determination of cyanide by cathodic stripping voltammetry at a rotating silver disk electrode, 405 (2000) 145

Silver ion-selective electrode
Calixarene derivative as the neutral carrier in silver ion-selective electrode and liquid membrane transport, 417 (2000) 51

Silver mirror reaction
Determination of glucose using a piezoelectric quartz crystal and the silver mirror reaction, 407 (2000) 17

Silver(I) complex
PVC membranes based on silver(I)–thiourea complexes, 402 (1999) 129

Silver-ion selective electrode
Polymeric membrane silver-ion selective electrodes based on bis(-dialkyldithiophosphates), 416 (2000) 139

Silylation
Gas-phase postderivatization following solid-phase microextraction for rapid determination of *trans*-resveratrol in wine by gas chromatography-mass spectrometry, 424 (2000) 19

Simazine
Determination of chloro- and methylthiotriazine compounds in human urine: extraction with diethyl ether and C_{18} solid-phase extraction for gas chromatographic analysis with nitrogen-selective and electron capture detection, 424 (2000) 7
Immunosensor for the determination of the herbicide simazine based on an ion-selective field-effect transistor, 424 (2000) 37

SIMCA
Application of NIR reflectance spectroscopy for the identification of pharmaceutical excipients, 420 (2000) 155
Accelerant classification by gas chromatography/mass spectrometry and multivariate pattern recognition, 422 (2000) 37

Simplex method
MultiSimplex optimisation and comparison of different purge-and-trap extractions of volatile organic compounds in soil samples, 416 (2000) 43

Simulation of mass spectra
Simulation of mass spectra of noncyclic alkanes and alkenes using artificial neural network, 415 (2000) 95

Simultaneous determination
Simultaneous determination of Cd and Pb in foodstuffs by electrothermal atomic absorption spectrometry, 405 (2000) 205
Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry, 409 (2000) 159
Multivariate calibration applied to a highly interfering chemical system. The simultaneous spectrophotometric determination of aluminium and iron in plants using xylenol orange and partial least-squares regression, 423 (2000) 31

Simultaneous determination of catechol and hydroquinone
Simultaneous determination of phenol isomers in binary mixtures by differential pulse voltammetry using carbon fibre electrode and neural network with pruning as a multivariate calibration tool, 420 (2000) 109

Simultaneous determination of copper(II) and palladium(II)
High-performance liquid chromatographic–spectrophotometric determination of copper(II) and palladium(II) with 5,10, 15,20-tetrakis(4*N*-pyridyl)porphine following homogeneous liquid–liquid extraction in the water–acetic acid–chloroform ternary solvent system, 424 (2000) 263

Simultaneous kinetic determination
Evaluation of classical and three-way multivariate calibration procedures in kinetic-spectrophotometric analysis, 424 (2000) 115

Simultaneous preconcentration
Simultaneous preconcentration and speciation of iron(II) and iron(III) in water samples by 2-mercaptobenzimidazole-silica gel sorbent and flow injection analysis system, 424 (2000) 233

Single microparticle
Multiplex immunoassays on size-categorized individual beads using time-resolved fluorescence, 410 (2000) 85

Single salt approximation for seawater
Speciation of low molecular weight ligands in natural fluids: protonation constants and association of open chain polyamines with the major components of seawater, 418 (2000) 43

Single standard calibration
Single standard calibration for an optical oxygen sensor based on luminescence quenching of a ruthenium complex, 403 (2000) 57

Single-oil-droplets
Microinjection-microspectroscopy of single oil droplets in water: an application to liquid/liquid extraction under solution-flow conditions, 418 (2000) 129

Singular value decomposition
Caveat in abstract factor analysis-based pseudorank estimation, 411 (2000) 157

Six-way
Determination of organomercury compounds with a miniaturised automated speciation analyser, 414 (2000) 141

Size-exclusion chromatography
Size-exclusion chromatographic descriptors of humic substances, 407 (2000) 193

Skin
Determination of nickel in fingernails and forearm skin (stratum corneum), 403 (2000) 265

Slurry sampling
Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization, 412 (2000) 121
Direct analysis of titanium dioxide solid powder by fluorination assisted electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 421 (2000) 75

Smoothing
Comments on the two-dimensional smoothing of data, 415 (2000) 117

Snow
A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples, 412 (2000) 221

$S_2O_8^{2-}$
Electrochemiluminescent determination of peroxydisulfate with $Cr(bpy)_3^{3+}$ in purely aqueous solution, 412 (2000) 235

Sodium bismuthate
Solid-phase sodium bismuthate as an oxidant in flow injection analysis: determination of manganese in effluent streams, 413 (2000) 57

Sodium dodecyl sulphate
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1
Correlation between hydrophobicity and retention data of several antihistamines in reversed-phase liquid chromatography with aqueous-organic and micellar-organic mobile phases, 421 (2000) 45

Sodium ion
Challenges in achieving a fundamental model for ESI, 406 (2000) 37
A fluorescent optode for sodium ion based on the inner filter effect, 407 (2000) 45

Sodium nitrophenolates
Ion-pair formation in water and extraction into benzene of 18-crown-6–sodium ion complex with nitrated phenolate ions, 416 (2000) 145

Sodium tetraethylborate
Microporous membrane liquid–liquid extraction technique combined with gas chromatography mass spectrometry for the determination of organotin compounds, 404 (2000) 319

Sodium–matrix waters
Quantitative capillary electrophoretic analysis for calcium and magnesium in sodium–matrix waters, 410 (2000) 11

Sodium-selective electrodes
Novel approach of immobilization of calix[4]arene type ionophore in 'self-plasticized' polymeric membrane, 421 (2000) 93

Soft drinks
Determination of glucose in soft drinks using its enzymatic oxidation and the detection of formed hydrogen peroxide with a dinuclear iron(III) complex, 401 (1999) 83

Soft metals
Analysis of biogenic thiols in natural water samples by high-performance liquid chromatographic separation and fluorescence detection with ammonium 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD-F), 408 (2000) 299

Soft modelling
Multivariate curve resolution of polarographic data applied to the study of the copper-binding ability of tannic acid, 424 (2000) 203

Soft wheat
Determination of lead (II) and cadmium (II) in hard and soft wheat by derivative potentiometric stripping analysis, 409 (2000) 93

Software development
Coupled techniques based on liquid chromatography and atomic fluorescence detection for arsenic speciation, 411 (2000) 71

Soil
Sequential extractions for determination of cadmium distribution in coal fly ash, soil and sediment samples, 401 (1999) 283
Determination of total cyanide in soils by micro-distillation, 406 (2000) 283
Speciation of lead in soils and relation with its concentration in fruits, 410 (2000) 119
Microwave-assisted extraction or saponification combined with microwave-assisted decomposition applied in pretreatment of soil or mussel samples for the determination of polychlorinated biphenyls, 413 (2000) 49
Determination of heavy metals in soils and sediments by microwave-assisted digestion and inductively coupled plasma optical emission spectrometry analysis, 424 (2000) 289

Soil analysis
Atomic fluorescence determination of inorganic arsenic in soils after microwave-assisted distillation, 407 (2000) 155

Soil column extraction
Liquid chromatography mass spectrometry tandem for multiresidue determination of selected post-emergence herbicides after soil column extraction, 415 (2000) 41

Soil samples
MultiSimplex optimisation and comparison of different purge-and-trap extractions of volatile organic compounds in soil samples, 416 (2000) 43

Sol–gel
Amperometric enzyme electrode for the determination of hydrogen peroxide based on sol–gel/hydrogel composite film, 407 (2000) 111
Fiber optic oxygen sensor based on phosphorescence quenching of erythrosin B trapped in silica-gel glasses, 408 (2000) 33
Sol–gel-derived, polishable, 1:12-phosphomolybdic acid-modified ceramic-carbon electrode and its electrocatalytic oxidation of ascorbic acid, 424 (2000) 51

Sol–gel carbon
Amperometric detection for capillary electrophoresis at a sol–gel carbon composite electrode, 403 (2000) 179

Sol–gel glass
An optical pH sensor with a linear response over a broad range, 408 (2000) 49

Sol–gel materials
Incorporation of water-soluble porphyrins in sol–gel matrices and application to pH sensing, 401 (1999) 125

Sol–gel process
Development of new SPME fibers by sol–gel technology for SPME-HPLC determination of organometals, 402 (1999) 67
Air moisture sensing materials based on the room temperature phosphorescence quenching of immobilized mercurochrome, 407 (2000) 61

Sol–gel technique
Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol–gel film, 414 (2000) 43

Solid pH sensor
Response of nanosized cobalt oxide electrodes as pH sensors, 409 (2000) 137

Solid phase
Determination of traces of nitrite and nitrate in water by solid phase spectrophotometry, 410 (2000) 185

Solid phase extraction
Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification, 407 (2000) 165
Comparison of silica and porous graphitic carbon as solid-phase extraction materials for the analysis of cationic herbicides in water by liquid chromatography and capillary electrophoresis, 408 (2000) 263
Highly sensitive flow analysis determination of orthophosphate using solid phase enrichment of phosphomolybdenum blue without need for organic solvents in elution, 410 (2000) 177
Determination of selenoprotein P in human plasma by solid phase extraction and inductively coupled plasma mass spectrometry, 411 (2000) 103
The retention of metal species by different solid sorbents. Mechanisms for heavy metal speciation by sequential three column uptake, 411 (2000) 223

A 2-aminopyridine molecularly imprinted polymer surrogate microcolumn for selective solid phase extraction and determination of 4-aminopyridine, 414 (2000) 123
Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats, 414 (2000) 133
Selective pre-concentration and solid phase extraction of mercury(II) from natural water by silica gel-loaded dithizone phases, 415 (2000) 33

Solid phase micro-extraction
Development of new SPME fibers by sol–gel technology for SPME-HPLC determination of organometals, 402 (1999) 67
Rapid detection of tetramethylenedisulfotetramine in human blood by solid-phase microextraction/gas chromatography, 404 (2000) 329
Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats, 414 (2000) 133
Static headspace, solid-phase microextraction and headspace solid-phase microextraction for BTEX determination in aqueous samples by gas chromatography, 415 (2000) 9
An approach to solventless sample preparation procedure for pesticides analysis using solid phase microextraction/supercritical fluid extraction technique, 418 (2000) 69
Gas-phase postderivatization following solid-phase microextraction for rapid determination of *trans*-resveratrol in wine by gas chromatography-mass spectrometry, 424 (2000) 19
Speciation of organoarsenic compounds by polypyrrole-coated capillary in-tube solid phase microextraction coupled with liquid chromatography/electrospray ionization mass spectrometry, 424 (2000) 211

Solid phase spectroscopy
A flow-through solid phase UV spectrophotometric biparameter sensor for the sequential determination of ascorbic acid and paracetamol, 404 (2000) 131

Solid sampling
Determination of Mn and Si in iron ore by laser-induced plasma spectroscopy, 413 (2000) 187

Solid sampling technique
Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277
Determination of ultra-trace amounts of cobalt in seawater by graphite furnace atomic absorption spectrometry after pre-concentration with Ni/8-quinolinol/1-nitroso-2-naphthol complex, 407 (2000) 147

Solid sampling-Zeeman atomic absorption spectrometry
Laser ablation inductively coupled plasma mass spectrometry as a tool for studying heterogeneity within polymers, 423 (2000) 9

Solid-surface luminescence
Air moisture sensing materials based on the room temperature phosphorescence quenching of immobilized mercurochrome, 407 (2000) 61

Solubility
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255
Extraction, solubility and stability of metal complexes using stainless steel supercritical fluid extraction system, 417 (2000) 177

Solute polarity effect on interactions
Study of retention interactions of solute and stationary phase in the light of the solvation model theory, 405 (2000) 335

Solute/solvent interactions
Study of retention interactions of solute and stationary phase in the light of the solvation model theory, 405 (2000) 335

Solution stability
Study on the stability of Co(III), Mn(III) and Tl(III) ions in acetic acid solutions, 403 (2000) 333

Solvation
First purification of heparan sulfate disaccharides with an amine resin used as solid support for peptide synthesis, 403 (2000) 205

Solvation parameter model
Study of retention interactions of solute and stationary phase in the light of the solvation model theory, 405 (2000) 335

Solvatochromic parameters
Factor analysis applied to the study of retention mechanism of nitroanilines in normal phase high performance liquid chromatography, 402 (1999) 285

Solvent effect
Comparison of non-protected fluid room temperature phosphorescence properties of α-naphthyloxyacetic acid and β-naphthyloxyacetic acid, 424 (2000) 177

Solvent extraction
Ion-pair formation in water and extraction into benzene of 18-crown-6–sodium ion complex with nitrated phenolate ions, 416 (2000) 145
Selective extraction of alkali metal cations with proton-ionizable dibenzo-16-crown-5 fluoroionophores, 420 (2000) 57
Determination of uranium and thorium in apatite minerals by inductively coupled plasma atomic emission spectrometry with solvent extraction separation into diisobutyl ketone, 420 (2000) 65

Solvent loading
Study on solvent-loading effect on inductively coupled plasma and microwave-induced plasma sources with a microliter nebulizer, 413 (2000) 217

Solvent polarity effect on interactions
Study of retention interactions of solute and stationary phase in the light of the solvation model theory, 405 (2000) 335

Sonochemistry
Sonoelectrochemically enhanced nitrite detection, 404 (2000) 241

Sorbitol biosensor
Amperometric detection of D-sorbitol with NAD^+-D-sorbitol dehydrogenase modified carbon paste electrode, 424 (2000) 45

Sorption
Retention properties of mesoporous silica-based materials, 422 (2000) 231

SP Sephadex C-25 cation-exchange resin
Coupling on-line preconcentration by ion-exchange with ETAAS. A novel flow injection approach based on the use of a renewable microcolumn as demonstrated for the determination of nickel in environmental and biological samples, 424 (2000) 223

Spatially resolved imaging and sensing
Two-dimensional biochemical imaging sensor for spatially resolved glutamate monitoring, 401 (1999) 91

SPE
Solid phase extraction of ultra trace copper(II) using octadecyl silica membrane disks modified by a naphthol-derivative Schiff's base, 408 (2000) 271

Speciation
Determination of trimethylselenonium ion in urine by ion chromatography and inductively coupled plasma mass spectrometry detection, 404 (2000) 47
Atomic fluorescence determination of inorganic arsenic in soils after microwave-assisted distillation, 407 (2000) 155
A flow system exploiting multicommutation for speciation of inorganic nitrogen in waters, 409 (2000) 227
Capillary electrochromatographic separation of metal ion species with on-line detection by inductively coupled plasma mass spectrometry, 410 (2000) 25
Analysis of gaseous arsenic species and stability studies of arsine and trimethylarsine by gas chromatography-mass spectrometry, 410 (2000) 65
Identification of dimethylarsinoyl-riboside derivatives in seaweed by pneumatically assisted electrospray tandem mass spectrometry, 410 (2000) 71
Speciation of lead in soils and relation with its concentration in fruits, 410 (2000) 119
Coupled techniques based on liquid chromatography and atomic fluorescence detection for arsenic speciation, 411 (2000) 71
Speciation of aluminum in tea infusion by ion-exchange resins and flame AAS detection, 411 (2000) 81
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91
The retention of metal species by different solid sorbents. Mechanisms for heavy metal speciation by sequential three column uptake, 411 (2000) 223
Development of analytical systems for the simultaneous determination of the speciation of arsenic [As(III), methylarsonic acid, dimethylarsinic acid, As(V)] and selenium [Se(IV), Se(VI)], 413 (2000) 13
Determination of heavy metals and their speciation in lake sediments by flame atomic absorption spectrometry after a four-stage sequential extraction procedure, 413 (2000) 33
Determination of heavy metals in honey by anodic stripping voltammetry at microelectrodes, 415 (2000) 165
Determination of the chemical speciation of trace metals in aqueous systems by the Wageningen Donnan Membrane Technique, 417 (2000) 149
Determination of antimony species with fluoride as modifier and flow injection hydride generation inductively-coupled plasma emission spectrometry, 417 (2000) 201
Determination of arsenic species in seawater by flow injection hydride generation in situ collection followed by graphite furnace atomic absorption spectrometry. Stability of As(III), 418 (2000) 19
Speciation of low molecular weight ligands in natural fluids: protonation constants and association of open chain polyamines with the major components of seawater, 418 (2000) 43
Speciation analysis of selenium in garlic by two-dimensional high-performance liquid chromatography with parallel inductively coupled plasma mass spectrometric and electrospray tandem mass spectrometric detection, 421 (2000) 147
Selective preconcentration of phenyl-mercury by living *Escherichia coli* and its determination by cold vapour atomic absorption spectrometry, 423 (2000) 255
Speciation of organoarsenic compounds by polypyrrole-coated capillary in-tube solid phase microextraction coupled with liquid chromatography/electrospray ionization mass spectrometry, 424 (2000) 211

Speciation analysis
Voltammetric determination of traces of Cr(VI) in the presence of Cr(III) and humic acid, 414 (2000) 165

Spectral interference
Control of interferences in the determination of Pt, Pd and Rh in airborne particulate matter by inductively coupled plasma mass spectrometry, 404 (2000) 285
Comparison of the application of higher mass resolution and cool plasma conditions to avoid spectral interferences in Cr(III)/Cr(VI) speciation by means of high-performance liquid chromatography – inductively coupled plasma mass spectrometry, 419 (2000) 55

Spectroelectrochemistry
Variable thickness thin-layer cell for electrochemistry and in situ UV–VIS absorption, luminescence and surface-enhanced Raman spectroelectrochemistry, 420 (2000) 45

Spectrofluorimetric determination
Highly sensitive spectrofluorimetric determination of ascorbic acid based on its enhancement effect on a mimetic enzyme-catalyzed reaction, 413 (2000) 167

Spectrofluorimetric method
Spectrofluorimetric determination of nitrite with 5,6-diamino-1,3-naphthalene disulfonic acid, 419 (2000) 169

Spectrofluorimetry
Spectrofluorimetric determination of phenylephrine in the presence of a large excess of paracetamol, 419 (2000) 159

Spectrophotometric determination
Synthesis and analytical applications of 4-aminopyrazolone derivatives as chromogenic agents for the spectrophotometric determination of phenols, 403 (2000) 315
Highly selective and sensitive kinetic spectrophotometric determination of vanadium(IV) in the presence of vanadium(V), 409 (2000) 283

Spectrophotometric enzymatic analysis
Enzymatic determination of ethanol and glycerol by flow injection parallel multi-site detection, 416 (2000) 205

Spectrophotometric titration
Prior assay as an approach to flow titrations. Spectrophotometric determination of iron in alloys and ores, 416 (2000) 231

Spectrophotometry
Determination of glucose in soft drinks using its enzymatic oxidation and the detection of formed hydrogen peroxide with a dinuclear iron(III) complex, 401 (1999) 83
Flow-injection spectrophotometric determination of gold using 5-(4-sulphophenylazo)-8-aminoquinoline, 401 (1999) 237
Utilization of the copper(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol as an absorption spectroscopic probe for nucleic acids assay, 402 (1999) 21
4-Methoxy-azomethine-H as a reagent for the spectrophotometric determination of boron in plants and soils, 402 (1999) 253
Direct, selective flow injection spectrophotometric determination of calcium in wines using methylthymol blue and an on-line cascade dilution system, 402 (1999) 259
Application of the dibromohydroxyphenylfluorone–molybdenum(VI) complex to the sensitive spectrophotometric determination of protein, 403 (2000) 225
Microwave-assisted spectrophotometric estimation of polymer-supported functional groups using a universal reagent, 405 (2000) 247
Flow-injection catalytic spectrophotometric determination of oxalic acid using the redox reaction between Victoria blue B and dichromate, 406 (2000) 303
Flow injection extraction spectrophotometric determination of nickel using bis(acetylacetone)ethylenediimine, 408 (2000) 123
Spectrophotometric determination of pK_a values based on a pH gradient flow-injection system, 408 (2000) 135
A new spectrophotometric reagent for copper: 3,3′-(1,3-propanediyldiimine)bis-[3-methyl-2-butanone]dioxime, 408 (2000) 163
Determination of traces of nitrite and nitrate in water by solid phase spectrophotometry, 410 (2000) 185
Flow injection method for the determination of thyroxine by inhibition of glutamate dehydrogenase, 411 (2000) 45
Spectrophotometric study of iron oxidation in the iron(II)/azide/tetrahydrofuran system and some analytical applications, 411 (2000) 217
Selective stopped-flow injection spectrophotometric determination of palladium(II) in hydrogenation and automobile exhaust gas converter catalysts, 412 (2000) 161
Microwave-assisted sample preparation in sequential injection: spectrophotometric determination of magnesium, calcium and iron in food, 413 (2000) 41
Spectrophotometric determination of nucleic acids using palladium(II) complex with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol, 413 (2000) 87
Spectrophotometric determination of total nitrogen in plant materials using a flow-injection system with an $AgCl_{(s)}$ reactor, 416 (2000) 185
Spectrophotometric determination of bismuth after extraction of tetrabutylammonium tetraiodobismuthate(III) with microcrystalline benzophenone, 419 (2000) 41
Kinetic–spectophotometric determination of hydrazine by the inhibition of the bromate–hydrochloric acid reaction, 419 (2000) 101
Simultaneous kinetic spectrophotometric determination of acetaminophen and phenobarbital by artificial neural networks and partial least squares, 419 (2000) 185
Determination of the first dissociation constant of 6-benzylaminopurine. A comparison of methods, 421 (2000) 221
Simple and sensitive determination of nucleic acids using palladium(II) complex with 2-(2-thiazolylazo)-5-dimethylaminobenzoic acid, 422 (2000) 159
Spectrophotometric determination of tantalum by extraction as tetrabutylammonium hexathiocyanatotantalate(V), 422 (2000) 199
Kinetic study of the iron-catalyzed reaction of the oxidative coupling reaction of 3-methyl-2-benzothiazolinone hydrazone with *N*,*N*-dimethylaniline, 424 (2000) 127

Spectroscopy
Measurement of fatty amine ethoxylate surfactants using electrochemiluminescence, 402 (1999) 105
An improved *N*,*N*′-diethyl-*p*-phenylenediamine (DPD) method for the determination of free chlorine based on multiple wavelength detection, 407 (2000) 127
Spectroscopic and photometric evaluation of images from the Mars Pathfinder camera, 420 (2000) 229

Spectrum–structure relationships
Exploratory analysis for the automated identification of amphetamines from vapour-phase FTIR spectra, 404 (2000) 303

SPME
Analytical method for monitoring airborne trimethylamine using solid phase micro-extraction and gas chromatography-flame ionization detection, 419 (2000) 73
Speciation analysis of butyltin compounds in Chinese seawater by capillary gas chromatography with flame photometric detection using in-situ hydride derivatization followed by headspace solid-phase microextraction, 421 (2000) 67
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121

Spoilage
Development of the enzyme reactor system with an amperometric detection and application to estimation of the incipient stage of spoilage of chicken, 411 (2000) 37

SPR
Exploring the limit of detection in biomolecular interaction analysis mass spectrometry (BIA/MS): detection of attomole amounts of native proteins present in complex biological mixtures, 423 (2000) 1

Square wave
Voltammetric behavior of sildenafil citrate (Viagra) using square wave and adsorptive stripping square wave techniques. Determination in pharmaceutical products, 417 (2000) 143

Square wave adsorptive stripping voltammetry
Optimization of the experimental parameters in the determination of rifamycin SV by adsorptive stripping voltammetry, 405 (2000) 123

Square-wave voltammetry
Determination of lead(II) on a copper/mercury-plated screen-printed electrode, 421 (2000) 189

^{90}Sr
Determination of ^{90}Sr in aquatic organisms by extraction chromatography: method validation, 414 (2000) 101

Sr resin
Determination of ^{90}Sr in aquatic organisms by extraction chromatography: method validation, 414 (2000) 101

SRFA
Simultaneous determination of Ca, Cu, Ni, Zn and Cd binding strengths with fulvic acid fractions by Schubert's method, 402 (1999) 169

Stability
Sensitive detection of triazine and phenylurea pesticides in pure organic solvent by enzyme linked immunosorbent assay (ELISA): stabilities, solubilities and sensitivities, 405 (2000) 255
Extraction, solubility and stability of metal complexes using stainless steel supercritical fluid extraction system, 417 (2000) 177

Stability constants
The influence of data treatment on the interpretation of experimental results in voltammetry, 401 (1999) 163
Voltammetric study of uranyl–selenium interactions, 404 (2000) 159
Equilibria with the thallium(III)triethylenetetraminehexaacetate anion $[Tl(ttha)]^{3-}$ in aqueous solution, 406 (2000) 317
The stability of palladium(II) complexes with sulphur-containing ligands, 406 (2000) 325

Stability of trace metals of nickel
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223

Standard addition method
Piroxicam and tenoxicam selective membrane sensors, 414 (2000) 215
Systematic errors: detection and correction by means of standard calibration, Youden calibration and standard additions method in conjunction with a method response model, 423 (2000) 179

Standardization
Standardization of potentiometric sensors and acid–base behaviour of a series of bases in nitrobenzene, 403 (2000) 349

Statistical analysis
Robust spectral analysis by moving block bootstrap designs, 415 (2000) 105

Statistical theory of experiment
Advanced statistical evaluation of complex formation constant from electrophoretic data, 407 (2000) 327

Steam
Determination of methylmercury in sediments by steam distillation/aqueous-phase ethylation and atomic fluorescence spectrometry, 419 (2000) 145

Stern–Volmer relationship
Optical oxygen detection based on luminescence change of metalloporphyrins immobilized in poly(isobutylmethacrylate-co-trifluoroethylmethacrylate) film, 421 (2000) 167

Stopped-flow
Determination of acid phosphatase activity in a double injection flow system with electrochemical detection, 406 (2000) 225
Kinetic determination of acid phosphatase activity by double injection flow analysis with electrochemical detection, 413 (2000) 103

Stopped-flow injection
Selective stopped-flow injection spectrophotometric determination of palladium(II) in hydrogenation and automobile exhaust gas converter catalysts, 412 (2000) 161

Stopped-flow photodiode array spectrophotometry
Evaluation of classical and three-way multivariate calibration procedures in kinetic-spectrophotometric analysis, 424 (2000) 115

Stopped-flow spectrophotometry
Determination of hemoglobin based on its enzymatic activity for the oxidation of *o*-phenylenediamine with hydrogen peroxide, 413 (2000) 109

Stopped-flow technique
Evaluation of the terbium(III)-sensitized luminescence with benzenepolycarboxylic acids. Determination of terephthalic acid in drink samples, 407 (2000) 53

Stratum corneum
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

Stress
Validation of a radioimmunoassay for the determination of total corticosterone in rat plasma, 413 (2000) 63

Striatum
Determination of trace manganese in the brain of mice subjected to manganese deposition by graphite furnace atomic absorption spectrometry, 405 (2000) 197

s-Triazines
Role of octanol–water partition coefficients in extraction of ionisable organic compounds in a supported liquid membrane with a stagnant acceptor, 416 (2000) 77

Stripping analysis
Determination of heavy metals in honey by anodic stripping voltammetry at microelectrodes, 415 (2000) 165

Stripping chronopotentiometry
Measurements of trace concentrations of mercury in sea water by stripping chronopotentiometry with gold disk electrode: influence of copper, 410 (2000) 97

Stripping differential pulse voltammetry
Identification of inorganic pigments from paintings and polychromed sculptures immobilized into polymer film electrodes by stripping differential pulse voltammetry, 407 (2000) 275

Stripping potentiometry
Determination of total copper in white wine by stripping potentiometry utilising medium exchange, 413 (2000) 25
Stripping potentiometry signal enhancement using mercury film-coated reticulated vitreous carbon working electrode, 423 (2000) 287

Stripping voltammetry
Voltammetric behavior of sildenafil citrate (Viagra) using square wave and adsorptive stripping square wave techniques. Determination in pharmaceutical products, 417 (2000) 143

Strong oxidants
Study on the stability of Co(III), Mn(III) and Tl(III) ions in acetic acid solutions, 403 (2000) 333

Structure elucidation
Exhaustive set of non-isomorphic sub-graphs and its application to chemical structure elucidation using a IR spectroscopy database, 409 (2000) 181
Prediction of three-dimensional molecular structures using information from infrared spectra, 420 (2000) 145

Structure fragments
Exhaustive set of non-isomorphic sub-graphs and its application to chemical structure elucidation using a IR spectroscopy database, 409 (2000) 181

Subcritical fluid chromatography
Development of a simulation program for the analysis of oils and fats by subcritical fluid chromatography, 401 (1999) 73

Sub-minute cycle
The analytical characterisation of sub-minute measurement duty cycles in flow injection analysis mass spectrometry, by their carry-over, 403 (2000) 287

Substantia nigra
Determination of trace manganese in the brain of mice subjected to manganese deposition by graphite furnace atomic absorption spectrometry, 405 (2000) 197

Substituted pyridines
Acid–base equilibria in systems involving substituted pyridines in polar aprotic protophobic media and in the amphiprotic methanol, 418 (2000) 233

Substrate
Screening method for substrates of multidrug resistance-associated protein, 423 (2000) 197

Substrate recycling
Co-immobilization of lactate oxidase and lactate dehydrogenase on conducting polyaniline films, 407 (2000) 97

Succinate
Flow-injection fluorometric quantification of succinate in foodstuffs based on the use of an immobilized enzyme reactor, 416 (2000) 197

Sugar determination
Determination of total sugars in lignocellulose hydrolysate by a mediated *Gluconobacter oxydans* biosensor, 420 (2000) 1

Sugars
Sequential injection Fourier transform infrared spectroscopy for the simultaneous determination of organic acids and sugars in soft drinks employing automated solid phase extraction, 422 (2000) 63
Combination of flow injection with capillary electrophoresis. Part 7. Microchip capillary electrophoresis system with flow injection sample introduction and amperometric detection, 422 (2000) 71

Sulbactam sodium
Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method, 414 (2000) 15

Sulfide measurements
Sulfide measurements by flow injection analysis and ion chromatography with electrochemical detection, 409 (2000) 27

Sulfide profiles
In situ determination of sulfide profiles in sediment porewaters with a miniaturized Ag/Ag_2S electrode, 401 (1999) 257

Sulfur
Quantifying elemental sulfur (S^0), bisulfide (HS^-) and polysulfides (S_x^{2-}) using a voltammetric method, 415 (2000) 175

Sulfur compounds
New cavity design suitable for monitoring gaseous samples by molecular emission cavity analysis, 409 (2000) 197

Sulfur dioxide
Determination of sulfur dioxide and ascorbic acid in beverages using a dual channel flow injection electrochemical detection system, 416 (2000) 105

Sulphite
Development of a new bulk optode membrane for the determination of mercury(II), 414 (2000) 195

5-(4-Sulphophenylazo)-8-aminoquinoline (SPA)
Flow-injection spectrophotometric determination of gold using 5-(4-sulphophenylazo)-8-aminoquinoline, 401 (1999) 237

Sulphur anions
On-line monitoring of kraft pulping liquors with a valveless flow injection–capillary electrophoresis system, 404 (2000) 19

Sulphur ligands
The stability of palladium(II) complexes with sulphur-containing ligands, 406 (2000) 325

Supercritical fluid extraction
Determination of *p*-aminobenzoates and cinnamate in cosmetic matrix by supercritical fluid extraction and micellar electrokinetic capillary chromatography, 416 (2000) 157
An approach to solventless sample preparation procedure for pesticides analysis using solid phase microextraction/supercritical fluid extraction technique, 418 (2000) 69

Superoxide anion
Chemiluminescent determination of lucigenin using thioureid derivatives, 403 (2000) 125
Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion, 411 (2000) 209

Superoxide radical
Determination of riboflavin by the perturbation of active oxygen on a chemical oscillating reaction, 413 (2000) 115

Superoxide ultramicrosensors
Fabrication of an ultramicrosensor for measurement of extracellular myocardial superoxide, 405 (2000) 77

Supersonic jet spectrometry
Scheme for collinear ionization in supersonic jet/multiphoton ionization/time-of-flight mass spectrometry, 412 (2000) 213

Supported liquid membrane
Determination of structural and electrical parameters for activated composite membranes containing di-(2-ethylhexyl)dithiophosphoric acid as carrier, 403 (2000) 91
Role of octanol–water partition coefficients in extraction of ionisable organic compounds in a supported liquid membrane with a stagnant acceptor, 416 (2000) 77

Surface gravimetry
Quartz crystal microbalance for L-leucine sensing based on growth of L-leucine crystals immobilized on a monolayer of 11-mercaptoundecanoic acid, 413 (2000) 223

Surface plasmon resonance
Application of chimeric RNA–DNA oligonucleotides to the detection of pathogenic microorganisms using surface plasmon resonance, 407 (2000) 1
Estimation of sensitivity for refractive index and immunoreaction in a surface plasmon resonance sensor probe, 417 (2000) 125

Surface water
Determination of the $^{234}U/^{238}U$ ratio in water samples by inductively coupled plasma mass spectrometry, 422 (2000) 203

Surface-response optimisation
Spectrofluorimetric determination of phenylephrine in the presence of a large excess of paracetamol, 419 (2000) 159

Surfactant
Polyelectrolyte–surfactant complexes: an aqueous titration method to model ion-pairing within polymeric membranes of polyion-sensitive electrodes, 404 (2000) 83
Determination of micelle/water partition coefficients of cosmetic preservatives. Optimisation of the capillary electrophoretic method, 412 (2000) 141
Application of cationic liposomes containing surfactants to an enhancer in firefly bioluminescent assay of adenosine 5′-triphosphate, 424 (2000) 169

Surfactant interferences
Pervaporation-flow injection determination of ammonia in the presence of surfactants, 416 (2000) 177

Suwannee River fulvic acid
Effect of metal/fulvic acid mole ratios on the binding of Ni(II), Pb(II), Cu(II), Cd(II), and Al(III) by two well-characterized fulvic acids in aqueous model solutions, 402 (1999) 211

s-wavelets
Principles and applications of wavelet transformation to chemometrics, 420 (2000) 169

Synchronous spectrofluorimetry
Simultaneous on-line dissolution monitoring of multicomponent solid preparations containing vitamins B_1, B_2 and B_6 by a fiber-optic sensor system, 408 (2000) 39

Synergistic effect
Synergistic effects of mixed GC stationary phase consisting of two different cyclodextrin derivatives, 424 (2000) 271

Synthesis of oxamides
Synthesis, characterisation and preliminary analytical evaluation of three oxamide reagents for peroxyoxalate chemiluminescence, 403 (2000) 145

Synthetic human galanin
Structure identification of synthetic human galanin using tandem mass spectrometry and in situ fast atom bombardment mapping, 402 (1999) 303

Synthetic pyrethroids
Monitoring of pyrethroid metabolites in human urine using solid-phase extraction followed by gas chromatography-tandem mass spectrometry, 401 (1999) 45

Synthetic zeolites
Synthetic zeolites as sorbent material for on-line preconcentration of copper traces and its determination using flame atomic absorption spectrometry, 403 (2000) 249

Syringe pump
Development of a sequential injection system in the capillary format for determinations of the IpaC protein, 409 (2000) 3

Systematic errors
Systematic errors: detection and correction by means of standard calibration, Youden calibration and standard additions method in conjunction with a method response model, 423 (2000) 179

T

Tablets
Short-end injection technique in capillary electrophoresis for dissolution testing of tablets, 415 (2000) 67

Tag
Electrochemical analysis of immobilised chemical and genetic biotinylated alkaline phosphatase, 408 (2000) 241

Tandem mass spectrometry
Monitoring of pyrethroid metabolites in human urine using solid-phase extraction followed by gas chromatography-tandem mass spectrometry, 401 (1999) 45
Structure identification of synthetic human galanin using tandem mass spectrometry and in situ fast atom bombardment mapping, 402 (1999) 303
Determination of diphenyl-ether herbicides and metabolites in natural waters using high-performance liquid chromatography with diode array tandem mass spectrometric detection, 414 (2000) 79

Tandem on-line
Continuous tandem on-line separation inductively coupled plasma optical emission spectrometry selective determination of germanium in zinc electrolytic solutions, 402 (1999) 319

Tannic acid
Preconcentration by coprecipitation of chromium in natural waters with Pd/8-quinolinol/tannic acid complex and its direct determination by solid-sampling atomic absorption spectrometry, 401 (1999) 277
Multivariate curve resolution of polarographic data applied to the study of the copper-binding ability of tannic acid, 424 (2000) 203

Tannins
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91

Tantalum
Spectrophotometric determination of tantalum by extraction as tetrabutylammonium hexathiocyanatotantalate(V), 422 (2000) 199

Tantalum(V)
Separation and determination of niobium(V) and tantalum(V) as 2-(5-bromo-2-pyridylazo)-5-[*N*-propyl-*N*-(3-sulfopropyl)amino]-phenol citrate ternary complexes in geological samples using ion interaction high-performance liquid chromatography, 409 (2000) 35

Target factor analysis
Factor analysis applied to the study of retention mechanism of nitroanilines in normal phase high performance liquid chromatography, 402 (1999) 285

Tartaric acid
Quantitative capillary electrophoretic analysis for calcium and magnesium in sodium–matrix waters, 410 (2000) 11

Taste sensor
A hybrid electronic tongue, 406 (2000) 147

Taurodeoxycholic acid
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid, 416 (2000) 1

TCCCN
Screening GC-MS data for carbamate pesticides with temperature-constrained–cascade correlation neural networks, 408 (2000) 1

Tea
Speciation of aluminum in tea infusion by ion-exchange resins and flame AAS detection, 411 (2000) 81

Technetium
Separation of rhenium by an extraction chromatographic resin for determination by inductively coupled plasma-mass spectrometry, 405 (2000) 227

Technetium-99
Rapid determination of technetium-99 by electrothermal vaporization-inductively coupled plasma-mass spectrometry with sodium chlorate and nitric acid as modifiers, 413 (2000) 207

Teeth
Multi-element profiling of human deciduous teeth by laser ablation-inductively coupled plasma-mass spectrometry, 401 (1999) 299

Teflon
Stability of dissolved metals in environmental aqueous samples: Rideau River surface water, rain and snow, 402 (1999) 223

Temperature
Design and characterization of a radioluminescent temperature sensor, 412 (2000) 47

Tenoxicam
Differential pulse polarographic determination of tenoxicam in pharmaceuticals and added to blood, 406 (2000) 183

Tenoxicam sensor
Piroxicam and tenoxicam selective membrane sensors, 414 (2000) 215

Terbium-sensitized luminescence
Evaluation of the terbium(III)-sensitized luminescence with benzenepolycarboxylic acids. Determination of terephthalic acid in drink samples, 407 (2000) 53

Terephthalic acid
Evaluation of the terbium(III)-sensitized luminescence with benzenepolycarboxylic acids. Determination of terephthalic acid in drink samples, 407 (2000) 53
Direct determination of trace elements in terephthalic acid by laser induced breakdown spectroscopy, 419 (2000) 153

Ternary complexes
Equilibria with the thallium(III)triethylenetetraminehexaacetate anion $[Tl(ttha)]^{3-}$ in aqueous solution, 406 (2000) 317

***Tert*-butyl bromide**
Differentiation and classification of user-specified bacterial groups by in situ thermal hydrolysis and methylation of whole bacterial cells with *tert*-butyl bromide chemical ionization ion trap mass spectrometry, 418 (2000) 119

***Tert*-butylhydroquinone**
Voltammetric determination of butylated hydroxyanisole, butylated hydroxytoluene, propyl gallate and *tert*-butylhydroquinone by use of chemometric approaches, 412 (2000) 185

Tetrabutylammonium
Spectrophotometric determination of tantalum by extraction as tetrabutylammonium hexathiocyanatotantalate(V), 422 (2000) 199

Tetracycline
Determination of tetracycline and its major degradation products by chemiluminescence, 405 (2000) 51

Tetracycline-modified electrode
Voltammetric measurement of microorganism populations, 405 (2000) 115

Tetrahydrofuran
Acid–base behaviour of substituted phenolic substances and resolution of acid strength in tetrahydrofuran, 403 (2000) 339

Tetramethylenedisulfotetramine
Rapid detection of tetramethylenedisulfotetramine in human blood by solid-phase microextraction/gas chromatography, 404 (2000) 329

Tetrapentylammonium ion
Challenges in achieving a fundamental model for ESI, 406 (2000) 37

Tetraphenylporphine
A fluorescent optode for sodium ion based on the inner filter effect, 407 (2000) 45

Textile coating
Using chemometric methods and NIR spectrophotometry in the textile industry, 420 (2000) 163

Textile moisure
Using chemometric methods and NIR spectrophotometry in the textile industry, 420 (2000) 163

TG-MS
Quantitative thermogravimetric-mass spectrometric analysis for monitoring the effects of fire retardants on cellulose pyrolysis, 409 (2000) 203

Thallium complexes
Equilibria with the thallium(III)triethylenetetraminehexaacetate anion $[Tl(ttha)]^{3-}$ in aqueous solution, 406 (2000) 317

The chemical species in the solution
The identification and characterization of silicate complexes in calcium chloride solution using fast atom bombardment mass spectrometry, 411 (2000) 109

The stability of Ca-silicate complex
The identification and characterization of silicate complexes in calcium chloride solution using fast atom bombardment mass spectrometry, 411 (2000) 109

Theobromine
Amperometric detection of three purine alkaloids following their separation by micellar electrokinetic capillary chromatography, 419 (2000) 235

Theophylline
Amperometric detection of three purine alkaloids following their separation by micellar electrokinetic capillary chromatography, 419 (2000) 235

Thermal ion emission
Investigation of characteristics of non-reductive thermal ion emission of various graphites in thermal ionization mass spectrometry, 420 (2000) 95

Thermal lensing
Optimisation of the optical scheme of a dual-beam thermal lens spectrometer using expert estimation, 418 (2000) 101

Thermochemolysis
Characterisation of lake-aquatic humic matter isolated with two different sorbing solid techniques: tetramethylammonium hydroxide treatment and pyrolysis-gas chromatography/mass spectrometry, 424 (2000) 91

Thermoelectric material
Precision attainable in the determination of silver by flame atomic absorption spectrometry. Analysis of thermoelectric silver-doped tellurides, 408 (2000) 183

Thiazine dyes
Determination of heparin using flow injection analysis with spectrophotometric detection, 401 (1999) 223

Thiazole
Concentration dependence of a thiazole orange derivative that is used to determine nucleic acid hybridization by an optical biosensor, 411 (2000) 19

2-(2-Thiazolylazo)-5-dimethylaminobenzoic acid
Simple and sensitive determination of nucleic acids using palladium(II) complex with 2-(2-thiazolylazo)-5-dimethylaminobenzoic acid, 422 (2000) 159

Thick-film electrode
Sol–gel-derived thick-film conductometric biosensor for urea determination in serum, 404 (2000) 195

Thin mercury film-rotating disk electrode
A study of Nafion-coated and uncoated thin mercury film-rotating disk electrodes for cadmium and lead speciation in model solutions of fulvic acid, 423 (2000) 115

Thin polymer films
Selectivity of chemical sensors based on micro-cantilevers coated with thin polymer films, 422 (2000) 89

Thin-layer chromatography
Profiling of human stratum corneum ceramides by liquid chromatography–electrospray mass spectrometry, 418 (2000) 167

2-Thiobarbituric acid reactive substances
Determination of olive oil 2-thiobarbituric acid reactive substances by parallel flow injection, 417 (2000) 119

Thioctic acid
Development of an ion-channel sensor for heparin detection, 411 (2000) 163

Thiocyanate
Thiocyanate-selective electrodes based on nickel and iron phthalocyanines, 402 (1999) 137
Spectrophotometric determination of thiocyanate by sequential injection analysis, 403 (2000) 279
Spectrophotometric determination of tantalum by extraction as tetrabutylammonium hexathiocyanatotantalate(V), 422 (2000) 199

Thiols
Analysis of biogenic thiols in natural water samples by high-performance liquid chromatographic separation and fluorescence detection with ammonium 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD-F), 408 (2000) 299

Thiourea derivative
PVC membranes based on silver(I)–thiourea complexes, 402 (1999) 129

Thioureid compounds
Chemiluminescent determination of lucigenin using thioureid derivatives, 403 (2000) 125

Thiuram
Liquid chromatography and exchange reaction of a synthetic thiurams mixture, 402 (1999) 87

Thorium
Determination of uranium and thorium in apatite minerals by inductively coupled plasma atomic emission spectrometry with solvent extraction separation into diisobutyl ketone, 420 (2000) 65

Thorium solid-phase extraction (SPE)
Phosphonate-based resins for the selective enrichment of uranium(VI), 402 (1999) 91

Three-way analysis
Determination of triphenyltin in sea-water by excitation–emission matrix fluorescence and multivariate curve resolution, 409 (2000) 237

Three-way resolution
Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC, 412 (2000) 195

Thulium
Ultratrace determination of thulium by laser-excited atomic fluorescence spectrometry with atomization in a rhenium lined tube furnace, 411 (2000) 57

Thyroxine
Flow injection method for the determination of thyroxine by inhibition of glutamate dehydrogenase, 411 (2000) 45

Time-of-flight mass spectrometry
Scheme for collinear ionization in supersonic jet/multiphoton ionization/time-of-flight mass spectrometry, 412 (2000) 213

Time-resolved fluorescence
Multiplex immunoassays on size-categorized individual beads using time-resolved fluorescence, 410 (2000) 85

Tin slag
Spectrophotometric determination of tantalum by extraction as tetrabutylammonium hexathiocyanatotantalate(V), 422 (2000) 199

Titania
Hot eluent capillary liquid chromatography using zirconia and titania based stationary phases, 414 (2000) 71

Titanium dioxide
Direct analysis of titanium dioxide solid powder by fluorination assisted electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 421 (2000) 75

Titration
Potentiometric characterisation of acid rains using corrected linear plots, 405 (2000) 173
An automatic titrator based on a multicommutated unsegmented flow system. Its application to acid–base titrations, 407 (2000) 213

Titrimetry
Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1

TLC
On the coupling of fluorescence line-narrowing spectroscopy and poly(ethylene)imine-cellulose thin-layer chromatography, 405 (2000) 1

TMA
Analytical method for monitoring airborne trimethylamine using solid phase micro-extraction and gas chromatography-flame ionization detection, 419 (2000) 73

TMAC
Use of adsorptive stripping voltammetry at the glassy carbon electrode for the simultaneous determination of magnesium(II) and aluminium(III). Application to some industrial samples, 417 (2000) 67

TMAH
Characterisation of lake-aquatic humic matter isolated with two different sorbing solid techniques: tetramethylammonium hydroxide treatment and pyrolysis-gas chromatography/mass spectrometry, 424 (2000) 91

α-Tocopherol
Determination of tissue α-tocopherol in senescence-accelerated mice by high-performance liquid chromatography with fluorimetric detection, 419 (2000) 81

Toluidine blue-O
A carbon paste electrode modified by entrapped toluidine blue-O for amperometric determination of L-lactate, 401 (1999) 155

Tool steel
On-line electrolytic dissolution of alloys in flow injection analysis. Determination of iron, tungsten, molybdenum, vanadium and chromium in tool steels by inductively coupled plasma atomic emission spectrometry, 405 (2000) 213

Total cyanide
Determination of total cyanide in soils by micro-distillation, 406 (2000) 283

Total nitrogen
Spectrophotometric determination of total nitrogen in plant materials using a flow-injection system with an $AgCl_{(s)}$ reactor, 416 (2000) 185

Total parenteral nutrition solutions
Capillary electrophoretic determination of oxalate in amniotic fluid, 410 (2000) 1

Total protein
A single solution for non-linear calibration in flow injection spectrophotometry. Kinetic determination of total protein in blood serum, 401 (1999) 215

Toxicity
Electrochemical and conformational studies of microcystin–LR, 409 (2000) 247

Toyopearl AF-Chelate 650M
Performance optimization of a commercially available iminodiacetate resin for the determination of Mn, Ni, Cu, Cd and Pb by on-line preconcentration inductively coupled plasma-mass spectrometry, 423 (2000) 265

TPD
Voltammetric study of the transfer of tetramethyl-*p*-phenylenediamine across the water/nitrobenzene interface, 405 (2000) 161

Trace elements
Direct determination of trace elements in terephthalic acid by laser induced breakdown spectroscopy, 419 (2000) 153

Trace metals
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry, 411 (2000) 91
In situ measurement of trace metals in lakewater using the dialysis and DGT techniques, 418 (2000) 53
Stripping potentiometry signal enhancement using mercury film-coated reticulated vitreous carbon working electrode, 423 (2000) 287

Trace Si
Contamination-free decomposition of zirconium oxide for the determination of ultra-trace silicon by inductively coupled plasma-atomic emission spectrometry, 416 (2000) 117

***Trans*-benzylchloride bis-triphenylfosfine palladium(II)**
Metal affinity liquid membrane. II. Facilitated transport of tryptophan, 417 (2000) 159

Transgenic tobacco and tomato
Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance, 421 (2000) 135

Transition metals
Ion chromatography of heavy and transition metals by on- and post-column derivatizations, 407 (2000) 319

***Trans*-resveratrol**
Gas-phase postderivatization following solid-phase microextraction for rapid determination of *trans*-resveratrol in wine by gas chromatography-mass spectrometry, 424 (2000) 19

Transverse heated-electrothermal atomic absorption spectrometry
Slurry-sampling with rapid atomization *versus* microwave digestion with conventional atomization for the determination of copper, manganese and nickel in algae matrix using transverse heated-electrothermal atomic absorption spectrometry, 404 (2000) 295

***trans*-Zeatin (Z)**
Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance, 421 (2000) 135

***trans*-Zeatin riboside (ZR)**
Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance, 421 (2000) 135

Triazines
Tailor-made derivatizing agents for carbonyl compounds using liquid chromatography, 410 (2000) 47

Trichloroacetic acid
Retention properties of mesoporous silica-based materials, 422 (2000) 231

Trichophyton rubrum
Amperometric enzyme immunosensor for the determination of the antigen of the pathogenic fungi *Trichophyton rubrum*, 411 (2000) 13

Tricine buffer
Tricine buffer for metallothionein isoform separation by capillary zone electrophoresis, 402 (1999) 59

Tricyclic antidepressants
Highly selective and sensitive determination of tricyclic antidepressants in human plasma using high-performance liquid chroma-

tography with post-column tris(2,2′-bipyridyl) ruthenium(III) chemiluminescence detection, 413 (2000) 137

Trifluralin
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin, 421 (2000) 121

Triglycerides
Development of a simulation program for the analysis of oils and fats by subcritical fluid chromatography, 401 (1999) 73

Trilinear model
Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC, 412 (2000) 195

Trimetazidine
Analytical applications of chemiluminogenic reactions, 413 (2000) 175

Trimethylamine
Analytical method for monitoring airborne trimethylamine using solid phase micro-extraction and gas chromatography-flame ionization detection, 419 (2000) 73

Trimethylphenyltin
Development of new SPME fibers by sol–gel technology for SPME-HPLC determination of organometals, 402 (1999) 67

Trimethylselenonium
Determination of trimethylselenonium ion in urine by ion chromatography and inductively coupled plasma mass spectrometry detection, 404 (2000) 47

Trimethylstiboxide
Determination of antimony species with fluoride as modifier and flow injection hydride generation inductively-coupled plasma emission spectrometry, 417 (2000) 201

Trimethyltin chloride
Trimethyltin chloride determination by hydride generation — gas phase molecular absorption spectrometry. A sequential application of experimental designs, 409 (2000) 171

Trioctylamine
Selective determination of polonium by photon electron rejecting alpha liquid scintillation (PERALS® System), 415 (2000) 229

Triphenylarsine
Development of new SPME fibers by sol–gel technology for SPME-HPLC determination of organometals, 402 (1999) 67

Triphenyltin
Determination of triphenyltin in sea-water by excitation–emission matrix fluorescence and multivariate curve resolution, 409 (2000) 237

Triplet acetone
Facile chemiluminescent method for alkaline phosphatase determination, 402 (1999) 99

***Tris*-(2,2′-bipyridine)ruthenium(II)**
Pulse injection analysis with chemiluminescence detection: determination of cinnamic acid using the $Ru(bipy)_3^{2+}$-$KMnO_4$ system, 402 (1999) 113

Tris(2,2′-bipyridyl) ruthenium (II)
Tris(2,2-bipyridyl)ruthenium (II) chemiluminescence in a microflow injection system for codeine determination, 405 (2000) 43
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection, 416 (2000) 87

Tris(2,2′-bipyridyl)ruthenium(III) chemiluminescence
Highly selective and sensitive determination of tricyclic antidepressants in human plasma using high-performance liquid chromatography with post-column tris(2,2′-bipyridyl) ruthenium(III) chemiluminescence detection, 413 (2000) 137

Triton X-100
Effect of complexones and tensides on selectivity of nitrogen dioxide determination in air with a chemiluminescence aerosol detector, 410 (2000) 159

Trp
Metal affinity liquid membrane. II. Facilitated transport of tryptophan, 417 (2000) 159

Tryptic digest
Chip-based nanovials for tryptic digest and capillary electrophoresis, 401 (1999) 11

Tryptophan
Chemiluminescence behavior of the decomposition of hydrogen peroxide catalyzed by copper(II)–amino acid complexes and its application to the determination of tryptophan and phenylalanine, 409 (2000) 65

Tubular electrodes
Comparison of spectrophotometric and potentiometric detection for the determination of water using Karl Fischer method under flow injection analysis conditions, 420 (2000) 133

Tungsten
Tungsten determination in rat and dog plasma samples by inductively coupled plasma emission spectrometry. Application to preclinical pharmacokinetic studies, 405 (2000) 221

Tween-60
A selective optical chemical sensor for the determination of Tween-60 based on fluorescence enhancement of tetraphenylporphyrin, 404 (2000) 205

Two and three-way data
Resolution of multicomponent peaks by orthogonal projection approach, positive matrix factorization and alternating least squares, 411 (2000) 145

Two-dimensional
Comments on the two-dimensional smoothing of data, 415 (2000) 117

Two-dimensional biochemical sensor
Two-dimensional biochemical imaging sensor for spatially resolved glutamate monitoring, 401 (1999) 91

Two-mode component analysis
Calibration and detailed analysis of second-order flow injection analysis data with rank overlap, 422 (2000) 21

Two-stage reaction
Dual-stopped-flow spectrophotometric determination of amiloride hydrochloride in a multicommutated flow system, 407 (2000) 225

Tyrosinase
A new tyrosinase biosensor based on tailoring the porosity of Al_2O_3 sol–gel to co-immobilize tyrosinase and the mediator, 407 (2000) 87
Highly sensitive electrochemical detection of alkaline phosphatase, 424 (2000) 57

U

$^{234}U/^{238}U$ ratio
Determination of the $^{234}U/^{238}U$ ratio in water samples by inductively coupled plasma mass spectrometry, 422 (2000) 203

Ultramicroelectrode
Electrocatalytic detection of biological nitric oxide at an ultramicroelectrode modified with an electrodeposited $CuPtCl_6$ film, 402 (1999) 145
Electroanalytical measurements using the scanning electrochemical microscope, 406 (2000) 119

Ultrasonic nebulizer
Determination of the $^{234}U/^{238}U$ ratio in water samples by inductively coupled plasma mass spectrometry, 422 (2000) 203

Ultrasound
Sonoelectrochemically enhanced nitrite detection, 404 (2000) 241

Uncertainty
Uncertainty calculations for amount of chemical substance measurements performed by means of isotope dilution mass spectrometry as part of the PERM project, 420 (2000) 89

Underivatized amino acids
An HPLC detection scheme for underivatized amino acids based on tryptophan fluorescence recovery, 409 (2000) 45

Unmodified silica gel
Ion chromatography with indirect photometric detection of common mono- and divalent cations using an unmodified silica gel column and tyramine/oxalic acid/18-crown-6 as eluent, 405 (2000) 277

Uptake
Quantitative aspects of brain microdialysis, 412 (2000) 1

Uptake rate
Evaluation of the reliability of diffusive sampling in environmental monitoring, 408 (2000) 117

Uranium
Phosphonate-based resins for the selective enrichment of uranium(VI), 402 (1999) 91
Adsorptive stripping voltammetric behaviour of UO_2(II) complexed with the Schiff base *N*,*N*′- ethylenebis(salicylidenimine) in aqueous 4-(2-hydroxyethyl)-1-piperazine ethanesulfonic acid medium, 408 (2000) 83
Determination of uranium and thorium in apatite minerals by inductively coupled plasma atomic emission spectrometry with solvent extraction separation into diisobutyl ketone, 420 (2000) 65

Uranium–plutonium mixed oxide fuel
Determination of oxygen-to-metal atomic ratio in mixed oxide fuel by non-dispersive infrared spectrophotometry after fusion in an inert gas atmosphere, 402 (1999) 297

Uranyl(+6)
Voltammetric study of uranyl–selenium interactions, 404 (2000) 159

Urea
Sensor for amperometric determination of ammonia and ammonia-forming enzyme reactions, 403 (2000) 11
Sol–gel-derived thick-film conductometric biosensor for urea determination in serum, 404 (2000) 195
Plant tissue-based chemiluminescence flow biosensor for urea, 407 (2000) 81
Amperometric pH-sensing biosensors for urea, penicillin, and oxalacetate, 415 (2000) 151

Urea detection
Improvement of urease based biosensor characteristics using additional layers of charged polymers, 403 (2000) 25

Urea kinetic modeling
Bioanalytical flow-injection system for control of hemodialysis adequacy, 418 (2000) 213

Urease
A laponite clay-poly(pyrrole–pyridinium) matrix for the fabrication of conductimetric microbiosensors, 401 (1999) 117
pH microelectrode–micropipette system for the measurement of enzyme reactions in a picoliter volume of a living plant cell, 404 (2000) 223

Urease inhibition
Improvement of urease based biosensor characteristics using additional layers of charged polymers, 403 (2000) 25

Uric acid
Flow injection analysis-amperometric determination of ascorbic and uric acids in urine using arrays of gold microelectrodes modified by electrodeposition of palladium, 404 (2000) 151
Highly-sensitive flow injection determination of hydrogen peroxide with a peroxidase-immobilized electrode and its application to clinical chemistry, 406 (2000) 201

Urine
Determination of trimethylselenonium ion in urine by ion chromatography and inductively coupled plasma mass spectrometry detection, 404 (2000) 47
Flow injection analysis-amperometric determination of ascorbic and uric acids in urine using arrays of gold microelectrodes modified by electrodeposition of palladium, 404 (2000) 151
Determination of thiopentone sodium in aqueous and biological media by cathodic stripping voltammetry, 412 (2000) 99
Analysis of *N*-methylcarbamates insecticides and some of their main metabolites in urine with liquid chromatography using diode array detection and electrospray mass spectrometry, 412 (2000) 131
Perchlorate-selective polymeric membrane electrode based on a gold(I) complex: application to water and urine analysis, 415 (2000) 159
Trace determination of mercury by anodic stripping voltammetry at the rotating gold electrode, 424 (2000) 65

UV and visible spectra of palladium(II) complexes
The stability of palladium(II) complexes with sulphur-containing ligands, 406 (2000) 325

UV derivative spectrometry
A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water, 422 (2000) 187

UV detection
Visualization of cyclodextrins via complexation with iodine in microcolumn liquid chromatography, 418 (2000) 175

UV–VIS spectrophotometry
Preconcentration, separation and determination of trace Hg(II) in environmental samples with aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel, 416 (2000) 191
Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1
Determination of Pd(II) by application of an on-line microwave oven and artificial neural networks in flow injection analysis, 420 (2000) 123

UV–VIS spectroscopy
Estimating reaction rate constants: comparison between traditional curve fitting and curve resolution, 419 (2000) 197

V

Validation
Designing experiments to optimise and validate the adsorptive stripping voltammetric determination of nimesulide, 413 (2000) 229
Systematic errors: detection and correction by means of standard calibration, Youden calibration and standard additions method in conjunction with a method response model, 423 (2000) 179

Validation criteria
Study of method validation criteria in a capillary electrophoresis method for the separation of non-steroidal anti-inflammatory drugs, 416 (2000) 29

Valinomycin
Methacrylic–acrylic polymers in ion-selective membranes: achieving the right polymer recipe, 403 (2000) 77

Vanadium
Kinetic spectrophotometric determination of V(IV) in the presence of V(V) by the H-point standard addition method, 409 (2000) 275

Vanadium (IV)
Highly selective and sensitive kinetic spectrophotometric determination of vanadium(IV) in the presence of vanadium(V), 409 (2000) 283

Vanadomolybdophosphoric acid
Radioluminescence detector for the flow injection determination of phosphorus as vanadomolybdophosphoric acid, 402 (1999) 267

Vanillin
Supported liquid membranes for the determination of vanillin in food samples with amperometric detection, 410 (2000) 127

Variable thickness thin-layer cell
Variable thickness thin-layer cell for electrochemistry and in situ UV–VIS absorption, luminescence and surface-enhanced Raman spectroelectrochemistry, 420 (2000) 45

Viagra
Voltammetric behavior of sildenafil citrate (Viagra) using square wave and adsorptive stripping square wave techniques. Determination in pharmaceutical products, 417 (2000) 143

***vic*-dioxime**
A new spectrophotometric reagent for copper: 3,3′-(1,3-propanediyldiimine)bis-[3-methyl-2-butanone]dioxime, 408 (2000) 163

Vinclozolin
Automated determination of Vinclozolin at the ppb level in aqueous samples by a combination of microporous membrane liquid–liquid extraction and adsorption chromatography, 424 (2000) 1

Vinegar
An automatic titrator based on a multicommutated unsegmented flow system. Its application to acid–base titrations, 407 (2000) 213

Vitamin B tablets
Simultaneous on-line dissolution monitoring of multicomponent solid preparations containing vitamins B_1, B_2 and B_6 by a fiber-optic sensor system, 408 (2000) 39

Vitamin C
Non-spectrophotometric methods for the determination of Vitamin C, 417 (2000) 1

VOCs
MultiSimplex optimisation and comparison of different purge-and-trap extractions of volatile organic compounds in soil samples, 416 (2000) 43

Volatile and phenolic compounds
Characterisation of Galician (NW Spain) Ribeira Sacra wines using pattern recognition analysis, 417 (2000) 211

Volatile hydrocarbons
Retention properties of mesoporous silica-based materials, 422 (2000) 231

Voltage rise time
Tricine buffer for metallothionein isoform separation by capillary zone electrophoresis, 402 (1999) 59

Voltammetric behaviour
Voltammetric behaviour and determination of the anthracycline antitumor drug nogalamycin, 409 (2000) 105

Voltammetric methods
Intercomparison of voltammetric techniques to determine the chemical speciation of dissolved copper in a coastal seawater sample, 405 (2000) 99

Voltammetry
The influence of data treatment on the interpretation of experimental results in voltammetry, 401 (1999) 163
Electrochemical study of electroactive reagent retention in over-oxidised polypyrrole films, 402 (1999) 157
Voltammetric study of uranyl–selenium interactions, 404 (2000) 159
Voltammetric study of the transfer of tetramethyl-*p*-phenylenediamine across the water/nitrobenzene interface, 405 (2000) 161
Development of an ion-channel sensor for heparin detection, 411 (2000) 163
Voltammetric determination of butylated hydroxyanisole, butylated hydroxytoluene, propyl gallate and *tert*-butylhydroquinone by use of chemometric approaches, 412 (2000) 185
Application of *p*-phenylenediamine as an electrochemical substrate in peroxidase-mediated voltammetric enzyme immunoassay, 413 (2000) 71
Voltammetric determination of traces of Cr(VI) in the presence of Cr(III) and humic acid, 414 (2000) 165
Voltammetric behavior of sildenafil citrate (Viagra) using square wave and adsorptive stripping square wave techniques. Determination in pharmaceutical products, 417 (2000) 143
Determination of the first dissociation constant of 6-benzylaminopurine. A comparison of methods, 421 (2000) 221

Volumetric analysis
Principal component analysis and artificial neural networks applied to the classification of Chinese pottery of neolithic age, 406 (2000) 247

Vulcanization accelerator
Liquid chromatography and exchange reaction of a synthetic thiurams mixture, 402 (1999) 87

W

Waste leachates
Complexing capacity of low-level radioactive waste leachates for ^{60}Co and ^{109}Cd using an ion-exchange technique, 410 (2000) 107

Waste water analysis
Flow injection biamperometric determination of chloramine-T in environmental, pharmaceutical and veterinary samples, 407 (2000) 187

Waste water samples
Spectrophotometric determination of thiocyanate by sequential injection analysis, 403 (2000) 279

Water
Determination of Fe(II) and total iron in natural waters with 3-(2-pyridyl)-5,6-diphenyl-1,2,4-triazine (PDT), 406 (2000) 289
Air moisture sensing materials based on the room temperature phosphorescence quenching of immobilized mercurochrome, 407 (2000) 61
Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification, 407 (2000) 165
Perchlorate-selective polymeric membrane electrode based on a gold(I) complex: application to water and urine analysis, 415 (2000) 159
Enhancement of the atomic absorption signal by silicate at electrothermal atomic absorption spectrometry, 415 (2000) 221
Spectrophotometric determination of phosphate and silicate by sequential injection using molybdenum blue chemistry, 417 (2000) 191
Chemical oxygen demand determination in environmental waters by mixed-acid digestion and single sweep polarography, 420 (2000) 39

Water analysis
Analysis of biogenic thiols in natural water samples by high-performance liquid chromatographic separation and fluorescence detection with ammonium 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD-F), 408 (2000) 299
A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water, 422 (2000) 187

Water determination
Comparison of spectrophotometric and potentiometric detection for the determination of water using Karl Fischer method under flow injection analysis conditions, 420 (2000) 133

Water vapour
Flow injection analysis of water vapour based on a fluorosensor, 423 (2000) 229

Water/nitrobenzene interface
Voltammetric study of the transfer of tetramethyl-*p*-phenylenediamine across the water/nitrobenzene interface, 405 (2000) 161

Water–acetic acid–chloroform ternary solvent system
High-performance liquid chromatographic–spectrophotometric determination of copper(II) and palladium(II) with 5,10,15,20-tetrakis(4*N*-pyridyl)porphine following homogeneous liquid–liquid extraction in the water–acetic acid–chloroform ternary solvent system, 424 (2000) 263

Water-soluble porphyrin
High-performance liquid chromatographic–spectrophotometric determination of copper(II) and palladium(II) with 5,10,15,20-tetrakis(4*N*-pyridyl)porphine following homogeneous liquid–liquid extraction in the water–acetic acid–chloroform ternary solvent system, 424 (2000) 263

Wavelet analysis
Orthogonal signal correction, wavelet analysis, and multivariate calibration of complicated process fluorescence data, 420 (2000) 181

Wavelet coefficient regression
Principles and applications of wavelet transformation to chemometrics, 420 (2000) 169

Wavelet transformation
Principles and applications of wavelet transformation to chemometrics, 420 (2000) 169

WD-X-ray fluorescence
Non-destructive analysis of small irregularly shaped homogenous samples by X-ray fluorescence spectrometry, 412 (2000) 203

Wettability
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation, 411 (2000) 175

Wheat NIR spectra
Principles and applications of wavelet transformation to chemometrics, 420 (2000) 169

White wine
Determination of total copper in white wine by stripping potentiometry utilising medium exchange, 413 (2000) 25

Whole blood
An optimized optrode for continuous potassium monitoring in whole blood, 401 (1999) 129
Determination of selenium in human blood specimens by electrothermal atomic absorption, 419 (2000) 121

Wine
Direct, selective flow injection spectrophotometric determination of calcium in wines using methylthymol blue and an on-line cascade dilution system, 402 (1999) 259
Array of conducting polymer sensors for the characterisation of wines, 411 (2000) 193
Enzymatic determination of ethanol and glycerol by flow injection parallel multi-site detection, 416 (2000) 205
Characterisation of Galician (NW Spain) Ribeira Sacra wines using pattern recognition analysis, 417 (2000) 211
Gas-phase postderivatization following solid-phase microextraction for rapid determination of *trans*-resveratrol in wine by gas chromatography-mass spectrometry, 424 (2000) 19

Woody plants
Chromatographic mobility of metals on paper impregnated with model compounds related to lignin structure and on wood slices, 406 (2000) 279

Working curve
Challenges in achieving a fundamental model for ESI, 406 (2000) 37

Working mercury electrode
Electrochemical quartz microbalance with working mercury electrode for quantitative studies of monolayer adsorption, 419 (2000) 243

Workplace monitoring
Workplace monitoring of gas phase hydrogen peroxide by means of fluorescence spectroscopy, 401 (1999) 191

World wide web
The use of the Internet for teaching Chemistry, 420 (2000) 239

X

XAD resin
Characterisation of lake-aquatic humic matter isolated with two different sorbing solid techniques: tetramethylammonium hydroxide treatment and pyrolysis-gas chromatography/mass spectrometry, 424 (2000) 91

Xanthine
Xanthine and hypoxanthine sensors based on xanthine oxidase immobilized on a $CuPtCl_6$ chemically modified electrode and liquid chromatography electrochemical detection, 414 (2000) 205

Xanthine oxidase
Biosensor for detection of hypoxanthine based on xanthine oxidase immobilized on chemically modified carbon paste electrode, 412 (2000) 55
Amperometric on-line sensor for continuous measurement of hypoxanthine based on osmium-polyvinylpyridine gel polymer and xanthine oxidase bienzyme modified glassy carbon electrode, 415 (2000) 143

XPS
Analysis by X-ray photoelectron spectroscopy of ruthenium stabilised polynuclear hexacyanometallate film electrodes, 410 (2000) 143
Combination of X-ray photoelectron and solid-state ^{13}C nuclear magnetic resonance spectroscopy in the structural characterisation of humic acids, 424 (2000) 243

X-ray fluorescence analysis
Methods of multivariate data analysis applied to the investigation of fen soils, 420 (2000) 205

Y

Yoghurt
Levels of polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and dibenzofurans in commercial yoghurt samples in Spain. Comparison with different dairy products, 402 (1999) 241

Youden calibration
Systematic errors: detection and correction by means of standard calibration, Youden calibration and standard additions method in conjunction with a method response model, 423 (2000) 179

Z

Zirconia
Hot eluent capillary liquid chromatography using zirconia and titania based stationary phases, 414 (2000) 71

Zirconium oxide
Contamination-free decomposition of zirconium oxide for the determination of ultra-trace silicon by inductively coupled plasma-atomic emission spectrometry, 416 (2000) 117

Zone removal
Fluorimetric determination of isoniazid by oxidation with cerium(IV) in a multicommutated flow system, 419 (2000) 17

Zwitterionic stationary phase
Amphoteric surfactant-modified stationary phase for the reversed-phase high-performance liquid chromatographic separation of nucleosides and their bases by elution with water, 419 (2000) 87

Zwitterions
Electrophoretic behaviour of zwitterionic compounds in capillary electrophoresis. Prediction of mobility of several quinolones, 415 (2000) 83